





MATERIAL CODE
(.28)/.0106 THK
BLANK=BRASS
B=PHOS BRONZE

2578 - * - * * *


OPTIONS
BLANK=AS SHOWN
1 = WITH CAT EARS

1. MATERIAL: SEE LEGEND
2. FINISH: SEE LEGEND
3. PRODUCT SPECIFICATION: PS-08-50
4. CRIMP ACCEPTS 22 TO 26 GA. WIRE WITH (1.65)/0.65 MAX INSULATION DIA.
5. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.
6. OPTIONAL DESIGN (.86±.05)/.034±.002
7. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002


WINDING SPEC.
A=PER ES-339-A
BLANK=PER ES-339-B
L=LOOSE

PLATING CODE
(PER SDES-88)

- (122) - OVERALL TIN: (0.00381)/.000150 MIN. OVER (0.00076)/.000030 MIN. NICKEL
- (154) - OVERALL TIN (0.00254)/.000100 MIN. OVER (0.00127)/.000050 MIN. NICKEL
- (224) - OVERALL MATTE TIN: (0.00508)/.000200 MIN. OVER (0.00127)/.000050 MIN. NICKEL
- (550) - SELECT GOLD: (0.000381)/.000015 MIN. OVERALL GOLD FLASH: (0.00005)/.000002 MIN. OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.
- (555) - SELECT GOLD: (0.000381)/.000015 MIN. OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.
- (558) - SELECT GOLD: (0.00076)/.000030 MIN. OVERALL GOLD FLASH: (0.00005)/.000002 MIN. OVERALL NICKEL UNDERPLATE: (0.00127)/.000050 MIN.
- (P909) - OVERALL HOT TIN DIP: (0.00254)/.000100 MIN



SECTION B-B
BACKGROUND OMITTED



SECTION A-A
BACKGROUND OMITTED

CHANGE PLATING	EC NO: UCP2012-1821	2012/01/11	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	DRN:WJMSHTR0H	2012/01/16			--	INCH				
	CHKD:KIPER	2012/02/02			MM/IN					
	APPR:FSKH TH									
	DRAWN BY				DATE	TITLE				
	PEREZ/AR				01/29/87	CRIMP TERMINAL				
	CHECKED BY				DATE	(3.96)/.156 CENTERS				
	PATEL				01/29/87	22 TO 26 GA WIRE				
	APPROVED BY				DATE	MOLEX INCORPORATED				
	LENZ				01/29/87	MOLEX INCORPORATED				
ANGULAR ± 1/2°										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
		SEE CHART		SD-2578		1 OF 2				
SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

	13	12	11	10	9	8	7	6	5	4	3	2	1																																																							
J	2578-(***)*			2578-B-(***)*										J																																																						
	PART NO.	ENG. NO.	PART NO.	ENG. NO.																																																																
I	08-50-0107	2578-(P909)	08-50-0133	2578-B-(P909)								I																																																								
	08-50-0108	2578-(P909)L	08-50-0134	2578-B-(P909)L																																																																
	08-50-0111	2578-(154)	08-65-0116	2578-B-(555)																																																																
	08-50-0112	2578-(154)L	08-65-0117	2578-B-(555)L																																																																
	08-56-0107	2578-(550)	08-60-0003	2578-B-(122)																																																																
	08-56-0108	2578-(550)L	08-60-0004	2578-B-(122)L																																																																
	08-55-0105	2578-(555)	08-65-0110	2578-B-(558)																																																																
	08-55-0106	2578-(555)L	08-65-0111	2578-B-(558)L																																																																
H	08-50-0061	2578-(224)	08-58-0125	2578-B-(550)								H																																																								
	08-50-0062	2578-(224)L	08-58-0126	2578-B-(550)L																																																																
	08-55-0137	2578-(558)A																																																																		
		2578-(558)L																																																																		
	08-50-0018	2578-(154)																																																																		
	08-50-0019	2578-(154)L																																																																		
	08-55-0123	2578-(558)																																																																		
		2578-(558)L																																																																		
G														G																																																						
F														F																																																						
E														E																																																						
D														D																																																						
C														C																																																						
B														B																																																						
A														A																																																						
<table><tr><td rowspan="10">SEE SHEET 1 EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02</td><td>QUALITY SYMBOLS</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM/IN</td><td>SCALE --</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4">▽=0 ▽=0 ▽=0</td><td></td><td>mm</td><td>INCH</td><td>DRAWN BY PEREZ/AR</td><td>DATE 01/29/87</td><td colspan="4" rowspan="4">TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td><td>CHECKED BY PATEL</td><td>DATE 01/29/87</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td><td>APPROVED BY LENZ</td><td>DATE 01/29/87</td></tr><tr><td>2 PLACES</td><td>± ---</td><td>± ---</td><td colspan="2">MATERIAL NO. SD-2578</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td><td colspan="2">ANGULAR ±1/2°</td><td colspan="2">DOCUMENT NO.</td><td colspan="2">SHEET NO. 2 OF 2</td></tr><tr><td></td><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="7">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>														SEE SHEET 1 EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE --	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		▽=0 ▽=0 ▽=0		mm	INCH	DRAWN BY PEREZ/AR	DATE 01/29/87	TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE				4 PLACES	± ---	± ---	CHECKED BY PATEL	DATE 01/29/87	3 PLACES	± ---	± ---	APPROVED BY LENZ	DATE 01/29/87	2 PLACES	± ---	± ---	MATERIAL NO. SD-2578		1 PLACE	± ---	± ---	ANGULAR ±1/2°		DOCUMENT NO.		SHEET NO. 2 OF 2			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
SEE SHEET 1 EC NO: UCP2012-1821 DRAWN:MMSTROH 2012/01/11 CHKD:HKIPPER 2012/01/16 APPR:FSMITH 2012/02/02	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE --	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																												
	▽=0 ▽=0 ▽=0		mm	INCH	DRAWN BY PEREZ/AR	DATE 01/29/87	TITLE CRIMP TERMINAL (3.96)/.156 CENTERS 22 TO 26 GA WIRE																																																													
		4 PLACES	± ---	± ---	CHECKED BY PATEL	DATE 01/29/87																																																														
		3 PLACES	± ---	± ---	APPROVED BY LENZ	DATE 01/29/87																																																														
		2 PLACES	± ---	± ---	MATERIAL NO. SD-2578																																																															
	1 PLACE	± ---	± ---	ANGULAR ±1/2°		DOCUMENT NO.		SHEET NO. 2 OF 2																																																												
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																															
		12	11	10	9	8	7	6	5	4	3	2	1																																																							

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru