

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	K1	ECR-13-003552		26FEB2013	XZ	LZ	

Dimensioning and tolerancing per ASME Y14.5M-2009

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151224-1

FOR REPLACEMENT PARTS FOR APPLICATOR 567336 REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR 567336

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN X. ZHAO			
DIMENSIONS:		CHK L. ZHANG			
		APVD L. ZHANG	NAME MINIATURE QUICK CHANGE APPLICATOR SIDE FEED (MINI AMP-IN)		
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
MATERIAL		FINISH	APPLICATION SPEC		RESTRICTED TO
			SIZE A3	CAGE CODE	DRAWING NO C- 567336
			WEIGHT	SCALE	SHEET 1 OF 2 REV K1

Dimensioning and tolerancing per ASME Y14.5M-2009

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION		
COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.		
PART NUMBER	REV	FIRST USED
567336-1	K	-
567336-2	K	-
567336-3	K	-
7-567336-7	J	-

-1	LEADMAKER	MECH POST FEED
-2	BENCH MODEL K	MECH PRE FEED
-3	BENCH MODEL G	MECH PRE FEED
-77	-	SPARE TOOL KIT

LOC	DIST	REVISIONS			
A	66	REV	DATE	BY	APPD
		K	1-2007	MY	GB

TERMINAL NAME:					
770565-1	CRIMPING DATA				
770565-2	PAD LTR	CRIMP HEIGHT	WIRE SIZE		
	A	.042 ± .002 [1.07 ± 0.05mm]	18		
	B	.036 ± .002 [0.91 ± 0.05mm]	20		
	C	.032 ± .002 [0.81 ± 0.05mm]	22		
	D	NOT	USED		
	CRIMP	SIZE	TYPE	RANGE	
	WIRE	.062	F	22-18	
	INSUL	.110	F	.060-.110	
WIRE STRIP LENGTH	TERM APPL SPEC	FEED	APPL INST	SET UP GAGE	LAYOUT
.135-.165	114-1016	.330	AI 8040	458637-1	L1343

-	2	2	2	-	5-354779-0	PIN, WIRE DISC (.3240)C	129
-	2	2	2	-	4-354779-2	PIN, WIRE DISC (.3200)B	127
-	2	2	2	-	3-354779-0	PIN, WIRE DISC (.3140)A	126
-	1	1	1	-	986950-1	WASHER, FLAT PRECISION	125
-	REF	REF	REF	-	21045-3	RING,RET "C"(.187φ)FEED FINGER PIN	124
-	REF	REF	REF	-			123
-	REF	REF	REF	-	5-21028-1	PIN,SLT SPR(.125φx.50)ADJ ROD	122
-	1	1	1	-	4-21028-0	PIN,SLT SPR(.093φx.75)ST GUIDE PL	121
-	REF	REF	REF	-	1-21030-1	PIN,DOWEL(.187φx.50)LEVER	120
-	REF	REF	REF	-	1-21030-6	PIN,DOWEL(.187φx1.25)HOUSING	119
-	1	1	1	-			118
-	1	1	1	-	21024-5	WASHER,LOCK(NO.10)ADJ BLOCK	117
-	REF	REF	REF	-	21024-5	WASHER,LOCK(NO.10)ADJ PLATE	116
-	REF	REF	REF	-	21024-5	WASHER,LOCK(NO.10)FEED GUIDE ROD	115
-	2	2	2	-	21024-2	WASHER,LOCK(NO.4)FRONT STRIP GUIDE	114
-							113
-							112
-	2	2	2	-	21024-4	WASHER,LOCK(NO.8)STRIPPER	111
-	REF	REF	REF	-	21899-4	WASHER,FLAT(5/16 DIA)SCREW ADJ	110
-							109
-							108
-	REF	REF	REF	-	21018-5	NUT,HEX(6-32)FEED ADJ	107
-							106
-	1	1	1	-	22353-8	SCR,SHLD(φ.188x.250) DRAG LEVER	105
-							104
-	1	1	1	-	21009-2	SCR,SKT SET(1/4-20x.25LOC-WEL)RAM	103
-	2	2	2	-	21017-2	SCR,DRIVE(#2x.19)ID PLATE	102
-	REF	REF	REF	-	6-23715-5	SCR,PAN HD(6-32x1.50)FEED ADJ	101
-	1	1	1	-	461264-1	PLATE, IDENTIFICATION	100
-	2	2	2	-	5-21006-6	SCR,SET(10-32x.75)DRAG	99
-	1	1	1	-	22733-8	SCR,BHC(8-32x.38LOC-WEL)ANVIL	98
-	REF	REF	REF	-	2-21002-9	SCR,BHC(10-32x.75)CAP	97
-	REF	REF	REF	-	2-22733-8	SCR,BHC(1/4-20x.62)HOUSING	96
-	REF	REF	REF	-	2-21002-7	SCR,BHC(10-32x.50)SG ADJ BLOCK	95
-	6	6	6	-	2-21002-2	SCR,BHC(8-32x.50)SHEAR	94
-							93
-							92
-	1	1	1	-	1-21002-7	SCR,BHC(6-32x.38)CAM	91
-							90
-							89
-							88
-							87
-	1	1	1	-	2-22603-0	SCR,HEX HEAD(8-32x.31)FEED FINGER	86
-	2	2	2	-	1-21000-3	SCR,SKT CAP(4-40x.25)F STRIP GUIDE	85
-	1	1	1	-	2-21000-7	SCR,SKT CAP(8-32x.50)STRIPPER	84
-	REF	REF	REF	-	3-21000-7	SCR,SKT CAP(10-32x.75)FEED ROD GD	83
-	REF	REF	REF	-	3-21000-6	SCR,SKT CAP(10-32x.62)FEED ADJ BLK	82
-	1	1	1	-	3-21000-4	SCR,SKT CAP(10-32x.38)SG ADJ BL	81
-	REF	REF	REF	-	3-21000-4	SCR,SKT CAP(10-32x.38)PIVOT BLOCK	80
-	REF	REF	REF	-	455755-1	GUARD ASSY	79
-	REF	REF	REF	-	679532-1	INSERT GUARD	78
-							77
-							76
-							75
-	1	1	1	-	690603-1	SPRING, ASSIST	74
-	1	1	1	-	23030-1	SCR,SKT CAP(6-32x.25)CP DISC	73
-	REF	REF	REF	-	458109-1	WASHER, SPECIAL	72
-	REF	REF	REF	-	690517-1	SPACER	71
-77	-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO

-	REF	REF	REF	-	22594-8	NUT, HEX	70
-	REF	REF	REF	-	240628-1	PLATE, ADJUSTMENT	69
-	REF	REF	REF	-	240626-1	SHAFT, PIVOT	68
-	REF	REF	REF	-	240633-1	BUSHING	67
-	REF	REF	REF	-	455680-1	LEVER, INTERMEDIATE	66
-	REF	REF	REF	-	240629-1	BLOCK, PIVOT	65
-	REF	REF	REF	-	240632-2	SCREW, ADJUSTMENT FEED ROD	64
-	REF	REF	REF	-	240659-3	PIN, CAM ROLLER	63
-	REF	REF	REF	-	240658-1	ROLLER, CAM	62
-	REF	REF	REF	-	454398-2	ROD, FEED	61
-	REF	REF	REF	-	454178-1	GUIDE, FEED ROD	60
-	REF	REF	REF	-	454220-1	CAP, HOUSING	59
-	REF	REF	REF	-	454485-1	HOUSING	58
-							57
-	1	1	1	-	458537-2	PAWL, FEED	56
-	REF	REF	REF	-	240624-1	PIN, FEED FINGER	55
-	REF	REF	REF	-	691499-1	SPRING, FEED FINGER	54
-	REF	REF	REF	-	690541-1	FINGER, FEED	53
-	REF	REF	REF	-	455679-1	LEVER, TERMINAL FEED ARM	52
-							51
-							50
-	1	-	-	-	690602-6	CAM, PRE-FEED 1 5/8 STROKE	49
-	-	1	-	-	690602-5	CAM, PRE-FEED 1 1/8 STROKE	48
-	-	-	1	-	690501-4	CAM, POST-FEED 1 5/8 STROKE	47
-	1	1	1	-	459456-1	APPLICATOR, BASIC (SUBASSY)	46
-	1	1	1	-	690191-1	PLUG, NYLON	45
-	1	1	1	-	455673-1	RAM	44
-	1	1	1	-	690125-1	WASHER, LAMINATED	43
-	1	1	1	-	690124-1	WASHER, RAM	42
-	1	1	1	-	7-21002-9	BOLT, CRIMPER (5/16 X 1.00)	41
-	1	1	1	-	23241-6	BALL, STEEL	40
-	1	1	1	-	690170-1	SPRING, COMPRESSION	39
-	1	1	1	-	690142-1	DISC, INSULATION	38
-	1	1	1	-	354777-1	DISC, WIRE	37
-	1	1	1	-	22480-5	WASHER, SPRING	36
-	1	1	1	-	690212-1	POST, RAM	35
-	1	1	1	-	469465-1	STOP, WIRE	34
-	REF	REF	REF	-	455675-1	PLATE, BASE	33
-	1	1	1	-	690432-3	SCREW, ADJUSTMENT	32
-							31
-	REF	REF	REF	-	455689-1	BLOCK, STRIP GUIDE ADJ	30
-	1	1	1	-	843869-1	PLATE, STRIP GUIDE FENCE LOC DIM .09	29
-	1	1	1	-	1-455888-0	SPACER, FRONT SHEAR DEP	28
-	2	2	2	-	1-22284-0	SPRING, DRAG	27
-	1	1	1	-	356835-1	LEVER, DRAG RELEASE	26
-	1	1	1	-	240792-1	DRAG, STOCK	25
-	1	1	1	-	6-690504-8	GUIDE, STRIP (REAR)	24
-	1	1	1	-	690438-1	GUIDE, STRIP (FRONT)	23
-							22
-	REF	REF	REF	-	4-22284-9	SPRING, FEED RETURN	21
-							20
-	1	1	1	-	1-690472-4	STRIPPER	19
-							18
-							17
-	1	1	1	-	691667-1	GUARD, CHIP (FRONT)	16
-							15
-							14
-							13
-	1	1	1	-	3-22280-3	SPRING, SHEAR	12
-	1	1	1	-	690461-1	STOP, SHEAR	11
-	1	1	1	-	690459-1	HOLDER, SHEAR (FRONT)	10
-	1	1	1	-	454276-1	SHEAR, FLOAT (FRONT)	9
1	1	1	1	-	1-464962-0	ANVIL	8
-							7
-							6
-	1	1	1	-	455889-9	DEPRESSOR, SHEAR (FRONT)	5
-	1	1	1	-	2-238011-5	SPACER, TUBULAR	4
1	1	1	1	-	3-683453-8	CRIMPER, INSULATION	3
-	1	1	1	-	455888-1	SPACER, CRIMPER	2
1	1	1	1	-	3-456403-3	CRIMPER, WIRE	1
-77	-3	-2	-1	U/M	PART NO	DESCRIPTION	ITEM NO

- 1 RECOMMENDED SPARE PARTS.
 - 2 GREASE LIGHTLY.
 - 3 LUBRICATE DAILY USING NO. 20 MACHINE OIL.
 - 4 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR.
5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 & 79) ARE USED ON ITEM 46.
- 6 MOUNT STRIPPER BETWEEN INSULATION CRIMPER AND SHEAR DEPRESSOR.




THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: M. YOUNGER	08NOV2006	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	PRODUCT SPEC	
MATERIAL		FINISH	APPLICATION SPEC	WEIGHT	
CUSTOMER DRAWING		SCALE: 1:1	SHEET 1 OF 2	REV K	

Dimensioning and tolerancing per ASME Y14.5M-2009


8 7 6 5 4 3 2 1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
A	66	REV	DATE	BY	APPD
		1			
		SEE SHEET 1			



* Trademark of AMP Incorporated



AMP 4805 REV 31MAR2000
 11JAN2007 10:50am

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: M. YOUNGER	08NOV2006	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME: MINIATURE QUICK CHANGE APPLICATOR SIDE FEED (MINI AMP-IN)	
0 PLC	± .005	1 PLC	± .002	PRODUCT SPEC	
2 PLC	± .001	3 PLC	± .0005	APPLICATION SPEC	
4 PLC	± .0002	ANGLES	± .0001	WEIGHT	
MATERIAL		FINISH		SIZE	A1
CUSTOMER DRAWING				CAGE CODE	567336
				DRAWING NO	567336
				RESTRICTED TO	
				SCALE	1:1
				SHEET	2 OF 2
				REV	K

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru