

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	D1	ECR-14-001600	03FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266040-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1528336
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1528336

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity		
DIMENSIONS:		CHK	RAGHAVENDRA				
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
		0 PLC ±		FINE ADJ SIDE FD HD-I APPL			
		1 PLC ±					
2 PLC ±		APVD		RAGHAVENDRA			
3 PLC ±		PRODUCT SPEC					
4 PLC ±		APPLICATION SPEC					
ANGLES ±		WEIGHT		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
FINISH		CUSTOMER DRAWING		A3		©- 1528336	
MATERIAL		SCALE		SHEET 1 OF 2		REV D1	

	—	1	1	1	1	1	1	1528336	PRINT, APPLICATOR LOG SHEET	72
	—	1	1	1	1	1	1	1338705—3	DOCUMENTATION PACKAGE	71
										70
										69
										68
	—	1	1	1	1	1	1	461264—5	PLATE, IDENTIFICATION	67
	—	2	2	2	2	2	2	21017—2	SCR,DRIVE(#2x.19)ID PLATE	66
										65
										64
	—	1	1	1	1	1	1	3—18031—0	SCR,SKT SET(M6X6)RAM	63
										62
	—	2	2	2	2	2	2	2—18032—5	SCR,EST(M5X20)DRAG	61
	—	1	1	1	1	1	1	18024—7	SCR,BHC(M4X10)ANVIL	60
	—	1	1	1	1	1	1	5—18022—2	SCR,HEX(M4X8)FEED FINGER	59
										58
										57
	—	1	1	1	1	1	1	1338685—1	PAWL, FEED	56
										55
4	—	4	4	4	4	4	4	18024—8	SCR,BHC(M4x12)SHEAR HOLDER	54
	—	2	2	2	2	2	2	1—18023—4	SCR,SHC(M4x20)TERM HLD DWN	53
	—	1	1	1	1	1	1	18030—1	NUT,HEX(M3)HOLD_DOWN	52
	—	1	1	1	1	1	1	811242—5	BUMPER, HOLDDOWN	51
	—	1	1	1	1	1	1	690753—2	SPACER, TONKER	50
	—	1	1	1	1	1	1	18024—3	SCR,BHC(M3X10)CAM	49
	—	1	1	—	—	1	—	1338675—1	CAM, PRE FEED 30 & 40 mm ST	48
	—	1	—	1	1	—	1	1338676—1	CAM, POST FEED 30 & 40 mm ST	47
	—	1	1	1	1	1	1	1320999—3	APPLICATOR BASIC SUBASSY	46
	—	1	1	1	1	1	1	690191—1	PLUG, NYLON	45
	—	1	1	1	1	1	1	1338660—1	RAM	44
										43
										42
	—	1	1	1	1	1	1	2—18024—6	SCR,BHC(M8X25)RAM	41
										40
	—	1	1	1	1	1	1	690125—1	SHIM SUBASSY	39
	—	1	1	1	1	1	1	469367—9	SPACER, FINE ADJUST	38
	—	1	1	1	1	1	1	879103—3	FINE ADJUST HEAD SUBASSY	37
										36
										35
	—	1	1	1	1	1	1	1320934—2	SUPPORT, TERMINAL	34
	—	2	2	2	2	2	2	1—18024—0	SCR,BHC(M4X20)STRIP GUIDE	33
	—	1	1	1	1	1	1	18027—2	WASHER, FLAT(M4)	32
	—	1	1	1	1	1	1	1—18023—2	SCR,SKT CAP(M4X12)MOUNT BLOCK	31
	—	1	1	1	1	1	1	1320908—8	SPACER, STRIP GUIDE	30
	—	1	1	1	1	1	1	1—1633073—3	STRIP GUIDE PLATE ASSY	29
	—	1	1	1	1	1	1	1—455888—9	SPACER, FRONT SHEAR DEP	28
	—	2	2	2	2	2	2	1—22284—0	SPRING, DRAG	27
	—	1	1	1	1	1	1	356835—1	LEVER, DRAG RELEASE	26
	—	1	1	1	1	1	1	240792—1	DRAG, TERMINAL	25
	—	1	1	1	1	1	1	1320928—1	PLATE, STRIP GUIDE	24
	—	1	1	1	1	1	1	980371—4	SCR,SHC SHLD	23
	—	1	—	1	1	—	1	690472—2	STRIPPER	22
	—	1	1	1	1	1	1	1—18023—1	SCR,SHC(M4X10)STRIPPER	21
	—	4	4	4	4	4	4	18025—2	WASHER,LOCK(M4)STRIPPER	20
	—	—	1	—	—	1	—	690472—1	STRIPPER	19
1	—	1	—	—	1	—	—	1338684—1	HOLDER, SHEAR, FRONT (NO—CUT)	18
										17
										16
										15
										14
										13
	—	1	1	1	1	1	1	3—22280—3	SPRING, SHEAR	12
	—	1	1	1	1	1	1	356885—4	STOP, SHEAR	11
}	—	—	1	1	—	1	1	1320921—1	HOLDER, SHEAR, FRONT (CUT)	10
	—	1	1	1	1	1	1	454276—2	SHEAR, FLOAT (FRONT)	9
	1	2	2	2	1	1	1	2—1333205—3	ANVIL	8
	—	1	1	1	1	1	1	6—240641—5	SPACER, DEPRESSOR (REAR)	7
										6
	—	1	1	1	1	1	1	1—455889—4	DEPRESSOR, SHEAR (FRONT)	5
	—	1	1	1	1	1	1	238011—4	SPACER, BLOCK CRIMPER	4
1	1	2	2	2	1	1	1	1—854830—8	CRIMPER, INSULATION	3
	—	1	1	1	1	1	1	455888—9	SPACER, CRIMPER	2
1	1	2	2	2	1	1	1	1—456406—5	CRIMPER, WIRE	1

[illegible]

1 AND SPARE PARTS
2 AND SPARE PARTS
6 AND SPARE PARTS
SPARE PARTS KIT

37

39

63

45

38

44

7

50

52

51

1

2

3

4

28

5

41

67

66

20

21

19

22

33

24

30

29 REF

29

31

32

27

25

61

26

23

59

20

46 (REF)

56

46

34

8

9

12

10

17

11

54


60

54

C

B

- * WARNING:
ON INSTALLATION, SET WIRE
DISC TO LARGEST WIRE SIZE
SETTING. USE OF SETTINGS
BELOW MIN REQUIRED CRIMP
HEIGHT SETTING WILL CAUSE
DAMAGE TO CRIMP TOOLING.



-77	-76	-72	-71	-6	-2	-1	PART NO		DESCRIPTION		ITEM NO
							PARTS LIST				
QTY REQD PER ASSY											
THIS DRAWING IS A CONTROLLED DOCUMENT.							DIN L1LOFFHOUSE 22JUN04	 Tyco Electronics Corporation Harriburg, PA 17105-3608			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APD: F BACKHURST 22JUN04		NAME FINE ADJ SIDE FD HD-I APPL					
INCHES				PRODUCT SPEC							
		0 PLC ± .									
		1 PLC ± .									
		2 PLC ± .		APPLICATION SPEC							
		3 PLC ± .									
		4 ANGLES ± .				SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO	
MATERIAL		FINISH		WEIGHT		A1		00779	C=1528336		
CUSTOMER DRAWING							SCALE		SHEET	OF	REV

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru