

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		A	ECO-05-10251	28SEP05	RB	MS

D

C

B

A









FIG 1



CONTACT ARRANGEMENT





FIG 2

1. FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7519.
2. SWITCH SHOWN IN OPEN POSITION.
3. ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLACK.
4. STAMPING WILL VARY ON 2 AND 3 POSITION TOPS DUE TO SPACE RESTRICTIONS.
5. STRIPPABLE TRANSPARENT SEAL, SEE FIG 6.
6. .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE .300±.010 AT MOUNTING SURFACE.
7. NO POSITION MARKING.
8. NO PART NO. MARKING.
9. STRIPPABLE TAPE SEAL, SEE FIGURE 8.
10. ALL MATERIALS AND FINISHES SHALL COMPLY WITH EU DIRECTIVE 2002/95/EC OF 27JAN2003 (ROHS)
11. MATERIAL: HOUSING AND ROCKERS - POLYESTER CONTACT & SOLDER LEAD - COPPER ALLOY
12. FINISH: CONTACT - GOLD OVER NICKEL SOLDER LEAD - TIN OVER NICKEL

5435802-1 SHOWN

FIG 2	FIG 3A& 7		1.08	10	6-5435802-3
FIG 1	FIG 3B	9	.88	8	3-5435802-8
FIG 2	7 8	5	.88	8	3-5435802-0
FIG 2	7 8	5	.48	4	2-5435802-9
FIG 2	FIG 3A	5	1.28	12	2-5435802-2
FIG 2			1.18	11	2-5435802-1
FIG 2			1.08	10	2-5435802-0
FIG 2			.98	9	1-5435802-9
FIG 2			.78	7	1-5435802-8
FIG 2			.68	6	1-5435802-7
FIG 2			.58	5	1-5435802-6
FIG 2			.48	4	1-5435802-5
FIG 2	FIG 3A	5	1.28	12	1-5435802-2
FIG 1			.28	2	1-5435802-0
FIG 2			.88	8	5435802-9
FIG 2			1.08	10	5435802-8
FIG 2			.98	9	5435802-7
FIG 2			.78	7	5435802-6
FIG 2			.68	6	5435802-5
FIG 2			.58	5	5435802-4
FIG 2			.48	4	5435802-3
FIG 2	FIG 3A		.38	3	5435802-2
FIG 2	FIG 3A		.88	8	5435802-1
HOUSING	MARKING	PROT-ECTIVE SEAL	A	NO OF POSN	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY	19-9-89	tyco Electronics		Tyco Electronics Corporation		
		CHK R. MILLER	19-9-89			Harrisburg, Pa 17105-3608		
DIMENSIONS: INCHES		APVD H. LEITER	19-9-89	NAME		SWITCH ASSY, DIP, TYPE C, 7000 SERIES, SPST, SIDE ACTUATED —		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC —						
		APPLICATION SPEC —		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
MATERIAL		FINISH	WEIGHT —	A2	00779	G=5435802	—	
			CUSTOMER DRAWING			SCALE 4:1	SHEET 1 OF 2	REV A

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		—	SEE SHEET 1	—	—	—




FIG 3A




FIG 3B





FIG 4



PROTECTIVE SEAL

FIG 6





FIG 7



PROTECTIVE SEAL




FIG 8

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY 19-9-89	tyco Electronics Tyco Electronics Corporation Harrisburg, Pa 17105-3608			
DIMENSIONS: INCHES		CHK R. MILLER 19-9-89				
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD H. LEITER 19-9-89	NAME SWITCH ASSY, DIP, TYPE "C", 7000 SERIES, SPST, SIDE ACTUATED			
	0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ANGLES ± - FINISH	PRODUCT SPEC — APPLICATION SPEC — WEIGHT —				
MATERIAL SEE SHEET 1	SEE SHEET 1	CUSTOMER DRAWING	SIZE A2	CAGE CODE 00779	DRAWING NO C=5435802	RESTRICTED TO —
			SCALE 4:1	SHEET 2	OF 2	REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru