




D

C

B

A

D


C

B


A

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


D




2343988-2
UNMARKED DIMENSIONS SAME AS 2343988-1
SCALE 2:1




A MAX
AFTER MODULE
INSERTION




C




2343988-3
UNMARKED DIMENSIONS SAME AS 2343988-1
SCALE 2:1





AMAX
AFTER MODULE
INSERTION




B






1-2343988-1
WITHOUT REAR EONS
UNMARKED DIMENSIONS SAME AS 2343988-1
SCALE 2:1





A



1-2343988-2
WITHOUT REAR EONS
UNMARKED DIMENSIONS SAME AS 2343988-2
SCALE 2:1



1-2343988-3
WITHOUT REAR EONS
UNMARKED DIMENSIONS SAME AS 2343988-3
SCALE 2:1



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

-

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.25

1 PLC ±0.25

2 PLC ±0.25

3 PLC ±

4 PLC ±

ANGLES ±

FINISH -

-

DWN J. WANG 10OCT2018

CHK S. HAN 10OCT2018

APVD S. HAN 10OCT2018

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD

SIZE A2

CAGE CODE -

DRAWING NO C-2343988

RESTRICTED TO -

SCALE 1:1

SHEET 2 OF 6

REV A

D

C

B


A

D


C

B


A




CAGE ASSEMBLY OMITTED FOR CLARITY



SINGLE SIDE MOUNTING



CAGE ASSEMBLY OMITTED FOR CLARITY




BELLY TO BELLY MOUNTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	10OCT2018	 TE Connectivity		
		CHK S. HAN	10OCT2018			
		APVD S. HAN	10OCT2018	NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
mm		0 PLC ±0.25		APPLICATION SPEC		
		1 PLC ±0.25		WEIGHT		
		2 PLC ±0.25		CUSTOMER DRAWING		
		3 PLC ±		SCALE 1:1		
		4 PLC ±		SHEET 3 OF 6		
MATERIAL		FINISH		REV A		
-		-				
-		-				

1471-9 (3/13)

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT
BELLY TO BELLY
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.25
1 PLC ±0.25
2 PLC ±0.25
3 PLC ±
4 PLC ±
ANGLES ±
FINISH

MATERIAL

-

DWN J. WANG 10OCT2018
CHK S. HAN 10OCT2018
APVD S. HAN 10OCT2018

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

TE Connectivity

NAME

CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD

SIZE

A2

CAGE CODE

-

DRAWING NO

C-2343988

RESTRICTED TO

-

SCALE

2:1

SHEET

5 OF 6

REV

A


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D


C

B


A



DETAIL B
SCALE 5:1



DETAIL C
SCALE 5:1



DETAIL D
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	10OCT2018	TE Connectivity		
		CHK S. HAN	10OCT2018			
		APVD S. HAN	10OCT2018	NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE A2		
		0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		CAGE CODE -		
MATERIAL -				DRAWING NO C-2343988		
				RESTRICTED TO -		
				SCALE 2:1 SHEET 6 OF 6 REV A		
				CUSTOMER DRAWING		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru