



REVISIONS			
REV	DESCRIPTION, ECN, EAR NO.	DATE	APP'D
A	PROPOSAL	MAR 14/12	A.G
B	REMOVE KEY FEATURE PER P/N.	SEP 29/12	L.CHAN
C	SPECIFIC THE SHIELDED DRAWING.	APR 10/14	L.CHAN
D	FIX THE ERROR PER ECN 160898	JAN 03/17	L.CHAN
E	ADD HALOGEN FREE OPTIONS	JUL 02/18	L.CHAN
E	UPDATE HALOGEN FREE OPTIONS	JUL 25/18	L.CHAN

1. MATERIALS:
 PLASTIC HOUSING: THERMOPLASTIC PER MATERIAL OPTION IN PART NO.
 FLAMMABILITY RATING UL 94V-0
 COLOUR: BLACK

CONTACTS: PHOSPHOR BRONZE
 PLATING: REFER TO PART NO. FOR GOLD THICKNESS
 ON MATING SURFACES.
 50 μ " [1.27 MICRONS]
 MIN. NICKEL UNDERPLATE
 100 μ " [2.54 MICRONS]
 MIN. MATTE TIN ON CONTACT TAILS.

SHIELD: STAINLESS STEEL WITH TIN DIPPED PCB TAILS.


AMPHENOL PART NUMBER: RJE74-1XX-1X10-X

NUMBER OF POSITION
 8= 8 POSITION
 A= 10 POSITION
 NUMBER OF CONTACT
 4= 4 CONTACT
 6= 6 CONTACT
 8= 8 CONTACT
 A= 10 CONTACT

BLANK= PBT, TRAY PACKAGING,
 W/O MYLAR
 A= HIGH TEMP. MATERIAL,
 TRAY PACKAGING, W/O MYLAR
 H= HIGH TEMP. MATERIAL
 TAPE/REEL PACKAGING, WITH MYLAR
 F= HIGH TEMP. MATERIAL, HALOGEN FREE
 TRAY PACKAGING, W/O MYLAR

SHIELD OPTION
 1= FULL SHIELD

GOLD PLATING
 1 = 6 μ " 3 = 30 μ "
 2 = 15 μ " 4 = 50 μ "



RECOMMENDED P.C.B LAYOUT
 (COMPONENT SIDE OF BOARD
 TOLERANCES: ± 0.05 [.002],
 BASED ON PRODUCT WITH
 SHIELD)

LOCATE HOLES
 $\phi 0.13$ [0.005]
 POSITION DIMENSIONS
 ARE BASIC




PART NUMBER	DIM A	DIM B	MYLAR OPTIONS
RJE74-1XX-1X10	16.61 [.654]	16.26 [.640]	WITHOUT MYLAR
RJE74-1XX-1X10-A	16.61 [.654]	16.26 [.640]	WITHOUT MYLAR
RJE74-1XX-1X10-H	16.7 [.657]	16.35 [.644]	WITH MYLAR
RJE74-1XX-1X10-F	16.61 [.654]	16.26 [.640]	WITHOUT MYLAR

UNLESS SPECIFIED OTHERWISE	DRAWN	G.HSIA	MAR 15/12
PRIMARY UNITS MILLIMETERS	CHECKED		
SECONDARY INCHES	M.E. APP'D		
REFERENCE IN PARENTHESES	Q.A. APP'D		
GENERAL TOLERANCES	DWG APP'D	L.CHAN	MAR 15/12
1 DECIMAL PLACE ± 0.38	ENG. REL. NO.		
2 DECIMAL PLACES ± 0.25	REF.		
3 DECIMAL PLACES			
ANGULAR DEGREES $\pm 1.5^\circ$	THIRD ANGLE PROJECTION		
	DO NOT SCALE DRAWING		

Amphenol Canada Corp.	
Commercial Products	
TITLE MODULAR JACK, POSITION & CONTACT OPTION, WITH SHIELD, KAPTON TAPE OPTION, -RoHS COMPLIANT	
DWG NO. P-RJE74-1XX-1X11-X	REV F
CODE ID NO. 03554	DWG SIZE: C
SCALE: N/A	SHEET 1 OF 2

REVISIONS			
REV	DESCRIPTION, ECN, EAR NO.	DATE	APP'D
A	PROPOSAL	MAR 14/12	A.G
B	REMOVE KEY FEATURE PER P/N.	SEP 29/12	L.CHAN
C	SPECIFIC THE SHIELDED DRAWING.	APR 10/14	L.CHAN
D	FIX THE ERROR PER ECN 160898	JAN 03/17	L.CHAN
E	ADD HALOGEN FREE OPTIONS	JUL 02/18	L.CHAN
F	UPDATE HALOGEN FREE OPTIONS	JUL 25/18	L.CHAN



PACKAGING NOTES:

1. ONE REEL SHOULD HOLD 85 CONNECTORS.
2. 10 EMPTY CAVITIES FOR BOTH TOP AND BOTTOM OF THE CARRIER.
3. A FULLY LOADED CARTON SHOULD CONTAIN 5 REELS (425 PCS) OF CONNECTOR.

UNLESS SPECIFIED OTHERWISE		DRAWN	G.HSIA	MAR 15/12	Amphenol Canada Corp. Commercial Products	
PRIMARY UNITS MILLIMETERS		CHECKED				
SECONDARY INCHES		M.E. APP'D			TITLE MODULAR JACK, POSITION & CONTACT OPTION, WITH SHIELD, KAPTON TAPE OPTION, -RoHS COMPLIANT	
REFERENCE IN PARENTHESES		Q.A. APP'D				
GENERAL TOLERANCES		DWG APP'D	L.CHAN	MAR 15/12	DWG NO. P-RJE74-1XX-1X11-X	
1 DECIMAL PLACE ±0.38		ENG. REL. NO.				
2 DECIMAL PLACES ±0.25		REF.			REV F	
3 DECIMAL PLACES		THIRD ANGLE PROJECTION				
ANGULAR DEGREES ±15°		DO NOT SCALE DRAWING			CODE ID NO. 03554 DWG SIZE: C SCALE: N/A SHEET 2 OF 2	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru