




THIS DRAWING IS UNPUBLISHED
 (C) COPYRIGHT 2015 BY TE CONNECTIVITY ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | |
|-----|------|-------------|----------------------------|-----------|-------|
| P | LTR | DESCRIPTION | DATE | DWN | APVD |
| - | - | NC | NEW RELEASE PE E.O. PI7348 | 26MAR2015 | - RDR |
| | | A | REVISED PE E.O. PI9407 | 20NOV2006 | - RDR |
| | | AI | REVISED PER ECO-15-005844 | 16APR2015 | PV DM |



- 6. MOUNTING SCREW TORQUE VALUES ARE AS FOLLOWS:
 #6-19 SCREWS: 13±2.0 IN-LB [1.47±.23 N-M].
 #4-20 SCREWS: 8±2.0 IN-LB [.90±.23 N-M].
 VALUES VALID FOR PLASTITE 48 SCREWS ONLY.
- 5. RECOMMENDED MOUNTING SCREWS (NOT INCLUDED): CAMCAR PLASTITE 48.
- 4. THIS RECEPTACLE MATES WITH DT06-6S-XXXX PLUG (XXXX = ALL MODIFICATIONS.)

- (AI) 3. CONTACT PLATING- MATING SIDE: GOLD; PCB SIDE: TIN
- (AI) 2. MATERIAL:
 SHELL; PA GF-30 (GRAY)
 SEAL: SILICONE (ORANGE - RED).
 PIN CONTACT: COPPER ALLOY

- (AI) 1. DIMENSION TOLERANCE: ±.025 [.64]
 PANEL CUTOUT ±.010 [.25].
 PIN LOCATION: ±.005 [.13]
 MOUNTING HOLE LOCATION: ±.010 [.13]



NOTES:

| | | |
|------|--------------|-------------------|
| (AI) | TCPN | ALIAS PART NUMBER |
| | DT15-6P-G003 | DT15-6P-G003 |


| | | | | |
|---|--|-------------------------|---|---------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN P. BURKE 21SEP2001 | TE Connectivity | |
| DIMENSIONS: INCHES [mm] | | CHK B. BYFORD 17NOV2006 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD S. BEARD 17NOV2006 | NAME PCB MOUNT RECEPTACLE 6 PINS G003 MOD DT SERIES | |
| 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±0°30'0" | | PRODUCT SPEC 108-151009 | RESTRICTED TO | |
| MATERIAL | | APPLICATION SPEC - | SIZE A3 | CAGE CODE 4AFU8 |
| FINISH | | WEIGHT 21 g | DRAWING NO ©-DT15-6P-G003 | |
| | | Customer Drawing | SCALE 2:1 | SHEET 1 OF 2 REV AI |

THIS DRAWING IS UNPUBLISHED
 RELEASED FOR PUBLICATION 2015
 © COPYRIGHT 2015 BY TE CONNECTIVITY ALL RIGHTS RESERVED.

| LOC | | DIST | | REVISIONS | | | |
|-----|-----|-------------|--|-----------|-----|------|--|
| P | LTR | DESCRIPTION | | DATE | DWN | APVD | |
| - | - | SEE SHEET 1 | | - | - | - | |
| | | | | | | | |
| | | | | | | | |



RECOMMENDED PANEL CUTOUTS



3D VIEW

| | | | | |
|---|--|----------------------------|---|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN P. BURKE 21SEP2001 | TE Connectivity | |
| DIMENSIONS: INCHES [mm] | | CHK B. BYFORD 17NOV2006 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD S. BEARD 17NOV2006 | NAME PCB MOUNT RECEPTACLE 6 PINS G003 MOD DT SERIES | |
| 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±0° 30' 0" | | PRODUCT SPEC 108-151009 | RESTRICTED TO | |
| MATERIAL | | APPLICATION SPEC - | SIZE A3 | CAGE CODE 4AFU8 |
| FINISH - | | WEIGHT 21 g | DRAWING NO G-DT15-6P-G003 | |
| | | Customer Drawing | SCALE 2:1 | SHEET 2 OF 2 |
| | | | REV A1 | |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru