



LOC		DIST		REVISIONS						
GP	00	P	LTR	DESCRIPTION				DATE	OWN	APVD
			A	RELEASED PER ECO-08-011133				14MAY2008	ZMR	DLG



PICK AND PLACE DEVICE

KEYING

VERTICAL SHIELD ASSEMBLY





RECEPTACLE ASSEMBLY

ALL CONTACT SOLDER TAIL SURFACES


0.1 (0.2) 0.1M Z V S W S B PLC

(0.25) TYP 0.4M Z V S W S


0.9 TYP



1888174-2 AS SHOWN



1888174-4 AND 1888174-6 AS SHOWN



VERTICAL CONTACT


SECTION T-T SCALE 10:1

- 1 MATERIAL: LCP, BLACK.
- 2 MATERIAL: PHOSPHOR BRONZE PER ASTM B 103.
- 3 FINISH: 0.76µm MIN GOLD PLATE PER ASTM B 488, APPLIES TO INTERFACE AREA AND 2.03µm MIN TIN PLATE SOLDER TAILS, ALL OVER 3.81µm MIN NICKEL PLATE PER QQ-N-290.
- 4 MATERIAL: NICKEL-SILVER PER ASTM B 122.
- 5 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 6 CONTACT TAILS TO BE 0.25 MAX BELOW OR FLUSH WITH DATUM Z.
7. REFER TO CUSTOMER DRAWING 1888020 FOR CONNECTOR DETAILS.
- 8 FINISH: 0.38µm MIN GOLD PLATE PER ASTM B 488, APPLIES TO INTERFACE AREA AND 2.03µm MIN TIN PLATE SOLDER TAILS, ALL OVER 3.81µm MIN NICKEL PLATE PER QQ-N-290.


8	THRU-HOLE	36	3.5	17.8	16	16	36	18.05	36	1888174-9
	THRU-HOLE	36	2.8	17.8	16	16	36	18.05	36	1888174-8
	PRESS-FIT	36	-	17.8	16	16	36	18.05	36	1888174-7
3	THRU-HOLE	36	3.5	17.8	16	16	36	18.05	36	1888174-6
	THRU-HOLE	36	2.8	17.8	16	16	36	18.05	36	1888174-4
	PRESS-FIT	36	-	17.8	16	16	36	18.05	36	1888174-2
FINISH	SHIELD TYPE	N	F	E	D	C	B	A	POSN	PART NUMBER

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN M.E. SHIRK 200CT05		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
mm		9 PLC ± 3 PLC ± 5 PLC ± 4 PLC ±		CHK R.R. HENRY 200CT05		NAME EVERCLEAR Mini-SAS VERTICAL INTERNAL RECEPTACLE ASSY WITH DUAL KEYED SHELL	
MATERIAL		FINISH SEE TABLE		APVD R.R. HENRY 200CT05		PRODUCT SPEC 108-2234	
ANGLES		WEIGHT		SIZE CAGE CODE DRAWING NO		RESTRICTED TO	
1 2 4		CUSTOMER DRAWING		A100779C=1888174		SCALE 8:1 SHEET 1 OF 2 REV A	

LOC		DIST		REVISIONS					
GP		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT
SCALE 10:1



DETAIL D
SCALE 20:1

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED IN THE DRAWING. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION. SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN M.E. SHIRK 200CT05	Tyco Electronics Harrisburg, PA 17105-3608	
CHK R.R. HENRY 200CT05		NAME EVERCLEAR Mini-SAS VERTICAL INTERNAL RECEPTACLE ASSY WITH DUAL KEYED SHELL	RESTRICTED TO	
APVD R.R. HENRY 200CT05		PRODUCT SPEC 108-2234	SIZE A100779	
APPLICATION SPEC		WEIGHT -	CAGE CODE C=1888174	
MATERIAL -		CUSTOMER DRAWING		SCALE 8:1
FINISH -		SHEET 2 OF 2		REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru