






LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
J	—		A	RELEASED	02AUG2012	C.H	T.K



MATING CROSS SECTION
(30:1)



Ni UNDER PL; 0.65um Sn PL.; 2~5um	COPPER ALLOY	PLUG PEG	3
Ni UNDER PL; 0.65um Au PL.(CONTACT AREA); 0.1um MIN. Au PL.(TINE AREA); 0.05um MIN.	COPPER ALLOY	PLUG CONTACT	2
	LCP,UL94V-0,BLACK	PLUG HOUSING	1
△ FINISH	△ MATERIAL	NAME	ITEM NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± 0.1
1 PLC ± 0.1
2 PLC ± 0.1
3 PLC ± 0.1
4 PLC ± 0.1
ANGLES ± 3°

FINISH
△

DWN
C.HIKAGE
02AUG2012

CHK
A.KUBO
02AUG2012

APVD
T.KUSUHARA
02AUG2012

PRODUCT SPEC
108-78916

APPLICATION SPEC
411-78379

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME
0.4mm PITCH STACKING CONNECTOR
PLUG ASSEMBLY 0.98mm HEIGHT

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-2201196

RESTRICTED TO
—

SCALE
20:1

SHEET
1 OF 3

REV
A


4

3

2


1

LOC J	DIST —	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—



△6 REFERENCE PCB LAYOUT
(VIEWED FROM MOUNTING SIDE)

- NOTE
- △1 MATERIAL REFER TO THE TABLE.
 - △2 FINISH REFER TO THE TABLE.
 - 3. MATING CONNECTOR : P/N: *-2201197-*
 - △4 LASER MARKING; XXXXX
DATE CODE MACHINE CODE
(YWW)
 - △5 PICK UP THE CONNECTOR AT CENTER
 - △6 RECOMMENDED METAL MASK; THICKNESS 0.1mm
 - △7 Ni DAM AREA

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN — CHK — APVD —		TE Connectivity								
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME								
		0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1 ANGLES ± 3°		0.4mm PITCH STACKING CONNECTOR PLUG ASSEMBLY 0.98mm HEIGHT								
MATERIAL		FINISH		PRODUCT SPEC — APPLICATION SPEC —		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO		
				WEIGHT		A3		00779	C-2201196			
CUSTOMER DRAWING						SCALE		NTS	SHEET	2 OF 3	REV	A

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION




© COPYRIGHT — By Tyco Electronics Japan G.K.

ALL RIGHTS RESERVED.


LOC
JDIST
—

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
—	—	SEE SHEET 1	—	—	—

UNREELING DIRECTION 

N—N




M—M



741.0	22.1	17.5	7.5	16	6.91	7.38	6.62	2.8	5.6	6.35	7.21	5000	30	3-2201196-0
731.5	22.1	17.5	7.5	16	5.71	6.18	5.42	2.2	4.4	5.15	6.01		24	2-2201196-4
708.5	18.1	13.5	5.5	12	2.91	3.38	2.62	0.8	1.6	2.35	3.21		10	1-2201196-0
REEL WEIGHT(g)	W2	W1	K	J	G	F	E	D	C	B	A	QTY/REEL	Pos.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1 ANGLES ± 3° FINISH
MATERIAL	

DWN	—
CHK	—
APVD	—
PRODUCT SPEC	—
APPLICATION SPEC	—
WEIGHT	—



TE Connectivity

NAME 0.4mm PITCH STACKING CONNECTOR PLUG ASSEMBLY 0.98mm HEIGHT			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2201196	
CUSTOMER DRAWING		SCALE	SHEET
NTS		3 of 3	REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru