








2				1					
LOC	DIST	REVISIONS							
GP	00	P	LTR	DESCRIPTION			DATE	DWN	APVD
			1	PRELIMINARY			30JUN2011	AL	CW
			2	REVISED PR ECO-14-018993			24PR2015	RG	MC



ISOMETRIC VIEW
SCALE 4:1





DETAIL J
SCALE 20:1





1. SURFACE TRACES PERMITTED WITHIN THIS LENGTH EXCEPT WHERE CAGE STANDOFFS, SHOWN IN DETAIL J, CONTACT PC BOARD.
2. MINIMUM PITCH DIMENSION.
3. MATES WITH QSFP MSA COMPATIBLE TRANSCEIVER.
4. REFERENCE APPLICATION SPEC 114-13218 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
5. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMERS.
6. DIMENSION C IS THE NOMINAL THICKNESS OF CUSTOMER SUPPLIED PC BOARD,
SINGLE SIDED PC BOARD MINIMUM THICKNESS: 1.45
DOUBLE SIDED PC BOARD MINIMUM THICKNESS: 2.7.
7. DATUM -A- IS TOP SURFACE OF THE HOST BOARD.
8. DATE CODE (YYWWD) MARKED APPROXIMATELY AS SHOWN.
9. CAGE MATERIAL: 0.25 THICK NICKEL SILVER
EMI SPRING MATERIAL: COPPER ALLOY
FRONT FLANGE MATERIAL: ZINC ALLOY.
10. EMI SPRING FINISH: 2um MIN TIN
FRONT FLANGE FINISH: 3um MIN THICK TIN OVER 1.27um MIN THICK NICKEL OVER 5.08um MIN THICK COPPER.
11. PRODUCT HAS NOT COMPLETED QUALIFICATION TESTING.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	27JUN2011	TE Connectivity	
		CHK	28JUN2011		
		DZ	30JUN2011	NAME	
		APVD	CW		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
mm		0 PLC ±0.5		108-2286	
		1 PLC ±0.13		APPLICATION SPEC	
		2 PLC ±0.013		114-13218	
		3 PLC ±0.001		WEIGHT	
		4 PLC ±0.001		Customer Drawing	
		ANGLES		SCALE 5:1	
		FINISH		SHEET 1 OF 4	
MATERIAL		FINISH		REV 2	
9		10			

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-



ONE SIDED CONFIGURATION



BELLY TO BELLY CONFIGURATION
SIMILAR TO ONE SIDED EXCEPT
WHERE NOTED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	27JUN2011	TE Connectivity	
		CHK	28JUN2011		
		DZ	30JUN2011	NAME	
		APVD	CW	CAGE ASSEMBLY, BEHIND BEZEL, W/ LIGHT PIPE BRACKET, QSFP	
		PRODUCT SPEC		SIZE	
		APPLICATION SPEC		CAGE CODE	
		114-13218		DRAWING NO	
		WEIGHT		RESTRICTED TO	
		Customer Drawing		A100779C=2170111	
				SCALE	
		5:1		SHEET	
		2		OF	
		4		REV	
				2	



$\varnothing 1.55 \pm 0.05$
 $\oplus \varnothing 0.05 \textcircled{S}$ A X Y
 - K -

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AL	27JUN2011	 TE Connectivity	
DIMENSIONS:		CHN DZ	28JUN2011		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		AFVD CW	30JUN2011	NAME CAGE ASSSEMBLY, BEHIND BEZEL, W/ LIGHT PIPE BRACKET, OSFP	
mm	0 PLC ± 1 PLC ±.5 2 PLC ±0.13 3 PLC ±0.013 4 PLC ±0.0001 ANGLES ±°	PRODUCT SPEC 108-2286 APPLICATION SPEC 114-13218			
		SIZE		CAGE CODE	DRAWING NO
MATERIAL		WEIGHT		RESTRICTED TO	
FINISH		A1		00779C-2170111	
Customer Drawing		SCALE		SHEET	
		5:1		3 OF 4	
				REV 2	

4805 (3/11)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru