

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20







© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	25JUN2015	DL	CW



NOTES:
1. TECHNICAL CHARACTERISTICS:
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE TREATMENT: POWDER-COATED, GRAY
OPERATION TEMPERATURE: -40-+125°C
DEGREE OF PROTECTION: IP65 (MATED)

注释:
1. 技术参数:
主体材料: 铝合金
表面处理: 粉末喷涂, 灰色
工作温度: -40-+125°C
防护等级: IP65(配合)

TI660I03121-000	TYPE I	H10B-SDRH-LB-PG2I	PG2I	-
TI660I03125-000		H10B-SDRH-LB-M25	M25	-
TI660I03129-000		H10B-SDRH-LB-PG29	PG29	-
TI660I03132-000		H10B-SDRH-LB-M32	M32	-
TI660I03221-000		H10B-SDRH-LB-2PG2I	PG2I	PG2I
TI660I03225-000		H10B-SDRH-LB-2M25	M25	M25
TI660I03229-000		H10B-SDRH-LB-2PG29	PG29	PG29
TI660I03232-000		H10B-SDRH-LB-2M32	M32	M32
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2

TYPE I: HIGH BODY + STEEL LOCKING + PLASTIC PROTECTION COVER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI 25JUN2015	TE Connectivity NAME H10B-SDRH-LB-PG/M SIZE A3 CAGE CODE - DRAWING NO. C-TI660I0XXXX000 RESTRICTED TO -		
DIMENSIONS: mm		CHK CHRIS WANG 25JUN2015			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD XU XIANG 25JUN2015			
0 PLC ±-		PRODUCT SPEC 108-137013			
1 PLC ±-		APPLICATION SPEC 114-137013	SCALE 1:2 SHEET 1 OF 2		
2 PLC ±-		WEIGHT -	REV A		
3 PLC ±-		CUSTOMER DRAWING			
4 PLC ±-					
ANGLES ±-					
FINISH -					
MATERIAL TBD					

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20


© COPYRIGHT 20

BY -


ALL RIGHTS RESERVED.

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




(96.8)





(133.9)



IG2



IG1



TI660I03321-000	TYPE 2	H10B-SDRHM-LB-PG2I	PG2I	-
TI660I03329-000		H10B-SDRHM-LB-PG29	PG29	-
TI660I03332-000		H10B-SDRHM-LB-M32	M32	-
TI660I03421-000		H10B-SDRHM-LB-2PG2I	PG2I	PG2I
TI660I03429-000		H10B-SDRHM-LB-2PG29	PG29	PG29
TI660I03432-000		H10B-SDRHM-LB-2M32	M32	M32
ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN DAVID LI 25JUN2015

CHK CHRIS WANG 25JUN2015

APVD XU XIANG 25JUN2015

PRODUCT SPEC

108-137013

APPLICATION SPEC

114-137013

WEIGHT

-

CUSTOMER DRAWING



TE Connectivity

NAME H10B-SDRHM-LB-PG/M

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3

-

©-TI660I0XXXX000

-

SCALE 1:2 SHEET 2 OF 2 REV A

TYPE 2: HIGH BODY + STEEL LOCKING + METAL PROTECTION COVER
OTHER SPEC REFER TO TYPE 1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru