


NOTES  
 1. PLEASE SEE SHEET 2 FOR CURRENTLY CONFIGURED PART NUMBERS.  
 FOR SPECIFIC PART NUMBERS PLEASE CONTACT SALES OR CONSULT  
 THE INTELLIGENT PART NUMBERS IN THE TABLE ATTACHED.  
 2. EARTH POSITION SHOWN, H12  
 3. FOR PACKAGING SEE PACKAGING SPEC PK-121023-C19  
 4. PRODUCT SPEC: SEE PS-121201-001  
 5. PART NO 1210230465 SHOWN FOR ILLUSTRATION PURPOSES ONLY

LAST INSPECTION NUMBER 2



ITEM	DESCRIPTION
1	SCREW
2	COVER ASSEMBLY
3	INSERT ASSEMBLY
4	GASKET

C19307N22\*\*


SERIES  
 C19= INTERNAL THREAD FORM C MICRO  
 POLES  
 2= 2 POLE, 3= 3 POLE  
 THREAD SIZE  
 07= PG7, M2=M12x1.5  
 MATERIAL AND HOUSING COLOUR  
 G= PA6 GRAY, N= PA6 BLACK, W= PA6 BLACK V0, T= TRANSPARENT  
 GROUND POSITION  
 0= UNMOUNTED, 2= H12, 3= H3, 6= H6, 9= H9

SCREW AND GASKET  
 1= NBR PROFILE GASKET & SCREW  
 2= NBR FLAT GASKET & SCREW  
 3= WHITE SILICON PROFILE GASKET & SCREW  
 4= WHITE SILICON FLAT GASKET & SCREW  
 6= NBR FLAT GASKET, NO SCREW  
 A= NBR PROFILE GASKET & SCREW +2mm  
 B= NBR FLAT GASKET & SCREW +2mm  
 C= WHITE SILICON PROFILE GASKET & SCREW +2mm  
 D= WHITE SILICON FLAT GASKET & SCREW +2mm

NON STANDARD COMPONENTS  
 14= SINGLE PACKED IN NEUTRAL BAG  
 5N= SINGLE PACKED  
 6X= WITHOUT RING NUT OR CABLE FIXING NUT  
 P7= IP67 COMPLIANT  
 SA= UL LISTED  
 0217= THREE BAGS OF 100 PER BOX

<b>ADDED PART NUMBERS</b> EC NO: IFC2014-1003 DRW:KORNOYLE 2013/12/02 CHKD:DSHEA 2013/12/02 APPR:STGRIFIN 2014/01/08	<b>QUALITY SYMBOLS</b> ▽=0 ▽=0	<b>GENERAL TOLERANCES (UNLESS SPECIFIED)</b>		<b>DIMENSION STYLE</b> MM ONLY	<b>SCALE</b> 2:1	<b>DESIGN UNITS</b> METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± ---	mm INCH	DRAWN BY DSHEA	DATE 2011/05/18	<b>INTERNAL THREAD C19 SERIES</b>		
		3 PLACES ± --- ± ---		CHECKED BY DMAHER	DATE 2011/05/27			
		2 PLACES ± 0.10 ± ---		APPROVED BY EFOLAN	DATE 2011/06/08			
		1 PLACE ± 0.2 ± ---		MATERIAL NO. SEE SHEET 2	DOCUMENT NO. SD-121023-005	<b>MOLEX INCORPORATED</b>		
		ANGULAR ± --- °		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SHEET NO. 1 OF 2				

PART NO	mPm PART NO	DESCRIPTION
1210230431	C19207G62	TYPE C MICRO 2P PG7 GRAY, NBR FLAT GASKET & SCREW
1210230433	C19207N21	TYPE C MICRO 2P PG7 BLACK, NBR PROFILE GASKET & SCREW
1210230434	C19207N22	TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW
1210230435	C19207N26	TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET, NO SCREW
1210230437	C19207N61	TYPE C MICRO 2P PG7 BLACK, NBR PROFILE GASKET & SCREW
1210230438	C19207N62	TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW
1210230441	C19207N6A	TYPE C MICRO 2P PG7 BLACK, NBR PROFILE GASKET & SCREW +2mm
1210230443	C19207N6B	TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW +2mm
1210230445	C19207N92	TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW
1210230447	C19207T22	TYPE C MICRO 2P PG7 TRANSPARENT, NBR FLAT GASKET & SCREW
1210230454	C19207W62	TYPE C MICRO 2P PG7 BLACK V0, NBR FLAT GASKET & SCREW
1210230463	C19307G62	TYPE C MICRO 3P PG7 GRAY, NBR FLAT GASKET & SCREW
1210230464	C19307N21	TYPE C MICRO 3P PG7 BLACK, NBR PROFILE GASKET & SCREW
1210230465	C19307N22	TYPE C MICRO 3P PG7 BLACK, NBR FLAT GASKET & SCREW
1210230466	C19307N61	TYPE C MICRO 3P PG7 BLACK, NBR PROFILE GASKET & SCREW
1210230467	C19307N62	TYPE C MICRO 3P PG7 BLACK, NBR FLAT GASKET & SCREW
1210230469	C19307N64	TYPE C MICRO 3P PG7 BLACK, WHITE SILICONE FLAT GASKET & SCREW
1210230470	C19307N6A	TYPE C MICRO 3P PG7 BLACK, NBR PROFILE GASKET & SCREW +2mm
1210230472	C19307N6B	TYPE C MICRO 3P PG7 BLACK, NBR FLAT GASKET, & SCREW +2mm
1210230474	C19307T22	TYPE C MICRO 3P PG7 TRANSPARENT, NBR FLAT GASKET & SCREW
1210230476	C19307T62	TYPE C MICRO 3P PG7 TRANSPARENT, NBR FLAT GASKET & SCREW
1210230672	C192M2N62	TYPE C MICRO 2P M12x1.5 BLACK, NBR FLAT GASKET & SCREW
1210230673	C193M2N62	TYPE C MICRO 3P M12x1.5 BLACK, NBR FLAT GASKET & SCREW
1210230693	C19307N23	TYPE C MICRO 3P PG7 BLACK, WHITE SILICONE PROFILE GASKET & SCREW
1210230752	C19307N24	TYPE C MICRO 3P PG7 BLACK, WHITE SILICONE FLAT GASKET & SCREW
1210230753	C192M2N21	TYPE C MICRO 2P M12x1.5 BLACK, NBR PROFILE GASKET & SCREW
1210240292	C19207N625N	TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW, SINGLE PACKED
1210240293	C19207N626X	TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW, W/O RING NUT
1210240307	C19207W6D	TYPE C MICRO 2P PG7 BLACK V0, WHITE SILICONE FLAT GASKET & SCREW +2mm
1210240921	C19207N2214	TYPE C MICRO 2P PG7 BLACK, NBR FLAT GASKET & SCREW, SINGLE PACKED IN NEUTRAL BAG
1210240938	C19307N21P7	TYPE C MICRO 3P PG7 BLACK, NBR PROFILE GASKET & SCREW, IP67 COMPLIANT
1210230651	C19207W62SA	TYPE C MICRO 2P PG7 BLACK V0, NBR FLAT GASKET & SCREW, UL LISTED
1210230818	C19207W21SA	TYPE C MICRO 2P PG7 BLACK V0, NBR PROFILE GASKET & SCREW, UL LISTED
1210230839	C19207W93SA	TYPE C MICRO 2P PG7 BLACK V0, WHITE SILICONE PROFILE GASKET & SCREW, UL LISTED
1210240937	C19307W22SA	TYPE C MICRO 3P PG7 BLACK V0, NBR FLAT GASKET & SCREW, UL LISTED
1210240884	C19207W620217	TYPE C MICRO 2P PG7 BLACK V0, H6 NBR FLAT GASKET & SCREW THREE BAGS OF 100 PER BOX

<b>SEE SHEET 1</b> EC NO: IPG2014-1003 DRAWN: KIMORNOYLE 2013/12/02 CHKD: DSHEA 2013/12/02 APPR: STGERLFIN 2014/01/08 DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE <b>MM ONLY</b>	SCALE <b>2:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION																								
	$\nabla=0$ $\sphericalangle=0$	<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>3 PLACES</td> <td>±---</td> <td>±---</td> </tr> <tr> <td>2 PLACES</td> <td>±0.10</td> <td>±---</td> </tr> <tr> <td>1 PLACE</td> <td>±0.2</td> <td>±---</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±---	2 PLACES	±0.10	±---	1 PLACE	±0.2	±---	<table border="1"> <thead> <tr> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>±---</td> <td>±---</td> </tr> <tr> <td>±0.10</td> <td>±---</td> </tr> <tr> <td>±0.2</td> <td>±---</td> </tr> </tbody> </table>	mm	INCH	±---	±---	±0.10	±---	±0.2	±---	DRAWN BY: DSHEA DATE: 2011/05/18 CHECKED BY: DMAHER DATE: 2011/05/27 APPROVED BY: EFOLAN DATE: 2011/06/08	TITLE	INTERNAL THREAD C19 SERIES	
		mm	INCH																											
	4 PLACES	±---	±---																											
3 PLACES	±---	±---																												
2 PLACES	±0.10	±---																												
1 PLACE	±0.2	±---																												
mm	INCH																													
±---	±---																													
±0.10	±---																													
±0.2	±---																													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	MATERIAL NO.	DOCUMENT NO.	 <b>MOLEX INCORPORATED</b>																										
	SIZE <b>A 2</b>	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				SHEET NO. 2 OF 2																								

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренеспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)