

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
© COPYRIGHT ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	ECR-15-000199	07JAN2015	GK	HMR

# REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2266576-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1385315  
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)  
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE  
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR  
1385315



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		
DIMENSIONS:		CHK	RAGHAVENDRA		
		APVD	RAGHAVENDRA		
		PRODUCT SPEC	NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	SIDE FEED HDM APPLICATOR		
0 PLC ±		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
1 PLC ±		A3		©- 1385315	
2 PLC ±		CUSTOMER DRAWING		SCALE	SHEET 1 OF 2
3 PLC ±					REV C1
4 PLC ±					
ANGLES ±					
FINISH					
MATERIAL					

DRAWING MADE IN THIRD ANGLE PROJECTION

1385315 1385315

/home/us014442/dm\_tecmod


PART NUMBER	REV	FIRST USED
1385315-1	C	122500-1
1385315-2	C	565435-5
1385315-3	C	354500-1
1385315-6	C	NON-CUTTING CARRIER
7-1385315-7	C	SPARE PARTS KIT




TERMINAL NAME: APEX 2.8MM		FCI TERMINAL		FCI CRIMP SPECS	
AMP PN	MFR PN	PAD LTR	CRIMP HEIGHT	WIRE SIZE	
286999	54001401	A	.077 ±.002 [1.95 ±0.05mm]	14	
		B	.071 ±.002 [1.8 ±0.05mm]	16	
		C	NOT	USED	
		D	NOT	USED	
CRIMP	SIZE	TYPE	RANGE		
WIRE	.120 [3.05mm]	F	16-14		
INSUL	.140 [3.56mm]	0	.103 MAX		

QTY	REQD	PER	ASSY	PARTS LIST	DESCRIPTION	ITEM NO	
-	2	2	2	9-354778-5	PIN, WIRE DISC (.2970)B	129	
-	2	2	2	8-354778-3	PIN, WIRE DISC (.2910)B	128	
-	1	1	1	986950-1	WASHER, FLAT PRECISION	125	
-	1	1	1	217238-1	GENERAL INSTRUCTION PACKAGE	124	
-	1	1	1	4088040	SF APPL INST 408-8040	123	
-	1	1	1	4-21028-0	PIN, SLT SPR (Ø.093x.75)ST GDE PL	122	
-	REF	REF	REF	1-21030-1	PIN, DOWEL (Ø.187x.50)LEVER	120	
-	REF	REF	REF	1-21030-6	PIN, DOWEL (Ø.187x.25)HOUSING	119	
-	REF	REF	REF	21045-3	RING, RET "C" (Ø.187)FD FING PIN	118	
-	1	1	1	21024-5	WASHER, LOCK (#10)ADJ BLOCK	117	
-	REF	REF	REF	21024-5	WASHER, LOCK (#10)ADJ PLATE	116	
-	REF	REF	REF	21024-5	WASHER, LOCK (#10)FEED GDE ROD	115	
-	2	2	2	21024-2	WASHER, LOCK (#4)FRONT STP GUIDE	114	
-	REF	REF	REF	5-21028-1	PIN, SLT SPR (Ø.125x.50)ADJ ROD	113	
-	4	4	4	21024-4	WASHER, LOCK (#8)STRIPPER	111	
-	REF	REF	REF	21899-4	WASHER, FLAT (Ø5/16) SCREW ADJ	110	
-	1	1	1	21018-5	NUT, HEX (NO.6)HOLDDOWN	109	
-	REF	REF	REF	21068-5	NUT, HEX (6-32)FEED ADJ	107	
-	1	1	1	22353-8	SCR, SHLD (Ø.187x.25)DRAG LEVER	105	
-	1	1	1	21009-2	SCR, SKT SET (1/4-20x.25)RAM	103	
-	2	2	2	21017-2	SCR, DRIVE (#2x.19)ID PLATE	102	
-	REF	REF	REF	6-23715-5	SCR, PAN HD (6-32x1.50)FEED ADJ	101	
-	1	1	1	461264-1	PLATE, IDENTIFICATION	100	
-	2	2	2	5-21006-6	SCR, SET (10-32x.75)DRAG	99	
-	1	1	1	22733-8	SCR, BHC (8-32x.38 LW)ANVIL	98	
-	REF	REF	REF	2-21002-9	SCR, BHC (10-32x.75)CAP	97	
-	REF	REF	REF	2-22733-8	SCR, BHC (1/4-20x.62)HOUSING	96	
-	REF	REF	REF	2-21002-7	SCR, BHC (10-32x.50)SG ADJ BLOCK	95	
-	4	4	4	2-21002-2	SCR, BHC (8-32x.50)TERM H DWN	94	
-	2	2	2	2-21002-3	SCR, BHC (8-32x.62)R STP GDE	93	
-	1	1	1	1-21002-7	SCR, BHC (6-32x.38)CAM	91	
-	2	2	2	3-21000-0	SCR, SHC (8-32x.44)DEP-HOLD	87	
-	1	1	1	2-22603-0	SCR, HEX HD (8-32x.31)FEED FINGER	86	
-	2	2	2	1-21000-3	SCR, SHC (4-40x.25)F ST GUIDE	85	
-	1	1	1	2-21000-7	SCR, SHC (8-32x.50)STRIPPER	84	
-	REF	REF	REF	3-21000-7	SCR, SHC (10-32x.75)FEED ROD GD	83	
-	REF	REF	REF	3-21000-6	SCR, SHC (10-32x.62)FD ADJ BLK	82	
-	1	1	1	3-21000-4	SCR, SHC (10-32x.38)SG ADJ BL	81	
-	REF	REF	REF	3-21000-4	SCR, SHC (10-32x.38)PIVOT BLK	80	
-	-	-	-	455749-1	GUARD, WINDOW	79	
-	-	-	-	679532-1	INSERT, GUARD	78	
-	-	-	-			77	
-	-	-	-			76	
-	1	1	1	690603-1	SPRING, ASSIST	74	
-	1	1	1	23030-1	SCR, SHC (6-32x.25 SL)INS DISC	73	
-	REF	REF	REF	458109-1	WASHER, SPECIAL	72	
-	REF	REF	REF	690517-1	SPACER	71	
-77	-6	-3	-2	-1	PART NO	DESCRIPTION	ITEM NO

QTY	REQD	PER	ASSY	PARTS LIST	DESCRIPTION	ITEM NO
-	1	1	1	22594-8	NUT, HEX (1/2-20)	70
-	REF	REF	REF	240628-1	PLATE, ADJUSTMENT	69
-	REF	REF	REF	240626-1	SHAFT, PIVOT	68
-	REF	REF	REF	240633-1	BUSHING	67
-	REF	REF	REF	455680-1	LEVER, INTERMEDIATE	66
-	REF	REF	REF	240629-1	BLOCK, PIVOT	65
-	REF	REF	REF	240632-2	SCREW, ADJ FEED ROD	64
-	REF	REF	REF	240659-3	PIN, CAM ROLLER	63
-	REF	REF	REF	240658-1	ROLLER, CAM	62
-	REF	REF	REF	454398-2	ROD, FEED	61
-	REF	REF	REF	454178-1	GUIDE, FEED ROD	60
-	REF	REF	REF	454220-1	CAP, RAM	59
-	REF	REF	REF	454485-1	HOUSING	58
-	1	1	1	458537-2	PAWL, FEED	56
-	REF	REF	REF	240624-1	PIN, FEED FINGER	55
-	REF	REF	REF	691499-1	SPRING, FEED FINGER	54
-	REF	REF	REF	690541-1	HOLDER, FEED FINGER	53
-	REF	REF	REF	455679-2	LEVER, TERMINAL FEED ARM	52
-	1	1	1	811242-2	BUMPER, HOLDDOWN	51
-	1	1	1	690753-1	SPACER, TONKER	50
-	-	-	-	690602-6	CAM, PRE-FEED 1 5/8 ST	49
-	-	-	-	690602-5	CAM, PRE-FEED 1 1/8 ST	48
-	1	1	1	690501-4	CAM, POST-FEED 1 5/8 ST	47
-	1	1	1	459456-2	APPLICATOR, BASIC (SUBASSY)	46
-	1	1	1	690191-1	PLUG, NYLON	45
-	1	1	1	455673-1	RAM	44
-	1	1	1	690125-1	WASHER, LAMINATED	43
-	1	1	1	690124-1	WASHER, RAM	42
-	1	1	1	7-21002-9	BOLT, CRIMPER (5/16x1.00)	41
-	1	1	1	23241-6	BALL, STEEL	40
-	1	1	1	690170-1	SPRING, COMPRESSION	39
-	1	1	1	690142-1	DISC, INSULATION	38
-	1	1	1	354777-1	WIRE DISC, PLASTIC	37
-	1	1	1	22480-5	WASHER, SPRING	36
-	1	1	1	690212-1	POST, RAM	35
-	1	1	1	1-690786-4	SUPPORT, TERMINAL	34
-	REF	REF	REF	455675-1	PLATE, BASE	33
-	1	1	1	690432-3	SCREW, ADJUSTMENT	32
-	1	1	1	5-240641-7	SPACER, SLUG BLADE	31
-	REF	REF	REF	455689-1	BLOCK, STRIP GUIDE ADJ	30
-	1	1	1	458144-1	PLATE, STRIP GUIDE	29
-	1	1	1	1-455888-9	SPACER, FRONT SHEAR DEP	28
-	2	2	2	1-22284-0	SPRING, DRAG	27
-	1	1	1	356835-1	LEVER, DRAG RELEASE	26
-	1	1	1	240792-1	DRAG, TERMINAL	25
-	1	1	1	3-90765-8	GUIDE, STRIP (REAR)	24
-	1	1	1	690438-1	GUIDE, STRIP (FRONT)	23
-	1	-	-	690472-2	STRIPPER	22
-	REF	REF	REF	4-22284-9	SPRING, FEED RETURN	21
-	-	-	-	691353-1	STRIPPER	19
-	1	1	1	679625-1	HOLDER, SHEAR, FRONT (NON-CUT)	17
-	1	1	1	318563-1	GUARD, CHIP, FRONT	16
-	-	-	-			15
-	-	-	-			14
-	-	-	-			13
-	1	1	1	3-22280-3	SPRING, SHEAR	12
-	1	1	1	690461-1	STOP, SHEAR	11
-	1	1	1	690459-1	HOLDER, SHEAR (FRONT)	10
-	1	1	1	454276-2	SHEAR, FLOAT (FRONT)	9
1	1	1	1	1-662190-4	ANVIL	8
-	-	-	-			7
-	-	-	-			6
-	1	1	1	1-455889-4	DEPRESSOR, SHEAR (FRONT)	5
-	1	1	1	238011-2	SPACER, BLOCK CRIMPER	4
1	1	1	1	456135-6	CRIMPER, INSULATION	3
-	1	1	1	455888-6	SPACER, CRIMPER	2
1	1	1	1	2-456409-1	CRIMPER, WIRE	1



- 1 RECOMMENDED SPARE PARTS.
- 2 GREASE LIGHTLY.
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- 4 LUBRICATE DAILY USING NO. 20 MACHINE OIL.
- 5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.



LOC A  
DIST 66  
LEADMAKER & BENCH MACHINE

QTY	REQD	PER	ASSY	PARTS LIST	DESCRIPTION	ITEM NO
-	1	1	1	690603-1	SPRING, ASSIST	74
-	1	1	1	23030-1	SCR, SHC (6-32x.25 SL)INS DISC	73
-	REF	REF	REF	458109-1	WASHER, SPECIAL	72
-	REF	REF	REF	690517-1	SPACER	71

QTY	REQD	PER	ASSY	PARTS LIST	DESCRIPTION	ITEM NO
-	1	1	1	1-455889-4	DEPRESSOR, SHEAR (FRONT)	5
-	1	1	1	238011-2	SPACER, BLOCK CRIMPER	4
1	1	1	1	456135-6	CRIMPER, INSULATION	3
-	1	1	1	455888-6	SPACER, CRIMPER	2
1	1	1	1	2-456409-1	CRIMPER, WIRE	1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)