









- NOTES:
- MATERIAL:
HOUSING & INSULATOR: NYLON(PA), GLASS FILLED, UL94V-0, COLOR: BLACK
TERMINALS: PHOSPHOR BRONZE, .012/(0.30) THICK
FITTING NAILS: BRASS, .010/(0.25) THICK
 - FINISH:
TERMINALS:
A = SELECT GOLD IN CONTACT AREA: .000050/(0.00127) MIN.,
SELECT MATTE TIN IN PC TAIL AREA: .000100/(0.00254) MIN.,
WITH OVERALL NICKEL UNDERPLATE: .000050/(0.00127) MIN.
B = SELECT GOLD IN CONTACT AREA: .000030/(0.00076) MIN.,
SELECT MATTE TIN IN PC TAIL AREA: .000100/(0.00254) MIN.,
WITH OVERALL NICKEL UNDERPLATE: .000050/(0.00127) MIN.
C = SELECT GOLD IN CONTACT AREA: .000015/(0.00038) MIN.,
SELECT MATTE TIN IN PC TAIL AREA: .000100/(0.00254) MIN.,
WITH OVERALL NICKEL UNDERPLATE: .000050/(0.00127) MIN.
 - FITTING NAILS:
100 MICROINCHES MATTE TIN OVER 50 MICROINCHES NICKEL UNDERPLATE
 - PRODUCT SPECIFICATION AND PROCESSING PARAMETERS: PS-43743-0001.
 - PACKAGING SPECIFICATION:
CONNECTOR ASSEMBLIES TO BE PACKAGED USING TAPE & REEL SYSTEM.
 - COPLANARITY SPECIFICATION:
WHEN AN ASSEMBLY IS PLACED UPON A LEVEL SURFACE, THE MAXIMUM GAP BETWEEN THE LEVEL SURFACE AND ALL TERMINAL TAILS AND BOTH FITTING NAILS IS .006/(0.15).
 - FOR ASSEMBLIES HAVING VOIDED CIRCUITS, THE TAIL PORTION IS CUT AND REMOVED, THE MATING PORTION OF THE TERMINAL REMAINS INTACT. VOIDED CIRCUITS MUST BE THE SAME FOR BOTH PARTS.
 - CONFORMS TO FCC REGULATION PART 68.5 FOR MODULAR JACKS.


PC BOARD LAYOUT FOR
8 POSITION HOUSING
(COMPONENT SIDE OF BOARD)

PC BOARD LAYOUT FOR
6 POSITION HOUSING
(COMPONENT SIDE OF BOARD)



CORRECT NOTE # EC NO: UCP2013-4879 DR: NGUYEN CHKD: JELL APP: FSMITH 2013/05/31 2013/06/07	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE 2:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY PEARSON	DATE 01/07/97	TITLE 4, 6 & 8 CIRCUIT DUAL PORT SMT MODJACK molex SD-43841-001				
			4 PLACES ± ---	± ---	CHECKED BY MUELLER	DATE 01/07/97						
			3 PLACES ± ---	± .010	APPROVED BY FSMITH	DATE 2012/10/12						
			2 PLACES ± .025	± .015	MATERIAL NO.		DOCUMENT NO.					SHEET NO.
			1 PLACE ± .38	± ---	SEE CHART		1 OF 2					
			0 PLACE ± ---	± ---								
			ANGULAR ±1/2°									
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									

13	12	11	10	9	8	
ASSEMBLY ITEM NO.	CONNECTOR SIZE	CIRCUIT SIZE	TERMINAL PLATING	TAPE & REEL PACKAGING NO.	VOIDED CIRCUITS	
43841-0001	8	4	A	PK-70873-7004	NA	
43841-0002	8	6	A	PK-70873-7004	↑	
43841-0003	8	8	A	PK-70873-7004		
43841-0004	6	4	A	PK-70873-7003		
43841-0005	6	6	A	PK-70873-7003		
43841-0006	8	4	B	PK-70873-7004		
43841-0007	8	6	B	PK-70873-7004		
43841-0008	8	8	B	PK-70873-7004		
43841-0009	6	4	B	PK-70873-7003		
43841-0010	6	6	B	PK-70873-7003		
43841-0011	8	4	C	PK-70873-7004		
43841-0012	8	6	C	PK-70873-7004		
43841-0013	8	8	C	PK-70873-7004		
43841-0014	6	4	C	PK-70873-7003		
43841-0015	6	6	C	PK-70873-7003		
43841-0016	6	2	A	PK-70873-7003		
43841-0017	6	2	B	PK-70873-7003		
43841-0018	6	2	C	PK-70873-7003		NA

HOUSING SIZE	CIRCUIT SIZE	DIM. A
6	6	.250 (6.35)
6	4	.150 (3.81)
6	2	.050 (1.27)
8	8	.350 (8.89)
8	6	.250 (6.35)
8	4	.150 (3.81)



TAPE AND REEL PACKAGING



VIEW SHOWING TYPICAL TERMINAL CUTOFF
OF TAIL (SEE NOTE 6) FOR VOIDED CIRCUITS.

TYPICAL VIEW SHOWING VOIDED CIRCUIT
(CIRCUITS 2,3,6,7 SHOWN VOIDED)

SEE SHEET ONE EC NO: UCP2013-4879 DRAWN:NGUYEN CHKD:JRELL APPR:FSM TH 2013/05/31 2013/05/31 2013/06/07	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
						IN/MM		2:1	INCH			
						DRAWN BY DATE		TITLE				
						PEARSON 01/07/97		4, 6 & 8 CIRCUIT				
						CHECKED BY DATE		DUAL PORT SMT MODJACK				
						MUELLER 01/07/97						
						APPROVED BY DATE		molex				
						FSMITH 2012/10/12						
						MATERIAL NO.						
			REV	G4	DRAFT WHERE APPLICABLE			SEE CHART		SD-43841-001		2 OF 2
MUST REMAIN WITHIN DIMENSIONS					SIZE C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru