



1. MATERIALS AND FINISHES:
BODY,CAP & NUT - BRASS, NICKEL PLATING
REAR BODY - BRASS, GOLD PLATING
CONTACT - BeCu, GOLD PLATING
INSULATORS - PTFE, NATURAL
INSULATOR - ULTEM 1000, NATURAL
2. ELECTRICAL:
A. IMPEDANCE: 75 OHMS
B. FREQUENCY RANGE: DC - 18 GHz
C. RETURN LOSS : 25 dB MIN @ DC - 6 GHz
10 dB MIN @ 6 - 12 GHz
D. DIELECTRIC WITHSTANDING VOLTAGE: 1000 VRMS, MIN.
E. INSULATION RESISTANCE: 10,000 MEGAOHMS MIN
3. MECHANICAL:
A. DURABILITY: 500 CYCLES MIN.
4. PACKAGING:
A. QUANTITY: SINGLE PACK
B. MARKING: BAG TO BE MARKED
"AMPHENOL RF, 34-1030-12G & DATE CODE
FREQUENCY RANGE: DC - 18 GHz"

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE TO MFG	03-Mar-16	51040	MJD





SCALE 3.000



RECOMMENDED PCB LAYOUT

SCALE 6.000



SCALE 6.000

RECOMMENDED MOUNTING HOLE DIMENSIONS

CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ± 0.05mm ± 0.1mm ± 0.2mm ± 0.3mm ± 1° NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	MATERIAL SEE NOTES REFERENCE EAR # 4028 CONFIGURATION LEVEL: In Work FINISH	DRAWN M.ZHANG	DATE 03-Mar-16	TITLE HD BNC RA BHD JACK PCB MOUNT		Amphenol RF www.amphenolrf.com	
		ENGINEER KARTHIK R	DATE 19-Feb-16			DRAWING NO. 34-1030-12G	
		APPROVED S.HSIEH	DATE 03-Mar-16	SCALE: 7.0:1.0	SHEET 2 OF 6	ITEM NO. 34-1030-12G	
		CAD FILE	DWG SIZE B	REV A	PART NO. 34-1030-12G		

CONFIGURATION-O

THIRD ANGLE PROJ.

REVISIONS



REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE TO MFG	03-Mar-16	51040	MJD

RECOMMENDED PCB LAUNCH FOR OPTIMAL RF PERFORMANCE


VARIATIONS IN BOARD MATERIAL AND TRACE MAY REQUIRE DIFFERENT GEOMETRY
PLEASE CONTACT AMPHENOL RF FOR LAUNCH OPTIMIZATION

BOTTOM LAYER

TOP LAYER



SCALE 3.000



UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:
<0.5mm ± 0.05mm 0.5 - 6mm ± 0.1mm 6 - 30mm ± 0.2mm 30 - 120mm ± 0.3mm ANGLES ± 1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL

DRAWN
M. ZHANG

DATE
03-Mar-16

TITLE
HD BNC RA BHD
JACK PCB MOUNT

Amphenol RF

www.amphenolrf.com

REFERENCE
EAR # 4028

ENGINEER
KARTHIK R

DATE
19-Feb-16

SCALE: 5.0:1.0 SHEET 3 OF 6

DRAWING NO. 34-1030-12G

CONFIGURATION LEVEL: In Work

APPROVED
S. HSIEH

DATE
03-Mar-16

DWG SIZE
B

REV
A

ITEM NO. 34-1030-12G

FINISH

CAD FILE


PART NO. 34-1030-12G

CONFIGURATION-1

THIRD ANGLE PROJ. 		REVISIONS			
REV	DESCRIPTION	DATE	ECO	APPR	
A	RELEASE TO MFG	03-Mar-16	51040	MJD	

RECOMMENDED PCB LAUNCH FOR OPTIMAL RF PERFORMANCE

VARIATIONS IN BOARD MATERIAL AND TRACE MAY REQUIRE DIFFERENT GEOMETRY
PLEASE CONTACT AMPHENOL RF FOR LAUNCH OPTIMIZATION





BOTTOM LAYER

TOP LAYER


UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm ± 0.05mm 0.5 - 6mm ± 0.1mm 6 - 30mm ± 0.2mm 30 - 120mm ± 0.3mm ANGLES ± 1° NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	MATERIAL		DRAWN M. ZHANG	DATE 03-Mar-16	TITLE HD BNC RA BHD JACK PCB MOUNT		Amphenol RF www.amphenolrf.com	
	REFERENCE EAR # 4028		ENGINEER KARTHIK R	DATE 19-Feb-16			DRAWING NO. 34-1030-12G	
	CONFIGURATION LEVEL: In Work		APPROVED S. HSIEH	DATE 03-Mar-16	SCALE: 6.0:1.0 SHEET 4 OF 6		ITEM NO. 34-1030-12G	
	FINISH		CAD FILE		DWG SIZE B		REV A	
							PART NO. 34-1030-12G	

VARIATIONS IN BOARD MATERIAL AND TRACE MAY REQUIRE DIFFERENT GEOMETRY
PLEASE CONTACT AMPHENOL RF FOR LAUNCH OPTIMIZATION



TOP LAYER

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ± 0.05mm ± 0.1mm ± 0.2mm ± 0.3mm ± 1°	MATERIAL	DRAWN M. ZHANG	DATE 03-Mar-16	TITLE HD BNC RA BHD JACK PCB MOUNT	Amphenol RF www.amphenolrf.com			
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.		ENGINEER KARTHIK R	DATE 19-Feb-16					
		REFERENCE EAR # 4028	APPROVED S. HSIEH			DATE 03-Mar-16	SCALE: 5.0:1.0	SHEET 5 OF 6
		CONFIGURATION LEVEL: In Work	CAD FILE			DWG SIZE B	REV A	
		FINISH						
					DRAWING NO. 34-1030-12G			
					ITEM NO. 34-1030-12G			
					PART NO. 34-1030-12G			



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru