





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		A	REV PER ECO 11-004015	3-30-11	CT	DM


1 MATERIAL AND FINISH:
— CONNECTOR SHELL - NICKEL PLATED ALUMINUM
— QUADRAX RETENTION CLIP - SILVER PLATED STAINLESS STEEL
— JAM-NUT - NICKEL PLATED ALUMINUM
— QUADRAX CONNECTOR - GOLD PLATED COPPER ALLOY AND BRASS, AND THERMOPLASTIC
— FLANGE SEALING O-RING - FLUOROSILICONE RUBBER
— INTERFACIAL SEAL - FLUOROSILICONE RUBBER

2 TYCO ELECTRONICS LOGO OR TE



SECTION A - A

SOLDERTAIL LENGTHS
APPLY TO QUADRAX
CONTACT 1445626-2
ONLY



PCB LAYOUT
1738916-1, 2, AND 3

1445626-1	SEE SHEET 2	"B" KEY	1738916-6
1445626-1	SEE SHEET 2	"A" KEY	1738916-5
1445626-1	SEE SHEET 2	"N" KEY	1738916-4
1445626-2	SEE SHEET 1	"B" KEY	1738916-3
1445626-2	SEE SHEET 1	"A" KEY	1738916-2
1445626-2	SEE SHEET 1	"N" KEY	1738916-1
QUADRAX CONTACT	QUADRAX CONTACT PIN PATTERN	38999 POLARIZATION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JMS 22APR2004	TE Connectivity	
DIMENSIONS: INCHES		CHK WHB 22APR2004		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD WHB 22APR2004	NAME RECEPTACLE, 38999 SERIES III, SIZE 9 JAM-NUT STYLE, SINGLE QUADRAX	
0 PLC ±		PRODUCT SPEC		
1 PLC ±0.1		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
2 PLC ±0.01		WEIGHT	A200779C-1738916	
3 PLC ±0.001		CUSTOMER DRAWING	SCALE 1:1 SHEET 1 OF 2 REV A	
4 PLC ±0.0001				
ANGLES ±				
FINISH				

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		-	SEE SHEET 1	-	-	-

D

D

C




C

B

B


A

A



PCB ORIENTATION
(SEE SHEET 1 FOR DIMENSIONS)

QUADRAX CONTACT ORIENTATION 1738916-4, 5, AND 6

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	JMS	22APR2004	 TE Connectivity							
		CHK	WHB	22APR2004								
		APVD	WHB	22APR2004								
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME RECEPTACLE, 38999 SERIES III, SIZE 9 JAM-NUT STYLE, SINGLE QUADRAX							
												
		0 PLC ±-			PRODUCT SPEC							
		1 PLC ±0.1			-							
		2 PLC ±0.01			APPLICATION SPEC							
		3 PLC ±0.001			-							
		4 PLC ±0.0001										
MATERIAL		ANGLES ±-			SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
FINISH					A2		00779		C=1738916		-	
					CUSTOMER DRAWING							
					SCALE		5:2		SHEET		2 OF 2	
											REV A	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru