

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

- - -

C



COPYRIGHT 2010 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC
DW

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
C2		REVISED(ECR-14-007434), ADD PN 2-1759500-4	19MAY14	S.C.	H.L



RECOMMENDED PCB LAYOUT (CONNECTOR MOUNT SIDE)
TOLERANCE: ±0.05, PCB THICKNESS: 1.6mm

NOTE:

1. MATERIAL:

HOUSING: SEE TABLE(PA46, UL94 V-0, COLOR: BLACK.
OR PA6T, HF, UL94 V-0, COLOR:BLACK)

CONTACTS: BRASS.

2. FINISH:

SEE TABLE.

(CONTACTS: 2.03um [80u"] MIN. MATTE-TIN PLATING ALL OVER
1.27um [50u"] MIN. NICKEL UNDERPLATED OVERALL.

OR




CONTACTS: GOLD FLASH PLATING ALL OVER
1.27um [50u"] MIN. NICKEL UNDERPLATED OVERALL.)

3. WAVE SOLDER CAPABLE TO 265°C PER TEST SPEC.

109-202, CONDITION B.

△ PIN NO.4 IS 5.60mm AND THE OTHERS ARE 5.10mm.

5. WEIGHT: SEE TABLE




PA6T	GF	6P	1.95g	WITH		3.30	5.1	12.00	5.08	8.80	15.00	2-1759500-4
PA46	TIN	6P	1.95g			2.10	5.1	12.00	5.08	8.80	15.00	1-1759500-4
		4P	1.67g				5.1	9.46	2.54	6.26	12.50	1-1759500-1
		10P		WITH			5.1	17.08	10.16	13.88	20.10	
		8P	2.07g				5.1	14.54	7.62	11.34	17.50	1759500-8
			2.08g	WITH			5.1					1759500-7
		6P	1.90g					12.00	5.08	8.80	15.00	1759500-6
			1.90g				5.1					1759500-5
			1.95g	WITH			5.1					1759500-4
		4P	1.67g					9.46	2.54	6.26	12.50	1759500-3
			1.67g				5.1					1759500-2
				WITH		WITH	5.1					
HSG MAT'L	CONT. Plated	N(POS.)	N.W	POST 2	POST 1	DIM. F	DIM.E	DIM. D	DIM. C	DIM. B	DIM. A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± 0.3
2 PLC ± 0.2
3 PLC ± 0.15
4 PLC ± -
ANGLES ± 3°

MATERIAL

SEE NOTE

FINISH

SEE NOTE

DWN B. HSING
CHK S. CHIEN
APVD W. KODAMA

25JUN2009

25JUN2009

25JUN2009

PRODUCT SPEC

108-99100

APPLICATION SPEC

WEIGHT

SEE TABLE

CUSTOMER DRAWING

NAME

BLIND MATE BOX HEADER

SIZE

CAGE CODE

DRAWING NO

A3

00779

C=1759500

SCALE

SHEET

1 OF 2

REV

C2

STE

TE Connectivity

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-,-



COPYRIGHT 2010

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

DW

REVISIONS

P

LTR


DESCRIPTION

DATE


DWN

APVD


SEE SHEET 1.




PRODUCT




PAPER CLAPBOARD



INNER BOX



CARTON



NOTES :

1. MATERIAL :

1.1 INNER BOX : CORRUGATED FIBERBOARD

1.2 CARTON : CORRUGATED FIBERBOARD

2. DIMENSION : SEE TABLE

3. QUANTITY : SEE TABLE

4. WEIGHT : SEE TABLE

10.5KG	9.2KG	440x193x244	179x126x53	300PCS	3600PCS	8P
10.7KG	9.4KG	440x198x244	184x126x53	360PCS	4320PCS	6P
10.2KG	8.9KG	440x193x244	179x126x53	420PCS	5040PCS	4P
GROSS WEIGHT	NET WEIGHT	CARTON DIM. LxWxH(mm)	INNER BOX DIM. LxWxH(mm)	Q'TY/ INNER BOX	Q'TY/CARTON (12 INNER BOX)	PIN NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	—
CHK	—
APVD	—
PRODUCT SPEC	—
APPLICATION SPEC	—
WEIGHT	—
CUSTOMER DRAWING	—




TE Connectivity

NAME			
BLIND MATE BOX HEADER			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C=1759500	—
SCALE		SHEET	REV
—		2 OF 2	C2

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±	—
1 PLC	±	0.3
2 PLC	±	0.2
3 PLC	±	0.15
4 PLC	±	—
ANGLES	±	3°

MATERIAL

FINISH

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru