

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.


The marking on this product doesn't contain environmental hazardous material and must follow one or more specifications per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EC for RoHS compliant or per IEC 61249-2-21 for Halogen Free compliant.



ORIGINAL







REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	BY
A	NE-14122	RELEASE TO PRODUCTION	06/20/2014	Sandra Sang
B	NE-14150	CHANGED REEL	08/13/2014	Sandra Sang



PART NUMBER:
GSB4 43T 3 3 X HR

CONTACT FINISH: 3: 30µ" GOLD


VARIATION CODE:
BLANK: STANDARD T&R PACKING
A: W/ MYLAR, T&R PACKING



RECOMMENDED PCB LAYOUT- TOP VIEW
(GENERAL TOLERANCE: ±0.05)

NOTES:

- HOUSING: HIGH TEMP. THERMOPLASTIC, UL 94V-0, COLOR- BLACK
- CONTACT: COPPER ALLOY, 0.15mm THICKNESS, 30µ" MIN. GOLD PLATED ON CONTACT AREA, 150µ" MATTE TIN PLATED ON SOLDERING TAIL, 80µ" MIN. NICKEL UNDER-PLATED OVERALL
- INNER SHELL: STAINLESS, 0.35mm THICKNESS
- OUTER SHELL: STAINLESS, 0.30mm THICKNESS, 50µ" MIN. NICKEL PLATED ON THE SOLDERING TAILS
- CTF ARE THE CRITICAL DIMENSIONS MUST BE INSPECTED BY SPC.
- PACKING: PLEASE REFER TO PKS-GSBX43PT01HR
- THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS MATERIALS PER DIRECTIVE 2002/95/EC FOR RoHS AND PER IEC 61249-2-21 FOR HALOGEN FREE COMPLIANT.

TOLERANCE		APPROVALS		DATE	TITLE					Amphenol® Amphenol Corporation Amphenol Taiwan Corporation	
X. X.X ±0.30 X.XX ±0.20 X.XXX ±0.10		DRAWN	Sondra Sang	8/13/2014							
		CHECKED	Chenny Yeh	8/13/2014							
		APPROVED	Hank Hsu	8/13/2014							
ANGULAR ±1°						UNIT	mm	SIZE	A3	PART No. GSB4 43T 33X HR	
UNLESS OTHERWISE SPECIFIED		DWG TYPE	CUST DWG	PROJECT CODE		T512	SCALE	NA	SHEET	1 OF 1	DWG No. GSB443T33HR

This document is the property of Amphenol Corporation and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Amphenol Corporation without its prior consent, and that no right is granted to disclose or to use any information in this document.




The marking on this product doesn't contain environmental hazardous material and must follow one or more specifications per Material Specification SS-00259 for Sony GP compliant or per directive 2011/65/EC for RoHS compliant or per IEC 61249-2-21 for Halogen Free compliant.




ORIGINAL



REVISIONS				
SYM	ECN No.	DESCRIPTION	DATE	By
A	NE-14122	RELEASE TO PRODUCTION	06/20/2014	Sandra Sang
B	NE-14150	CHANGED REEL	08/13/2014	Sandra Sang



DETAIL "A"



LABEL 1 = Q'TY : Q850
LABEL 2 = Q'TY : Q10200

USE HEAT SEAL

Amphenol East Asia Electronic Technology(Shen Zhen)Co., Ltd.
NAF4041775038304BYYYYMMDD
NAF4041775038304B20120101
(P) CUST PROD ID: 4041775038304
4041775038304
(Q) QUANTITY: 850 (T) DATE CODE: YYYYMMDD
850 *YYYYMMDD*
(1T) LOT CODE: 102711
123456
(1P) Amphenol P/N: GSB343T33HR
GSB343T33HR

RoHS & HF
Compliant

LABEL1 & LABEL2

PART NO.	PCS./REEL-T1	PCS/CARTON-T2	N.W.	G.W.
GSB343TXXHR	850 PCS.	850X12=10200 PCS.	*	*
GSB443TXXHR				

NOTES:

("*") FOR REFERENCE

- MATERIAL: CONDUCTIVE POLYSTYRENE ALLOY, COLOR- BLACK
- THICKNESS: 0.50±0.05 mm
- TAPE HAVE TO USE HEAT SEAL TYPE
- ALL DIMENSIONS MEET EIA-481-C REQUIREMENTS
- COMPONENT LOAD PER 13" REEL: 850 PCS.
- LABEL: 3 OF 9 CODE OR 128 CODE
- THIS PRODUCT DOESN'T CONTAIN ENVIRONMENTAL HAZARDOUS MATERIALS PER DIRECTIVE 2011/65/EC FOR RoHS COMPLIANT.

TOLERANCE	APPROVALS	DATE
X. ±0.20	DESIGNED Sandra Sang	8/13/2014
X.X ±0.15	CHECKED Chenny Yeh	8/13/2014
X.XX ±0.10	APPROVED Hank Hsu	8/13/2014
X.XXX ±0.05	DWG TYPE CUST DWG	PROJECT CODE T512
ANGULAR ±1°		
UNLESS OTHERWISE SPECIFIED		

TITLE		USB3.0/ 3.1 CONNECTORS MICRO_B, HI-RISE RECEPT, R/A SMT TYPE		Amphenol® Amphenol Corporation Amphenol Taiwan Corporation	
UNIT	mm	SIZE	A3	PART No.	PKS-GSBX43PT01HR
SCALE	NA	SHEET	2 OF 2	DWG No.	PKS-GSB343PT01HR
				REV.	B

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru