

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2010

© COPYRIGHT 2010

Tyco Electronics AMP GmbH

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	G	PARTS -1 AND 1-1 RELEASED FOR PRODUCTION	12SEP2011	MZ	GT
	G1	REVISED MARKINGS	01NOV2012	MZ	JC
	G2	PARTS -2, -3, 1-2, 1-3 RELEASED FOR PRODUCTION	26JUN2013	KR	JC
	G3	REVISED PART NUMBERS	21JUL2017	SK	ZM

NOTES:

1 MATERIAL: POLYAMIDE GLASS FILLED
COLOUR NATURAL

2 MATERIAL: POLYAMIDE GLASS FILLED
COLOUR BLACK

3) PACKAGING: SEE TE PACKAGING SPECIFICATION
107-20294

4 AREA FOR AGENCY APPROVAL LOGO

5 DATE CODE

6 TE LOGO

7 TE PART NUMBER

8 CONDUCTOR SIZE AND CURRENT RATING

9 N CODE

10 L CODE

11 PE CODE

12 RATED VOLTAGE

13 CAVITY MOULD NUMBER

14 PART NOT YET TOOLED AND RELEASED
FOR PRODUCTION

15) FOR CABLE TYPE AND CABLE RANGE REFER TO
CUSTOMER DRAWING 293607

FLEXIBLE DEVICES FOR CABLE RETENTION

VISUAL INDICATION FOR PE CONDUCTOR

14.00

34.90

51.9

10

12

13

6

7

5

400V- X

X-293468-X

5.60 (TYP X3)

Ø14.90

Ø4.70

Ø13.30

Ø9.30

M14 X 1 THREAD

8

15 16A

25 20A

4

N

3D VIEWS, FOR REFERENCE ONLY

SCALE 1:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN M. ZUCCA 21OCT2009

CHK M. ZUCCA 21OCT2009

APVD G. TURCO 21OCT2009

PRODUCT SPEC 108-20304

APPLICATION SPEC 114-20152

WEIGHT ~4.6 g

Customer Drawing

NAME SOCKET HOUSING FREE HANGING
NECTOR* M-LINE
3 POSITIONS UNSEALED VERSION

SIZE A300779 CAGE CODE G-293468

DRAWING NO. RESTRICTED TO

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.3

2 PLC ±0.20

3 PLC ±-

4 PLC ±-

ANGLES ±3°

FINISH -

MATERIAL SEE NOTES

SCALE 2:1 SHEET 1 OF 2 REV G3

1470-19 (3/11)

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2010

© COPYRIGHT 2010

Tyco Electronics AMP GmbH

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
1	-	-	-	SEE SHEET 1	-	-	-







POLARIZATION TYPES	
TYPE "A"	TYPE "B"
	
P/Ns: 0-293468-1, 1-293468-1	P/Ns: 0-293468-2, 1-293468-2
TYPE "C"	TYPE "D"
	
P/Ns: 0-293468-3, 1-293468-3	P/Ns: 0-293468-4, 1-293468-4

TABLE 1					
NOTE	POL. KEYING	COLOUR	DESCRIPTION	REV.	PART NUMBER
	D	BLACK	SOCKET HOUSING FREE HANGING VERSION NECTOR* M-LINE	F	1-293468-4
	C	BLACK	SOCKET HOUSING FREE HANGING VERSION NECTOR* M-LINE	G	1-293468-3
	B	BLACK	SOCKET HOUSING FREE HANGING VERSION NECTOR* M-LINE	G	1-293468-2
	A	BLACK	SOCKET HOUSING FREE HANGING VERSION NECTOR* M-LINE	G	1-293468-1
	D	NATURAL	SOCKET HOUSING FREE HANGING VERSION NECTOR* M-LINE	F	0-293468-4
	C	NATURAL	SOCKET HOUSING FREE HANGING VERSION NECTOR* M-LINE	G	0-293468-3
	B	NATURAL	SOCKET HOUSING FREE HANGING VERSION NECTOR* M-LINE	G	0-293468-2
	A	NATURAL	SOCKET HOUSING FREE HANGING VERSION NECTOR* M-LINE	G	0-293468-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. ZUCCA 21OCT2009	 TE Connectivity	
DIMENSIONS: mm		CHK M. ZUCCA 21OCT2009		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G. TURCO 21OCT2009	NAME SOCKET HOUSING FREE HANGING NECTOR* M-LINE 3 POSITIONS UNSEALED VERSION	
		PRODUCT SPEC 108-20304	SIZE A3	CAGE CODE 00779
MATERIAL SEE NOTES		APPLICATION SPEC 114-20152	DRAWING NO C=293468	RESTRICTED TO -
		WEIGHT ~4.6 g		
		Customer Drawing	SCALE 2:1	SHEET 2 OF 2
			REV G3	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru