







10128765-001LF



NOTE:

	DESCRIPTION	Q'ty	MATERIAL	PLATING
1,	QSFP CAGE	1PCS	COPPER ALLOY	NI Plated
02	EMI FINGERS	4PCS	COPPER ALLOY	NI FOR ALL
2,	TEMPERATURE:			
	OPERATION: -40°C~+85°C			
	STORAGE: -55°C~+105°C			

rev	ecn no	dr	date
A		Jason	05/20/2014
B		Jason	10/16/2014



www.fciconnect.com			surface - 		tolerance std - -		projection 		MM 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	LinA	2014-10-30	ANGULAR	LINEAR	0.X	±0.25	size A3	Scale NTS		
Eng	LinA	2014-10-30			0.XX	±0.20				
Chr	-				0.XXX	±0.10		ECN elx-dg-19247-1		
Appr	Collins Lu	2014-10-30	Product family					Spec ref		-
			title QSFP+ 1*1 CAGE			dwg no 10128765			Rev. C	
			catalog no -			CUSTOMER		sheet 1 of 3		

REV F - 2006-04-17




Copyright FCI.

PCB LAYOUT FOR SINGLE SIDED APPLICATION




NOTES:

1. SEE QSFP MSA SPECIFICATION FOR BEZEL LOCATION TOLERANCE
2. DATUM -A- IS TIP SURFACE OF HOST BOARD PER MSA
3. FINISHED HOLE SIZE (AFTER PLATING)
4. DATUM -K- IS HOST BOARD THRE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
5. DATUM -L- IS HOST BOARD THRE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
6. DATUM -T- IS HARD STOP ON CAGE PER MSA





SECTION C-C





DETAIL: A
SCALE: 2:1

www.fciconnect.com			surface - 		tolerance std - -		projection 		MM 	
			TOLERANCES UNLESS OTHERWISE SPECIFIED							
Dr	LinA	2014-10-30	ANGULAR	LINEAR	0.X	±0.25	size	A3	Scale	
Eng	LinA	2014-10-30			0.XX	±0.20			NTS	
Chr	-				0° ±0.5°	0.XXX			±0.10	ECN elx-dg-19247-1
Appr	Collins Lu	2014-10-30	Product family					Spec ref -		
			title QSFP+ 1*1 CAGE			dwg no 10128765			Rev. C	
			catalog no -			CUSTOMER			sheet 2 of 3	

PCB LAYOUT FOR BELLY TO BELLY APPLICATION



NOTE:
BEZEL CUTOUT LOCATIONS FOR BELLY TO BELLY APPLICATIONS
ARE DEPENDENT ON PCB THICKNESS



NOTES:

1. SEE QSFP MSA SPECIFICATION FOR BEZEL LOCATION TOLERANCE
2. DATUM -A- IS TIP SURFACE OF HOST BOARD PER MSA
3. FINISHED HOLE SIZE (AFTER PLATING)
4. DATUM -K- IS HOST BOARD THRE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
5. DATUM -L- IS HOST BOARD THRE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
6. DATUM -T- IS HARD STOP ON CAGE PER MSA

www.fciconnect.com			surface - 		tolerance std - -				 MM	
			TOLERANCES UNLESS		OTHERWISE SPECIFIED					
Dr	LinA	2014-10-30	ANGULAR	LINEAR	0.X	±0.25	size	A3	Scale	
Eng	LinA	2014-10-30			0.XX	±0.20			NTS	
Chr	-		0° ±0.5°		0.XXX	±0.10	ECN	elx-dg-19247-1		
Appr	Collins Lu	2014-10-30	Product family					Spec ref -		
		title QSFP+ 1*1 CAGE				dwg no 10128765		Rev. C		
		catalog no -				CUSTOMER		sheet 3 of 3		

REV F - 2006-04-17

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru