

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

JUL ,2011.

© COPYRIGHT 2011 By Tyco Electronics Japan G.K.

ALL RIGHTS RESERVED.







LOC	DIST	REVISIONS			DATE	DWN	APVD
		P	LTR	DESCRIPTION			
J	/	A		RELEASED	25JUL2011	C.O	T.K

- 1 GENERAL TOLERANCE: ± 0.3
- 2 CONTACT TINE COPLANALITY; 0.08mm MAX
- 3 MATERIAL HOUSING: THERMO PLASTIC RESIN
CONTACT: COPPER ALLOY
SHELL: STAINLESS STEEL


- 4 FINISH
CONTACT; Ni UNDER PLATING ALL OVER
Au PLATING ON SOLDERING AREA
Au PLATING ON CONTACT AREA
SHELL; Ni UNDER PLATING ALL OVER
Sn PLATING ALL OVER

- 5 PREVENTION OF WRENCHING
PLEASE HOLD THE TOP AND THE SIDE OF
CONNECTOR BY THE CASE.
- 6 PREVENTION OF HITTING DURING
PLUG INSERTION
PLEASE SET THE INSERTION GUIDE ALONG
THE MATING SURFACE.

- 7 LOGO MARK
- 8 DATE CODE: YYWWD
(YEAR, WEEK, DAY)
SLP1 (SHIFT, LINE, P1: REVISION CODE)

REFERENCE PATTERN LAYOUT
(MOUNT SIDE)

D-D



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.OHASHI 25JUL2011	TE Connectivity			
DIMENSIONS: 単位: 耗 mm		CHK A.KUBO 25JUL2011				
TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		APVD T.KUSUHARA 25JUL2011	NAME 名称			
0 PLC ± 0.3 1 PLC ± 0.3 2 PLC ± 0.3 3 PLC ± 0.3 4 PLC ± 0.3 ANGLES $\pm 3^\circ$		PRODUCT SPEC 製品規格 108-78434	MICRO USB CONNECTOR MID-MOUNT DIP, FLANGELESS REVERSE TYPE			
MATERIAL 材料		APPLICATION SPEC 取付適用規格	SIZE A3	CAGE CODE 00779	DRAWING NO 番号 C-2134441	RESTRICTED TO —
FINISH 仕上		WEIGHT	CUSTOMER DRAWING		SCALE 尺度 8:1	SHEET 1 OF 2
					REV A	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

JUL ,2011.

© COPYRIGHT 2011 By Tyco Electronics Japan G.K.

ALL RIGHTS RESERVED.

LOC
JDIST
/

REVISIONS

変更

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

—

—

—

カバーテープリーダー部
外周1巻
WIDE COVER TAPE AROUND
OUT PERIPHERY 1 TURN

剥離強度 0.1-1.3N MAX (300min)
PEELING STRENGTH
剥離強度 165~180°
PEELING ANGLE

引き出し方向
TOP OF REEL

160mm MIN


1000個/リール
1000EA/REEL

製品装填部

空部
WITHOUT CHARGE
160mm MIN


WITH PRODUCT CHARGE

空部
WITHOUT CHARGE
400mm MIN



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
単位: 耗
mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:
一般公差

0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3
ANGLES $\pm 3^\circ$

MATERIAL
材料

FINISH
仕上

DWN

CHK

APVD

PRODUCT SPEC
製品規格

APPLICATION SPEC
取付適用規格

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME
名称

MICRO USB CONNECTOR
MID-MOUNT DIP, FLANGELESS
REVERSE TYPE

SIZE

CAGE CODE

DRAWING NO
番号

RESTRICTED TO

A300779

C-2134441

SCALE
尺度 NTS

SHEET

2 OF 2

REV
A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru