




LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-		A	INITIAL RELEASE	29FEB2012	LW	SZ
			A1	ADD NOTE FOR GOLD THICKNESS	09APR2012	LW	CW
			A2	REV PER ECR-12-010636	12JUN2012	LW	AC

NOTES:
1.MATERIALS:
HOUSING:HIGH TEMP. THERMOPLASTIC GLASS/MINERAL FILLED UL94V-0
TERMINAL:COPPER ALLOY
△.FINISH:
TIN OPTION- 0.76um MINIMUM GOLD AT CONTACT AREA
2.54um MINIMUM NICKEL UNDERPLATED OVER ALL
TIN AT TAIL AREA
TIN-LEAD OPTION- 0.76um MINIMUM GOLD AT CONTACT AREA
2.54um MINIMUM NICKEL UNDERPLATED OVER ALL
TIN-LEAD AT TAIL AREA
△.PCB NOTE FOR DIAMETER 0.725MM PLATED HOLE.
-DRILLED HOLE SIZE IS 0.838MM
-PLATED WITH 0.007MM MIN.TIN OVER
0.03 TO 0.08MM COPPER UNDERPLATE TO ACHIEVE
0.725±0.075MM HOLE.
4.CONNECTOR WERE PACKED BY TRAY
5.REFER TO TE'S PRODUCT SPECIFICATION:108-2473
FOR TORQUE FORCE AND RETENTION FORCE
6.MATED WITH 2169809-*
△.PART NUMBER AND DATE CODE AT ASSEMBLY AREA AS APPROXIMATE SHOWN.
ALSO CAN BE OPPOSITE SIDE
△.THERE ARE TWO TYPES OPTION ONE TYPE WITH DOVETAIL
ANOTHER WITHOUT DOVETAIL
△.COMPONENT PLACEMENT ZONE




SECTION Z-Z
SCALE 6:1





OBSOLETE	TRAY	TIN PLATING	NO DOVE TAIL	6.90	6.90	2169802-1	
				5.70	5.70	2169802-2	
				6.90	5.70	2169802-3	
				5.70	6.90	2169802-4	
			WITH DOVE TIAL	6.90	6.90	2169802-5	
				5.70	5.70	2169802-6	
				6.90	5.70	2169802-7	
				5.70	6.90	2169802-8	
					6.90	6.90	5-2169802-1
			NO DOVE TAIL		5.70	5.70	5-2169802-2
				6.90	5.70	5-2169802-3	
			TIN-LEAD PLATING		5.70	6.90	5-2169802-4
				6.90	6.90	5-2169802-5	
			WITH DOVE TIAL		5.70	5.70	5-2169802-6
				6.90	5.70	5-2169802-7	
				5.70	6.90	5-2169802-8	
	PACKAGEING	PLATING OPTION	△TYPE	P1	P2	PART NUMBER	

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION. IT IS THE POLICY OF TYCO ELECTRONICS CORPORATION TO PROVIDE THE LATEST REVISIONS OF THIS DRAWING TO THE CUSTOMER. IT IS THE CUSTOMER'S RESPONSIBILITY TO CONTACT TYCO ELECTRONICS CORPORATION FOR THE LATEST REVISIONS.		DWN: LERRY.WANG 05MAY2011 CHK: SUNY.ZHAO 05MAY2011 APVD: SUNY.ZHAO 05MAY2011		NAME: ASSEMBLY IMPACT POWER 4PAIR R/A HEADER PRESS-FIT	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.2 1 PLC ±.25 2 PLC ±.25 3 PLC ±.25 4 PLC ±.25 ANGLES ±.5°		PRODUCT SPEC 108-2473 APPLICATION SPEC 114-32028	
MATERIAL: -		FINISH: 2		WEIGHT: - CUSTOMER DRAWING	
SCALE: 6:1		SHEET: 1 OF 2		REV: A2	


LOC		DIST		REVISIONS					
-		-		P	LTR	DESCRIPTION	DATE	DWN	APVD
					-	SEE SHEET 1	-	-	-



CONNECTOR MATED WITH PCB



PCB LAYOUT FOR 4PAIR R/A HEADER POWER MODULE
(COMPONENT SIDE SHOWN)



DOVE TAIL

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN: LERRY.WANG 05MAY2011		NAME: ASSEMBLY	
mm		9 PLC ±.00		CHK: SUNY.ZHAO 05MAY2011		IMPACT POWER 4PAIR R/A HEADER	
		1 PLC ±.025		APVD: SUNY.ZHAO 05MAY2011		PRESS-FIT	
		3 PLC ±.00		PRODUCT SPEC		SIZE: CAGE CODE: DRAWING NO:	
		4 PLC ±.00		APPLICATION SPEC		A1 00779 C=2169802	
MATERIAL:		FINISH:		WEIGHT:		RESTRICTED TO:	
				CUSTOMER DRAWING		SCALE: 6:1 SHEET 2 OF 2 REV A2	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru