




|                                            |                          |    |
|--------------------------------------------|--------------------------|----|
| THIS DRAWING IS UNPUBLISHED.               | RELEASED FOR PUBLICATION | 20 |
| (C) COPYRIGHT 20 BY - ALL RIGHTS RESERVED. |                          |    |

| REVISIONS |     |               |           |     |      |
|-----------|-----|---------------|-----------|-----|------|
| P         | LTR | DESCRIPTION   | DATE      | DWN | APVD |
|           | A   | INITIAL       | 29MAY2015 | DW  | CW   |
|           | AI  | ECR-17-008664 | 17JUN2017 | CH  | CW   |
|           |     |               |           |     |      |
|           |     |               |           |     |      |



SCALE 3:5

TYPE 2: LOW CONSTRUCTION, TOP ENTRY  
WITH STEEL DOUBLE LOCKING  
OTHER SPEC REFER TO TYPE 1



类型2: 低结构, 顶出, 带彩锌双扣, 其它规格参照类型1

NOTES:

1. TECHNICAL CHARACTERISTICS:  
HOOD MATERIAL: DIE CAST  
ALUMINIUM ALLOY  
SURFACE: POWDER COATED, GREY  
DEGREE OF PROTECTION: IP65 (MATED)

注释：

1. 技术参数：  
上壳材料：铝合金  
表面处理：灰色粉末喷涂  
防护等级：IP65（配合）



SCALE 3:5

TYPE 1: LOW CONSTRUCTION, SIDE ENTRY  
WITH STEEL DOUBLE LOCKING

类型1：低结构，侧出，带彩锌双扣

|                   |                        |                                                                                                       |                            |                            |               |
|-------------------|------------------------|-------------------------------------------------------------------------------------------------------|----------------------------|----------------------------|---------------|
| T1260242132-000   | H24B-TGB-M32           | H24B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H24B上壳, 顶出M32, 彩锌双扣, 灰色粉末喷涂    | -                          | M32                        | TYPE 2<br>类型2 |
| T1260242129-000   | H24B-TGB-PG29          | H24B HOOD, TOP ENTRY PG29, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H24B上壳, 顶出PG29, 彩锌双扣, 灰色粉末喷涂  | -                          | PG29                       |               |
| T1260242125-000   | H24B-TGB-M25           | H24B HOOD, TOP ENTRY M25, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H24B上壳, 顶出M25, 彩锌双扣, 灰色粉末喷涂    | -                          | M25                        |               |
| T1260242121-000   | H24B-TGB-PG21          | H24B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H24B上壳, 顶出PG21, 彩锌双扣, 灰色粉末喷涂  | -                          | PG21                       |               |
| T1260240000-000   | H24B-TGB               | H24B HOOD, NO ENTRY, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H24B上壳, 无开孔, 彩锌双扣, 灰色粉末喷涂           | -                          | -                          |               |
| T1250242132-000   | H24B-TSB-M32           | H24B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H24B上壳, 侧出M32, 彩锌双扣, 灰色粉末喷涂   | M32                        | -                          | TYPE 1<br>类型1 |
| T1250242125-000   | H24B-TSB-M25           | H24B HOOD, SIDE ENTRY M25, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H24B上壳, 侧出M25, 彩锌双扣, 灰色粉末喷涂   | M25                        | -                          |               |
| T1250242121-000   | H24B-TSB-PG21          | H24B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H24B上壳, 侧出PG21, 彩锌双扣, 灰色粉末喷涂 | PG21                       | -                          |               |
| PART NUMBER<br>料号 | PART DESCRIPTION<br>描述 |                                                                                                       | PG/M THREAD 1<br>PG/M 螺纹孔1 | PG/M THREAD 2<br>PG/M 螺纹孔2 | TYPE<br>类型    |

|                                                                                                            |  |                                                                                                           |  |                                                                                                       |                    |
|------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                                     |  | DWN 29MAY2015<br>DAVID.WANG<br>CHK 29MAY2015<br>CHRIS.WANG<br>APVD 29MAY2015<br>XIANG.XU                  |  |  TE Connectivity |                    |
| DIMENSIONS:<br>mm<br> |  | TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ±<br>1 PLC ±<br>2 PLC ±<br>3 PLC ±<br>4 PLC ±<br>ANGLES ± |  | NAME<br>H24B-TSB/TGB/TSBH/TGBH-M/PG                                                                   |                    |
|                                                                                                            |  | PRODUCT SPEC<br>108-137013<br>APPLICATION SPEC<br>114-137013                                              |  | SIZE<br>A2                                                                                            |                    |
| MATERIAL<br>-<br>-                                                                                         |  | WEIGHT<br>-                                                                                               |  | CAGE CODE<br>00779                                                                                    |                    |
| FINISH<br>-<br>-                                                                                           |  | DRAWING NO<br>C-T12X024XXXX000                                                                            |  | RESTRICTED TO<br>-                                                                                    |                    |
| Customer Drawing                                                                                           |  |                                                                                                           |  | SCALE                                                                                                 | SHEET 1 OF 2 REV A |

D

D

C




C

B

B



A

A



NOTES:  
SEE SHEET 1

TYPE 4: HIGH CONSTRUCTION, TOP ENTRY  
WITH STEEL DOUBLE LOCKING  
OTHER SPEC REFER TO TYPE 3  
类型4： 高结构，顶出，带彩锌双扣，其它规格参照类型3



TYPE 3: HIGH CONSTRUCTION, SIDE ENTRY  
WITH STEEL DOUBLE LOCKING

类型3： 高结构，侧出，带彩锌双扣

|                   |                        |                                                                                                                               |                            |                            |               |
|-------------------|------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------|---------------|
| T1280242140-000   | H10B-TGBH-M40          | H24B HOOD, TOP ENTRY M40, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出M40, 彩锌双扣, 高结构, 灰色粉末喷涂    | -                          | M40                        | TYPE 4<br>类型4 |
| T1280242132-000   | H24B-TGBH-M32          | H24B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出M32, 彩锌双扣, 高结构, 灰色粉末喷涂    | -                          | M32                        |               |
| T1280242129-000   | H24B-TGBH-PG29         | H24B HOOD, TOP ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出PG29, 彩锌双扣, 高结构, 灰色粉末喷涂  | -                          | PG29                       |               |
| T1280242125-000   | H24B-TGBH-M25          | H24B HOOD, TOP ENTRY M25, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出M25, 彩锌双扣, 高结构, 灰色粉末喷涂    | -                          | M25                        |               |
| T1280242121-000   | H24B-TGBH-PG21         | H24B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 顶出PG21, 彩锌双扣, 高结构, 灰色粉末喷涂  | -                          | PG21                       |               |
| T1270242140-000   | H24B-TSBH-M40          | H24B HOOD, SIDE ENTRY M40, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 侧出M40, 彩锌双扣, 高结构, 灰色粉末喷涂   | M40                        | -                          | TYPE 3<br>类型3 |
| T1270242132-000   | H24B-TSBH-M32          | H24B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 侧出M32, 彩锌双扣, 高结构, 灰色粉末喷涂   | M32                        | -                          |               |
| T1270242129-000   | H24B-TSBH-PG29         | H24B HOOD, SIDE ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 侧出PG29, 彩锌双扣, 高结构, 灰色粉末喷涂 | PG29                       | -                          |               |
| T1270242121-000   | H24B-TSBH-PG21         | H24B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H24B上壳, 侧出PG21, 彩锌双扣, 高结构, 灰色粉末喷涂 | PG21                       | -                          |               |
| PART NUMBER<br>料号 | PART DESCRIPTION<br>描述 |                                                                                                                               | PG/M THREAD 1<br>PG/M 螺纹孔1 | PG/M THREAD 2<br>PG/M 螺纹孔2 | TYPE<br>类型    |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm

MATERIAL  
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

|        |   |
|--------|---|
| 0 PLC  | ± |
| 1 PLC  | ± |
| 2 PLC  | ± |
| 3 PLC  | ± |
| 4 PLC  | ± |
| ANGLES | ± |
| FINISH | - |

-

DWN  
DAVID.WANG  
29MAY2015

CHK  
CHRIS.WANG  
29MAY2015

APVD  
XIANG.XU  
29MAY2015

PRODUCT SPEC  
108-137013

APPLICATION SPEC  
114-137013

WEIGHT  
-

Customer Drawing

TE Connectivity

NAME  
H24B-TSB/TGB/TSBH/TGBH-M/PG

|            |                    |                                |                    |
|------------|--------------------|--------------------------------|--------------------|
| SIZE<br>A2 | CAGE CODE<br>00779 | DRAWING NO<br>C-T12X024XXXX000 | RESTRICTED TO<br>- |
|------------|--------------------|--------------------------------|--------------------|

SCALE 1:1 SHEET 2 OF 2 REV A1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)