

DWG. NO.
SD-54334-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1201	1	56377-2001	1	56377-3001	1
REC. SOCKET HS'G ASS'Y	51238-1211	1	51238-2011	1	51238-3011	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54334-1200		54334-2000		54334-3000	
タイプ TYPE	STANDARD TYPE					

54334-3004	54334-**04
54334-2004	
54334-1204	
54334-3003	54334-**03
54334-2003	
54334-1203	
54334-3002	54334-**02
54334-2002	
54334-1202	
54334-3001	54334-**01
54334-2001	
54334-1201	
54334-3000	54334-**00
54334-2000	
54334-1200	

MATERIAL NO.	MODEL NO.
DIMENSIONS:	SHT REV
☐ mm ☐ INCH ☒ mm ONLY	☐ mm ☐ INCH ☒ mm ONLY

DESIGN NO. DRWN: CH'K: APPR:	DESIGN NO. DRWN: CH'K: APPR:	REVISED '01/08/06 DESIGN NO. J2002-0289 DRWN: N.OMORI CH'K: J.MIYAZAWA APPR: YO.ITO	REVISED '01/08/02 DESIGN NO. J2002-0255 DRWN: N.OMORI CH'K: J.MIYAZAWA APPR: YO.ITO	RELEASED '01/06/21 DESIGN NO. JD2001-1709 DRWN: S.SAKIYAMA CH'K: J.MIYAZAWA APPR: Y.ITO	DESCRIPTION MATERIAL 材料 FINISH 仕上げ WIRE RANGE 適用電線範囲 INS. RANGE 被覆外径	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差 10 UNDER 未満 10 OVER 以上 30 UNDER 未満 30 OVER 以上 ANGLE 角度	SCALE DRAWN BY & DATE S. Miyama '01/06/21 CHECKED BY & DATE Y. Ito APPROVED BY & DATE CAD FILENAME 54334002.S01	DESIGN UNITS ☒ mm ☐ INCH THIRD ANGLE PROJECTION TITLE: COMPACT ROBOT CONN. W/W PANEL MOUNT TYPE SOCKET SET (REAR MOUNT) MOLEX INCORPORATED	MATERIAL NO. SEE CHART	DRAWING NO. SD-54334-002	SHEET NO. 1 OF 5
8	7	7	7	6	5	4	3	2	2	2	2

DWG. NO.
SD-54334-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1201	1	56377-2001	1	56377-3001	1
REC. SOCKET HS'G ASS'Y	51238-1212	1	51238-2012	1	51238-3012	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54334-1201		54334-2001		54334-3001	
タイプ TYPE	A TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5		DESCRIPTION		MATERIAL 材料		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH mm ONLY		SHT		REV	
										FINISH 仕上げ		—#—		10 UNDER 未満		±0.2		DRAWN BY & DATE S. Miyama 01/06/21		TITLE: COMPACT ROBOT CONN. W/W PANEL MOUNT TYPE SOCKET SET (REAR MOUNT)					
										WIRE RANGE 適用電線範囲		—#—		10 OVER 30 UNDER 以上 未満		±0.25		CHECKED BY & DATE Y. Matsuda		MOLEX INCORPORATED					
										INS. RANGE 被覆外径		—#—		30 OVER 以上		±0.3		APPROVED BY & DATE Y. Ota		MATERIAL NO. —#—		SD-54334-002		2 OF 5	
														ANGLE 角度		±3°		CAD FILENAME 54334002.S02		EN-02J(097) MXJ-54					

54334002.S02

DWG. NO.
SD-54334-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1201	1	56377-2001	1	56377-3001	1
REC. SOCKET HS'G ASS'Y	51238-1213	1	51238-2013	1	51238-3013	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54334-1202		54334-2002		54334-3002	
タイプ TYPE	B TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION		MATERIAL 材料		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH mm ONLY		SHT		REV			
↑										FINISH 仕上げ		—#—		10 UNDER 未満		±0.2		DRAWN BY & DATE S. Miyama 01/06/21		TITLE: COMPACT ROBOT CONN. W/W PANEL MOUNT TYPE SOCKET SET (REAR MOUNT)							
										WIRE RANGE 適用電線範囲		—#—		10 OVER 30 UNDER 以上 未満		±0.25		CHECKED BY & DATE Y. Harada		MOLEX INCORPORATED							
										REV		INS. RANGE 被覆外径		—#—		30 OVER 以上		±0.3		APPROVED BY & DATE Y. Ota		MATERIAL NO. —#—		DRAWING NO. SD-54334-002		SHEET NO. 3 OF 5	
														ANGLE 角度		±3°		CAD FILENAME 54334002.S03		MOLEX INCORPORATED							
																				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.		SIZE B					

54334002.S03

DWG. NO.
SD-54334-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1201	1	56377-2001	1	56377-3001	1
REC. SOCKET HS'G ASS'Y	51238-1214	1	51238-2014	1	51238-3014	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54334-1203		54334-2003		54334-3003	
タイプ TYPE	C TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION		MATERIAL 材料		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH mm ONLY		SHT		REV	
												—#—		10 UNDER 未満		±0.2		DRAWN BY & DATE S. Miyama 01/06/21		TITLE: COMPACT ROBOT CONN. W/W PANEL MOUNT TYPE SOCKET SET (REAR MOUNT)					
										FINISH 仕上げ		—#—		10 OVER 30 UNDER 以上 未満		±0.25		CHECKED BY & DATE Y. Harada							
										WIRE RANGE 適用電線範囲		—#—		30 OVER 以上		±0.3		APPROVED BY & DATE Y. Ota							
										REV		INS. RANGE 被覆外径		—#—				CAD FILENAME 54334002.S04		MATERIAL NO. —#—		DRAWING NO. SD-54334-002		SHEET NO. 4 OF 5	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.																		SIZE B							

54334002.S04

DWG. NO. SD-54334-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1201	1	56377-2001	1	56377-3001	1
REC. SOCKET HS'G ASS'Y	51238-1215	1	51238-2015	1	51238-3015	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54334-1204		54334-2004		54334-3004	
タイプ TYPE	D TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION MATERIAL 材料 FINISH 仕上げ WIRE RANGE 適用電線範囲 INS. RANGE 被覆外径	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH		SHT REV						
											10 UNDER 未満		±0.2		DRAWN BY & DATE S. Miyama 01/06/21		TITLE: COMPACT ROBOT CONN. W/W PANEL MOUNT TYPE SOCKET SET (REAR MOUNT)		MOLEX INCORPORATED						
											10 OVER 以上 30 UNDER 未満		±0.25		CHECKED BY & DATE Y. Matsuda										
											30 OVER 以上		±0.3		APPROVED BY & DATE Y. Matsuda										
												ANGLE 角度		±3°		CAD FILENAME 54334002.S05		MATERIAL NO. —#—		DRAWING NO. SD-54334-002		SHEET NO. 5 OF 5			
												THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.												SIZE B	

54334002.S05

A

B

C

D

E

F

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru