

INDICATOR LIGHTS FOR LP3 & LP5 SERIES

The LPL Indicator Light series offers an excellent means of indicating the activity of a circuit by providing a visual on/off indication of process conditions. The LPL series is ideally suited as part of a panel mounted indicator for control panels, instrumentation and front panel fault indicators.

The LPL series is manufactured to the highest standards and built to withstand harsh environments, offering anodized aluminum alloy cases with seal options of moistureproof and dusttight to IP64 or watertight to IP68S. The LPL series offers long life LED lighting in a variety of colors and can accommodate 2 to 24VDC power.

Features:

- **Seal options include:**
 1. **Watertight per MIL-PRF-8805, Design 3 and watertight 1 meter to IP68S**
 2. **Dusttight per MIL-PRF-8805, Design 2 and Dusttight/protected against splashing water per IP64**
 3. **Unsealed**
- **LED lighted with the ability to accommodate 2, 6, 12 & 24VDC power and includes reverse voltage protection**
- **Tall and dome style buttons in translucent white, red & amber permitting sublimated & pad printed legends**
- **15/32" & 5/8" thread, press fit & dome case styles available**
- **Built-in current limiting resistor & reverse polarity protection**
- **Looks identical to the LP3 & LP5 series to provide a cohesive panel look**
- **RoHS/WEEE/Reach compliant**



Standard Characteristics/Ratings:

LIGHTING:

Light Source Voltage (DC)	Actual Voltage Nominal (DC)	Voltage Max (DC)
2	2	2.6
6	7	8
12	13.5	14.5
24	28	28.6

Seal:

Options include:

- Watertight per MIL-PRF-8805, Design 3 and IP68S
- Dusttight per MIL-PRF-8805, Design 2 and IP64
- Unsealed

Operating Temp Range: -55°C to +85°C

MATERIALS:

Case: Anodized aluminum alloy

Button: Thermoplastic

Terminals: Brass

Mounting Hardware: Hex nut, lockwasher and panel gasket when applicable

LPL PART NUMBER CODE

Case Style	Light Source Type*	Seal Level	Case Color	Button Color	Legend Style
E. Exposed Dome	A. 2V Red LED	1. Unsealed	1. Silver	A. Amber, Translucent (use Amber LED)	Refer to Legend Table in appendix for legend codes. Legends will be printed in white on amber and red buttons and in black on white buttons.
F. Flush Dome	B. 2V Green LED	2. Dusttight	2. Black	R. Red, Translucent (use Red LED)	
R. Raised Dome	C. 2V Amber LED	3. Watertight		W. White, Translucent	
1. Press Fit Mount	D. 6V Red LED				
3. 5/8" Thread Front Mount	E. 6V Green LED				
4. 15/32" Thread Rear Mount	F. 6V Amber LED				
6. 5/8" Thread Rear Mount	G. 12V Red LED				
	H. 12V Green LED				
	J. 12V Amber LED				
	K. 24V Red LED				
	L. 24V Green LED				
	M. 24V Amber LED				
	N. 2V Blue LED				
	P. 6V Blue LED				
	Q. 12V Blue LED				
	R. 24V Blue LED				
	S. 2V Deep Green LED				
	T. 6V Deep Green LED				
	U. 12V Deep Green LED				
	V. 24V Deep Green LED				

* 2V LED's are intended for use with an external resistor. See LED voltage chart in appendix for details on the approximate value of the resistor.



All green and blue LEDs are recommended for use with translucent button color white only.

For super bright LEDs, contact factory.

LED ILLUMINATED & SEALED



LPL-E0

Exposed Dome Button





LPL-F0

Flush Dome Button



LPL-R0

Raised Dome Button





LPL INDICATOR LIGHTS

LPL
INDICATOR
LIGHTS

LED ILLUMINATED & SEALED



LPL-10

Press Fit Mount





LPL-30

5/8" Threaded Front Mount





LPL-40

15/32" Threaded Rear Mount



LPL-60

5/8" Threaded Rear Mount



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru