

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

LOC

DIST

AD

00

REV

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

FLAT

.348

.129

.020 TYP

.100 TYP

ALCO

4

Ø.252±.002

Ø.252±.002

Ø.33±.002

Ø.232±.002

Ø.230±.002

RECOMMENDED PANEL LAYOUTS

.103

.226 TO FLAT

.103

.040 KEY WAY

Ø.281

.170

.311

.030 TYP

Ø.132

.020

1/4-40 UNS-2A

.320

.206

TPF11CGPC, TPF11FGPC

FLAT

.348

.129

.020 TYP

.200

ALCO

Ø.252±.002

Ø.252±.002

Ø.33±.002

Ø.232±.002

Ø.230±.002

RECOMMENDED PANEL LAYOUTS

.103

.226 TO FLAT

.103

.040 KEYWAY

Ø.281

.170

.311

.030 TYP

Ø.132

.020

1/4-40 UNS-2A

.320

.360

TPF21RGPC

Ø.043 TYP

.100 TYP

.200

Ø.043 TYP

.200

.200

RECOMMENDED PCB LAYOUT

TOLERANCES +/- .002

4805 (3/11)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

RAGHU

12-7-05

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

WEIGHT

A1

00779

1825100

CUSTOMER DRAWING

SCALE

4:1

SHEET

2


OF

5


REV

B


LOC		DIST		REVISIONS				
AD	00	P	LTR	DESCRIPTION		DATE	DWN	APVD
		-	-	SEE SHEET 1		-	-	-




TPF13C, TPF13F



RECOMMENDED PANEL LAYOUTS





TPF23M





RECOMMENDED PANEL LAYOUTS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAGHU	12-7-05	TE Connectivity	
DIMENSIONS: INCHES		CHK ---	---		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD ---	NAME PUSHBUTTON SWITCH, TPF SERIES	
	0. PLC ± .010		PRODUCT SPEC ---	SIZE A1	
	1. PLC ± .010		APPLICATION SPEC ---	CAGE CODE 00779	
	2. PLC ± .010		WEIGHT ---	DRAWING NO 1825100	
MATERIAL ---		FINISH ---		CUSTOMER DRAWING	
4805 (3/11)		SCALE 4:1		SHEET 4 OF 5	
				REV B	



RECOMMENDED PANEL LAYOUTS



RECOMMENDED PCB LAYOUT

TOLERANCES $\pm .002$

TPF11CGPCES, TPF11FGPCES

THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN RAGHU		12-7-05		 ITE Connectivity	
DIMENSIONS: INCHES		CHK —		APVD —			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		PUSHBUTTON SWITCH, TPF SERIES			
		PRODUCT SPEC —		—			
0 PLC ± — 1 PLC ± — 2 PLC ± — 3 PLC ± .010 4 PLC ± — ANGLES ± 3°		APPLICATION SPEC —		SIZE A1		CAGE CODE 00779	DRAWING NO C=1825100
MATERIAL —		FINISH —		WEIGHT —		RESTRICTED TO —	
CUSTOMER DRAWING				SCALE 4:1		SHEET 5 of 5	
				REV B			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru