









spec ref		-		dr		A Parrenin		2002/09/19		projection		mm		size		A3		scale		4:1									
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		J Dalibard		2016/02/01						ecn no		ELX-B-16041-1											
±0.13 ±2°						chr		J Dalibard		2016/02/01						rel level				Released									
						appr		Aymeric Soudy		2016/02/08		product family		MODULAR JACK															
surface				linear				title		VERTICAL SMT 4 POSITIONS				dwg no		98431				rev		N							
ISO 1302		angular		0°		±Y°		www.fci.com		cat. no.		98431-XXX(LF)		Product - Customer Drw				sheet 1 of 2											



PRODUCT N°
98431-XXXLF

CONTACT PLATING OPTION
1= GXT 0.76 μ m
3= 0.76 μ m GOLD
5= 1.27 μ m GOLD
7= GXT 0.15 μ m

PACKAGE OPTIONS	VERSION
TAPE AND REEL PACKAGE 1= LOADED FACE UP	TOP
TAPE AND REEL PACKAGE 2= LOADED FACE DOWN	BOTTOM


TERMINAL LOADING OPTIONS
1= FULLY LOADED

WHEN NEEDED, SUFFIX LETTER "LF"
INDICATES THE PRODUCT IS RoHS
COMPATIBLE SEE NOTE 7.



NOTES:

- 1 - MATERIAL:
 - HOUSING: HIGH TEMP. PLASTIC, COLOR BLACK
 - TERMINAL PHOSPHOR BRONZE
- 2 - PLATING
 - CONTACT AREA: OPTIONAL SEE TABLE
 - SOLDER TAIL: SnPb 90/10 2 μ m MIN
- NO RAW EDGES EXEPT SOLDER TAILS TIPS
- 3 - AREA FOR VACUUM PICK AND PLACE VENTURY
- 4 - PACKAGING SPECIFICATION SEE TA 858
- 5 - DIMENSION MEASURED FROM "A" TO THE TOP OF PRODUCT
- 6 - COPLANARITY SEE TA 861.
- 7 - RoHS COMPATIBLE PRODUCT SPECIFICATIONS
 - a - PLATING:
 - "LF" MEANS THE PRODUCT IS LEAD-FREE,
2 μ m MINIMUM MATTE TIN OVER 1.27 μ m
MINIMUM NICKEL UNDERPLATE.
 - b - MANUFACTURING PROCESS COMPATIBILITY:
 - THE HOUSING WILL WITHSTAND EXPLOSURE TO
245 °C PEAK TEMPERATURE FOR 30 SECONDS
MAX IN A CONVECTION, INFRA-RED OR VAPOR
PHASE OR REFLOW OVEN.
 - c - LABELLING:
 - MEETS PACKAGING SPECS AS PER GS-14-920.
 - d - LEGAL STATEMENT: SEE GS-22-008



RECOMMENDED PCB FOOTPRINT

spec ref -				dr A Parrenin 2002/09/19		projection		mm		size A3		scale 5:1					
tolerance std ±0.13 ±2°				eng J Dalibard 2016/02/01						ecn no ELX-B-16041-1							
TOLERANCES UNLESS OTHERWISE SPECIFIED				chr J Dalibard 2016/02/01													
				appr Amyeric Soudy 2016/02/08		product family MODULAR JACK				rel level Released							
surface ISO 1302		linear		0.X ±Y				title VERTICAL SMT 4 POSITIONS				dwg no 98431				rev N	
		0.XX ±Y															
		0.XXX ±Y															
angular		0° ±Y°		www.fci.com		cat. no. 98431-XXX(LF)		Product - Customer Drw				sheet 2 of 2					

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru