





PANEL MOUNTING



P.C. MOUNTING



LAYOUT FOR PN 2267074-4

OPERATING TEMPERATURE: -30°C TO 85°C .

SILVER	ON—MOM	PC THROUGH HOLE	VERTICAL	1	1	PMS8P1B05M2QE	2267074—4
SILVER	OFF—MOM	PC THROUGH HOLE	VERTICAL	1	1	PMS9P1B05M2QE	2267074—3
GOLD	OFF—MOM	PC THROUGH HOLE	RIGHT ANGLE	1	1	PMS9P1B05M6RE	2267074—2
GOLD	OFF—MOM	PC THROUGH HOLE	VERTICAL	1	1	PMS9P1B05M2RE	2267074—1
CONTACT MATERIAL	FUNCTION	TERMINATION	MOUNT ANGLE	POLES	THROWS	DESCRIPTIVE PN	TE PN


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN NAGALAKSHMI K CHK HILL, RYAN APVD HILL, RYAN PRODUCT SPEC — APPLICATION SPEC — WEIGHT —		09JUL2014 09JUL2014 09JUL2014		 TE Connectivity	
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		SUBMINIATURE PUSH BUTTON SWITCH	
		0 PLC ± — 1 PLC ± 0.38[.015] 2 PLC ± 0.25[.010] 3 PLC ± — 4 PLC ± — ANGLES ± 5°		SIZE		CAGE CODE	DRAWING NO
MATERIAL		FINISH		A2		00779	 2267074
—		—		CUSTOMER DRAWING		SCALE 3:1	SHEET 1 of 4
							REV A1

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
—	—	—	—	SEE SHEET 1	—	—




MODEL NO.	POS.1	POS.2
PMS9	OFF	MOM
TERM. COMM.	OPEN	1-3
SCHEMATIC		

SWITCH FUNCTION



PANEL MOUNTING



P.C. MOUNTING

LAYOUT FOR PN 2267074-3

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
NAGALAKSHMI K
09JUL2014

CHK
HILL, RYAN
09JUL2014

APVD
HILL, RYAN
09JUL2014

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:
mm [INCHES]

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± -
1 PLC ± 0.38[.015]
2 PLC ± 0.25[.010]
3 PLC ± -
4 PLC ± -
ANGLES ± 5°
FINISH

-

TE Connectivity

NAME
SUBMINIATURE PUSH BUTTON SWITCH

SIZE
A2

CAGE CODE
00779

DRAWING NO
C=2267074

RESTRICTED TO

SCALE
3:1




SHEET
2 OF 4

REV
A1


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
—	—	—	—	SEE SHEET 1	—	—

MODEL NO.	POS.1	POS.2
PMS9	OFF	MOM
TERM. COMM.	OPEN	1-3
SCHEMATIC		

SWITCH FUNCTION



PANEL MOUNTING



P.C. MOUNTING



LAYOUT FOR PN 2267074-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN NAGALAKSHMI K 09JUL2014	 TE Connectivity										
		CHK HILL, RYAN 09JUL2014											
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD HILL, RYAN 09JUL2014	NAME										
	0 PLC ± -	PRODUCT SPEC	SUBMINIATURE PUSH BUTTON SWITCH										
	1 PLC ± 0.38[.015]	—											
	2 PLC ± 0.25[.010]	—											
	3 PLC ± -	APPLICATION SPEC											
	4 PLC ± -	—	SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO				
MATERIAL	FINISH	WEIGHT	A2		00779		C=2267074		—				
		CUSTOMER DRAWING				SCALE		3:1		SHEET 3 of 4		REV A1	

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
—	—	—	—	SEE SHEET 1	—	—

MODEL NO.	POS.1	POS.2
PMS9	OFF	MOM
TERM. COMM.	OPEN	1-3
SCHEMATIC		

SWITCH FUNCTION



PANEL MOUNTING

P.C. MOUNTING

LAYOUT FOR PN 2267074-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN NAGALAKSHMI K 09JUL2014		 TE Connectivity											
DIMENSIONS: mm [INCHES]		CHK HILL, RYAN 09JUL2014													
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD HILL, RYAN 09JUL2014		NAME SUBMINIATURE PUSH BUTTON SWITCH										
	0 PLC ± -		PRODUCT SPEC												
	1 PLC ± 0.38[.015]		—												
	2 PLC ± 0.25[.010]		APPLICATION SPEC												
MATERIAL —	3 PLC ± -		—		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO				
	4 PLC ± -		—		WEIGHT		A2		00779		C=2267074				
	ANGLES ± 5°		—												
	FINISH		—												
CUSTOMER DRAWING				SCALE		3:1		SHEET		4 of 4		REV		A1	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru