

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20




COPYRIGHT 20

BY -





ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RPRODUCTION RELEASE	13JUN2019	JW	SH



2343987-1 AS SHOWN

DETAIL A
SCALE 8:1


- 1 CAGE ASSEMBLY: STAINLESS STEEL.
HEAT SINK: ALUMINUM/NICKEL PLATE.
HEAT SINK CLIP: STAINLESS STEEL.
EMI SPRING: COPPER ALLOY/NICKEL PLATE.
- 2 REFERENCE APPLICATION SPECIFICATION 114-32023 FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
BOARD LAYOUT PER THIS PRINT.
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 4 DATE CODE (YYWWD) MARKED APPROXIMATELY
AS SHOWN.
5. MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.
6. MINIMUM PC BOARD THICKNESS: SINGLE SIDED: 1.45 MIN
DOUBLE SIDED: 2.20 MIN
- 7 ONLY FOR VERSION WITH REAR EONS
- 8 PROPOSAL ONLY

8	W/O REAR EONS	23	NET	1-2343987-3
8	W/O REAR EONS	16	SAN	1-2343987-2
8	W/O REAR EONS	13.7	PCI	1-2343987-1
	W/ REAR EONS	23	NET	2334987-3
	W/ REAR EONS	16	SAN	2343987-2
	W/ REAR EONS	13.7	PCI	2343987-1
	REMARK	DIM A	HEATSINK	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG 13SEP2018	TE Connectivity	
DIMENSIONS: mm		CHK S. HAN 13SEP2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. HAN 13SEP2018	NAME CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD	
0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -	SIZE A2	
MATERIAL -1		CUSTOMER DRAWING	C-2346987	
		SCALE 1:1	SHEET 1 OF 6	REV A

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




2343987-2
UNMARKED DIMENSIONS SAME AS 2343987-1
SCALE 3:2




DIM A MAX
AFTER MODULE
INSERTION





SCALE 1:1






2343987-3
UNMARKED DIMENSIONS SAME AS 2343987-1
SCALE 3:2






DIM A MAX
AFTER MODULE
INSERTION





1-2343987-1 W/O REAR EONS
DIMENSIONS SAME AS 2343987-1
SCALE 3:2



1-2343987-2 W/O REAR EONS
DIMENSIONS SAME AS 2343987-2
SCALE 3:2




1-2343987-3 W/O REAR EONS
DIMENSIONS SAME AS 2343987-3
SCALE 3:2




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG 13SEP2018	 TE Connectivity			
		CHK S. HAN 13SEP2018				
		APVD S. HAN 13SEP2018	NAME CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD			
DIMENSIONS: mm		PRODUCT SPEC -	SIZE A2	CAGE CODE -	DRAWING NO C-2346987	RESTRICTED TO -
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH		APPLICATION SPEC -	WEIGHT -	SCALE 1:1		
MATERIAL - -		CUSTOMER DRAWING	SHEET 2 OF 6		REV A	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




SINGLE SIDE MOUNTING




BELLY TO BELLY MOUNTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	13SEP2018		 TE Connectivity			
		CHK S. HAN	13SEP2018					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. HAN	NAME			
		0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC -	CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSPFDD -			
MATERIAL				APPLICATION SPEC -	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
- - -		- - -		WEIGHT -	A2	-	C-2346987	-
CUSTOMER DRAWING					SCALE	1:1	SHEET	3 of 6
								REV A



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG 13SEP2018	 TE Connectivity			
DIMENSIONS: mm		CHK S. HAN 13SEP2018				
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH		APVD S. HAN 13SEP2018	NAME CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD			
MATERIAL -		PRODUCT SPEC -	SIZE A2		CAGE CODE -	DRAWING NO C-2346987
		APPLICATION SPEC -	RESTRICTED TO -			
		WEIGHT -	SCALE 1:1		SHEET 4 OF 6	REV A
		CUSTOMER DRAWING				



D

C

B


A

D


C

B


A



DETAIL B
SCALE 5:1



DETAIL C
SCALE 5:1



DETAIL D
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	13SEP2018
mm	0 PLC ±0.25	CHK	13SEP2018
	1 PLC ±0.25	APVD	13SEP2018
	2 PLC ±0.25		
	3 PLC ±		
	4 PLC ±		
	ANGLES ±		
	FINISH ±		
MATERIAL	-		
	-		

TE Connectivity

CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-2346987	-

SCALE	SHEET	OF	REV
2:1	6	6	A

CUSTOMER DRAWING

SCALE 2:1

SHEET 6 OF 6

REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru