




20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



SEE SHEET 3 FOR CABLE LABEL DETAIL



NOTES:

1. MATERIALS
BACKSHELLS - NICKEL PLATED ZINC
DE-LATCH - PLASTIC
PCB - FR-4
RIVETS - STAINLESS STEEL
2. IMPEDANCE - 100 OHMS DIFFERENTIAL, PASSIVE
3. PULL TO RELEASE, PLUNGER STYLE LATCH
4. EACH ASSEMBLY HAS A SERIAL ID
5. 11.09 Gbps BACKWARDS COMPATIBLE TO 1.0625 Gbps
6. LEAD FREE, NO RoHS EXEMPTIONS


ADDED P/N'S EC NO: CPG2013-0507 DRAWN BY: JERWIN CHECKED BY: K LLOYD APPROVED BY: RMAHMOOD DATE: 2012/08/16 DATE: 2012/08/24 DATE: 2012/08/27	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
			mm		INCH		DRAWN BY		DATE	TITLE			
			4 PLACES		±	±	±	±	JERWIN	2007/01/30		SFP+ PASSIVE 10G CABLE ASSEMBLY	
			3 PLACES		±	±	±	±	CHECKED BY	DATE			
			2 PLACES		±	±	±	±	KLLOYD	2007/01/30			
			1 PLACE		±	±	±	±	APPROVED BY	DATE			
			0 PLACE		±	±	±	±	RMAHMOOD	2007/01/30			
			ANGULAR ±---°				MATERIAL NO.		DOCUMENT NO.				SD-74752-001
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART		SHEET NO.				
							SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

WIRING DIAGRAM					
P1 END			P2 END		
PAD	SIGNAL		PAD	SIGNAL	
12	RD-	←	19	TD-	
13	RD+	←	18	TD+	
18	TD+	→	13	RD+	
19	TD-	→	12	RD-	

LOW SPEED SIGNALS	
SFP+	
PAD	SIGNAL
02	Tx_Fault
03	Tx_Disable
04	SDA
05	SCL
06	Mod_ABS
07	RS0
08	Rx_LOS
09	RS1
15	VccR
16	VccT

CUSTOM LENGTHS AVAILABLE.
LONGER LENGTH APPLICATIONS REQUIRE
HOST SYSTEM PREEMPHASIS AND
EQUALIZATION.
SEE DATASHEET FOR MORE INFORMATION.




ADDED P/N'S EC NO: CPG2013-0507 DRAWN BY: JERWIN CHECKED BY: KLOYD APPROVED BY: RMAHMOOD DATE: 2012/08/16 DATE: 2012/08/24 DATE: 2012/08/27	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	SFP+ PASSIVE 10G CABLE ASSEMBLY molex
					DRAWN BY JERWIN		DATE 2007/01/30	TITLE		
			4 PLACES ± --- ± ---		CHECKED BY KLOYD		DATE 2007/01/30			
			3 PLACES ± --- ± ---		APPROVED BY RMAHMOOD		DATE 2007/01/30			
			2 PLACES ± --- ± ---		MATERIAL NO.		DOCUMENT NO.			
			1 PLACE ± --- ± ---		SEE CHART		SD-74752-001			
			0 PLACE ± ±		SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
			ANGULAR ± ---°							
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
			REV							

PART NUMBER CHART

PART NUMBER	LENGTH	TOL.	AWG
747520010	0.3M	±0.03M	32
747520011	0.5M	±0.03M	32
747520012	1.0M	±0.05M	32
747520013	2.0M	±0.05M	32
747520014	3.0M	±0.05M	32
747520015	4.0M	±0.05M	32
747520016	5.0M	±0.08M	32
747521031	0.3M	±0.03M	30
747521051	0.5M	±0.03M	30
747521101	1.0M	±0.05M	30
747521151	1.5M	±0.05M	30
747521201	2.0M	±0.05M	30
747521301	3.0M	±0.05M	30
747521401	4.0M	±0.05M	30
747521501	5.0M	±0.08M	30
747521601	6.0M	±0.08M	30
747521701	7.0M	±0.08M	30
747521801	8.0M	±0.08M	30
747521901	9.0M	±0.08M	30
747529001	10.0M	±0.08M	30
747522031	0.3M	±0.03M	28
747522051	0.5M	±0.03M	28
747522101	1.0M	±0.05M	28
747522151	1.5M	±0.05M	28
747522201	2.0M	±0.05M	28
747522301	3.0M	±0.05M	28
747522401	4.0M	±0.05M	28
747522501	5.0M	±0.08M	28
747522701	7.0M	±0.08M	28
747522801	8.0M	±0.08M	28
747522901	9.0M	±0.08M	28
747529002	10.0M	±0.08M	28
747529010	15.0M	±0.08M	28

PART NUMBER	LENGTH	TOL.	AWG
747523051	0.5M	±0.03M	26
747523061	0.6M	±0.03M	26
747523101	1.0M	±0.05M	26
747523201	2.0M	±0.05M	26
747523301	3.0M	±0.05M	26
747523501	5.0M	±0.08M	26
747523701	7.0M	±0.08M	26
747523901	9.0M	±0.08M	26
747529003	10.0M	±0.08M	26
747524051	0.5M	±0.03M	24
747524101	1.0M	±0.05M	24
747524201	2.0M	±0.05M	24
747524301	3.0M	±0.05M	24
747524401	4.0M	±0.05M	24
747524501	5.0M	±0.08M	24
747524541	5.4M	±0.08M	24
747524571	5.7M	±0.08M	24
747524601	6.0M	±0.08M	24
747524701	7.0M	±0.08M	24
747524801	8.0M	±0.08M	24
747524901	9.0M	±0.08M	24
747529004	10.0M	±0.08M	24
747529013	11.0M	±0.08M	24
747529008	12.0M	±0.08M	24
747529015	13.0M	±0.08M	24
747529016	14.0M	±0.08M	24
747529007	15.0M	±0.08M	24

CABLE LABEL DETAIL



YDDDLSSSS
Y---YEAR, THE LAST DIGIT OF THE YEAR
DDD---DAY OF THE YEAR
L---LOCATION (1=LR, 2=GDL, 3=DG)
SSSS---SERIAL NUMBER

XXXM---LENGTH AS SHOWN IN P/N CHART

XXAWG---AWG SIZE

ADDED P/N'S EC NO: CPG2013-0507 DRAWING: GABELLA CHKD: P5YTSMA APPR: RAKHAN	2012/08/16 2012/08/24 2012/08/27	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	SFP+ PASSIVE 10G CABLE ASSEMBLY	molex	DOCUMENT NO. SD-74752-001	SHEET NO. 3 OF 4	
				MM ONLY		1:1	METRIC						
				DRAWN BY JERWIN		DATE 2007/01/30	TITLE						
				CHECKED BY KLLOYD		DATE 2007/01/30							
				APPROVED BY RMAHMOOD		DATE 2007/01/30							
				MATERIAL NO.									
				SEE CHART									
				SIZE									
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

REVISION HISTORY		
DATE	REV	DESCRIPTION
2012-08-16	P	1. ADDED P/N'S 747524541 AND 747524571
		2. MOVED WIRING DIAGRAM FROM PAGE 1 TO PAGE 2 AND ADDED LOW SPEED SIGNAL CHART
		3. MOVED LABEL DETAIL TO PAGE 3
		4. ADDED NEW VIEW OF SFP+ THAT SHOWS PCB.
		5. REMOVED P/N'S 747529009, 74759011 & 747529012
		6. INCREASED SIZE OF VIEWS ON PAGE 1.

ADDED P/N'S EC NO: CPG2013-0507 DRAWN: GARDIELLA 2012/08/16 CHECKED: PSYTSMA 2012/08/24 APPROVED: RUKHAN 2012/08/27	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC			
							TITLE				
			4 PLACES ± --- ± ---		DRAWN BY JERWIN		DATE 2007/01/30			SFP+ PASSIVE 10G CABLE ASSEMBLY	
			3 PLACES ± --- ± ---		CHECKED BY KLLOYD		DATE 2007/01/30				
			2 PLACES ± --- ± ---		APPROVED BY RMAHMOOD		DATE 2007/01/30			molex	
			1 PLACE ± --- ± ---		MATERIAL NO.		DOCUMENT NO.				
			0 PLACE ± --- ± ---		SIZE D		SD-74752-001				
			ANGULAR ± --- °		SEE CHART					SHEET NO. 4 OF 4	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
			REV								

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru