






LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			A	RELEASED PER ECO-12-013192	04SEP2012	BMM	MRS

- 1 MATERIAL:
CAGE ASSEMBLY: 0.25mm THICK NICKEL SILVER ALLOY
GASKET RETENTION PLATE: STAINLESS STEEL
EMI GASKET: PLATED FILLED SILICONE
- 2 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
3. MATES WITH SFP MSA COMPLIANT RECIEVERS.
- 4 PADS AND VIAS CHASSIS GROUND.
5. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OR ASME Y14.5M-1994.
- 6 MINIMUM PC BOARD THICKNESS:
SINGLE SIDED: 1.5mm
- 7 HOLE PATTERN REPEATS FOR EACH PORT, SPACING BETWEEN PORTS IS 14.25mm.
- 8 REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 9 REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
10. CERTAIN MATING TRANCEIVERS MAY REQUIRE ADDITIONAL PCB THICKNESS THAT WOULD NEED TO BE DETERMINED BY THE CUSTOMER.




RECOMMENDED BEZEL CUT-OUT
SINGLE SIDED APPLICATIONS
SCALE 4:1



2180900-1
MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZEL

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B MATTHEWS 20JUL2011	PRELIMINARY		STE TE Connectivity	
DIMENSIONS:		CHK M SCHMITZ 20JUL2011				
mm		APVD W SCHMITZ 20JUL2011				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME				
0 PLC ±0.13		PRODUCT SPEC	108-2364		SIZE CAGE CODE DRAWING NO	
1 PLC ±0.1		APPLICATION SPEC	114-13120		RESTRICTED TO	
2 PLC ±0.08		WEIGHT	-		A100779C=2180900	
3 PLC ±0.05		CUSTOMER DRAWING	SCALE 6:1		SHEET 1 OF 2	
4 PLC ±0.05					REV A	
ANGLES ±1						
FINISH						



CROSS-HATCHED AREA
DENOTES EXPOSED
CHASSIS GROUND

12.05

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN B. MATTHEWS	20JUL2011		 TE Connectivity					
		CHK M. SCHMITT	20JUL2011							
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	SFP+ ENHANCED 1X2 CAGE ASSEMBLY, PRESS-FIT, EMI GASKET					
mm				APVD M. SCHMITT						
		0 PLC ±0.13		PRODUCT SPEC 108-2364 APPLICATION SPEC 114-13120						
		1 PLC ±0.1								
		2 PLC ±0.08								
		3 PLC ±0.05								
4 PLC ±0.05		ANGLES		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO		
MATERIAL		FINISH		WEIGHT		A100779		©=2180900	-	
				CUSTOMER DRAWING		SCALE		6:1	SHEET 2 of 2	REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru