








LOC HB	DIST	REVISIONS						
		P	LTR	DESCRIPTION	ECO	DATE	DWN	APVD
			C	1.UPDATE THE LOGO 2.ADD LINE IDENTIFICATION 3.TERMINALS TOLERANCE CLARIFICATION 4. VENT HOLE CHANGE	ECO-12-005726	09-APR-12	D.L	BH.Y
			D	CHANGE THE VENT HOLE SHAPE FROM RECTANGLE TO CIRCLE ONE	ECO-13-015347	16-DEC-13	XL,Y	B,F



		DWN	N.FUNAYAMA		TE Connectivity							
		CHK	T.FUKAYA									
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	MJ.HO		NAME OZ CUSTOMER DRAWING						
mm			PRODUCT SPEC	—								
	0 PLC		±	APPLICATION SPEC	—							
	1 PLC		±									
	2 PLC		±									
	3 PLC	±										
	4 PLC	±										
	ANGLES	±										
MATERIAL	FINISH		WEIGHT	—		SIZE	CAGE CODE	DRAWING NO		RESTRICTED T		
—	—					A3	00779	Ⓒ 1649399		—		
CUSTOMER DRAWING						SCALE	4 : 1		SHEET	1 OF 2	REV	D

4

THIS DRAWING IS UNPUBLISHED.

© COPYRIGHT

3

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

2

LOC

HB

DIST

1

REVISIONS

P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD

NOTES:

1.LOT NO. SYSTEM AS FOLLOWING:

0

8

2

5

WEEK

YEAR

2.GENERAL TOLERANCE AS FOLLOWING:

TOLERANCE	
0~0.99mm	±0.1
1mm~2.99mm	±0.2
3mm MIN.	±0.3

3.TERMINAL DIMENSION IS NOT INCLUDING SOLDER TIP.

4.FOR THE TIN-PLATING OF THE PINS:
+0.1mm FOR WIDTH,THICKNESS AND DIAMETER.
+0.5mm FOR LENGTH.

		UV RESIN	UV SEAL	17
		EPOXY RESIN	SEAL	16
		Cu ALLOY	HINGE SPRING	15
UL94 V-0		PBT	CASE	14
		POLYURETHANE COPPER WIRE	MAGNETIC WIRE	13
UL94 V-0		PET	BASE	12
UL94 V-0		PBT	BOBBIN	11
	SOLDER DIP	HCP WIRE	COIL TERMINAL	10
UL94 V-0		PPS	CARD	9
		Ag ALLOY	MOVABLE CONTACT	8
		Ag ALLOY	STATIONARY CONTACT	7
	SOLDER DIP	Cu ALLOY	NC TERMINAL	6
	SOLDER DIP	Cu ALLOY	MOVABLE SPRING	5
	SOLDER DIP	Cu ALLOY	NO TERMINAL	4
	Ni PLATED	STEEL	CORE	3
	Ni PLATED	STEEL	ARMATURE	2
	Ni PLATED	STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION	ITEM

RELAY TYPE

A1	3-1649399-0	OZ-SH-148D1	48V	OZ-SH-148D1
A1	2-1649399-9	OZ-SH-124D1	24V	OZ-SH-124D1
A1	2-1649399-8	OZ-SH-118D1	18V	OZ-SH-118D1
A1	2-1649399-7	OZ-SH-112D1	12V	OZ-SH-112D1
A1	2-1649399-6	OZ-SH-109D1	9V	OZ-SH-109D1
A1	2-1649399-5	OZ-SH-106D1	6V	OZ-SH-106D1
A1	2-1649399-4	OZ-SH-105D1	5V	OZ-SH-105D1
A1	2-1649399-3	OZ-SS-148D1	48V	OZ-SS-148D1
A1	2-1649399-2	OZ-SS-124D1	24V	OZ-SS-124D1
A1	2-1649399-1	OZ-SS-118D1	18V	OZ-SS-118D1
A1	2-1649399-0	OZ-SS-112D1	12V	OZ-SS-112D1
A1	1-1649399-9	OZ-SS-109D1	9V	OZ-SS-109D1
A1	1-1649399-8	OZ-SS-106D1	6V	OZ-SS-106D1
A1	1-1649399-7	OZ-SS-105D1	5V	OZ-SS-105D1
	1-1649399-6	OZ-SH-148L1	48V	OZ-SH-148L1
	1-1649399-5	OZ-SH-136L1	36V	OZ-SH-136L1
	1-1649399-4	OZ-SH-124L1	24V	OZ-SH-124L1
	1-1649399-3	OZ-SH-118L1	18V	OZ-SH-118L1
	1-1649399-2	OZ-SH-112L1	12V	OZ-SH-112L1
	1-1649399-1	OZ-SH-109L1	9V	OZ-SH-109L1
	1-1649399-0	OZ-SH-106L1	6V	OZ-SH-106L1
	1649399-9	OZ-SH-105L1	5V	OZ-SH-105L1
	1649399-8	OZ-SS-148L1	48V	OZ-SS-148L1
	1649399-7	OZ-SS-136L1	36V	OZ-SS-136L1
	1649399-6	OZ-SS-124L1	24V	OZ-SS-124L1
	1649399-5	OZ-SS-118L1	18V	OZ-SS-118L1
	1649399-4	OZ-SS-112L1	12V	OZ-SS-112L1
	1649399-3	OZ-SS-109L1	9V	OZ-SS-109L1
	1649399-2	OZ-SS-106L1	6V	OZ-SS-106L1
	1649399-1	OZ-SS-105L1	5V	OZ-SS-105L1
	PART NO	EC TYPE NAME	PART B	PART A

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

FINISH

-

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

OZ CUSTOMER DRAWING

SIZE A3CAGE CODE 00779DRAWING NO 1649399RESTRICTED TO -

SCALE 4:1SHEET 2 OF 2REV D

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru