THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	02JUL2015	DL	CW



TYPE 1: BODY + SINGLE STEEL LOCKING



TYPE 2: BODY + SINGLE STEEL LOCKING + PLASTIC PROTECTION COVER

OTHER SPEC REFER TO TYPE 1



TYPE 3: BODY + SINGLE STEEL LOCKING + METAL PROTECTION COVER

OTHER SPEC REFER TO TYPE 1

NOTES:
1. TECHNICAL CHARACTERISTICS:
   BODY MATERIAL: DIE CAST ALUMINIUM ALLOY
   SURFACE TREATMENT: POWDER-COATED, GRAY
   OPERATION TEMPERATURE: -40-+125°C
   DEGREE OF PROTECTION: IP65 (MATED)

注释：
1. 技术参数：
   主体材料： 铝合金
   表面处理： 粉末喷涂， 灰色
   工作温度： -40-+125°C
   防护等级： IP65(配合)

ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2
T1610243121-000	TYPE 1	H24B-SGR-LB-PG21	PG21	-
T1610243125-000		H24B-SGR-LB-M25	M25	-
T1610243221-000		H24B-SGR-LB-2PG21	PG21	PG21
T1610243225-000		H24B-SGR-LB-2M25	M25	M25
T1620243121-000	TYPE 2	H24B-SDR-LB-PG21	PG21	-
T1620243125-000		H24B-SDR-LB-M25	M25	-
T1620243221-000		H24B-SDR-LB-2PG21	PG21	PG21
T1620243225-000		H24B-SDR-LB-2M25	M25	M25
T1620243421-000	TYPE 3	H24B-SDRM-LB-PG21	PG21	-
T1620243425-000		H24B-SDRM-LB-M25	M25	-
T1620243321-000		H24B-SDRM-LB-2PG21	PG21	PG21
T1620243325-000		H24B-SDRM-LB-2M25	M25	M25

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL: TBD -

FINISH: - -

DWN DAVID LI 02JUL2015
CHK CHRIS WANG 02JUL2015
APVD XU XIANG 02JUL2015

PRODUCT SPEC: 108-137013
APPLICATION SPEC: 114-137013
WEIGHT: -

TE Connectivity

NAME: H24B-SGR/SDR/SDRM-LB-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C⇨T16X0243XXXX00	-

Customer Drawing | SCALE 1:2 | SHEET 1 OF 2 | REV A

1471-9 (3/13)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



TYPE 4: HIGH BODY + SINGLE STEEL LOCKING



TYPE 5: HIGH BODY + SINGLE STEEL LOCKING + PLASTIC PROTECTION COVER

OTHER SPEC REFER TO TYPE 4



TYPE 6: HIGH BODY + SINGLE STEEL LOCKING + METAL PROTECTION COVER

OTHER SPEC REFER TO TYPE 4

ASSEMBLY PART NUMBER	TYPE	ASSEMBLY PART DESCRIPTION	IG1	IG2
TI650243121-000	TYPE 4	H24B-SGRH-LB-PG21	PG21	-
TI650243129-000		H24B-SGRH-LB-PG29	PG29	-
TI650243132-000		H24B-SGRH-LB-M32	M32	-
TI650243221-000		H24B-SGRH-LB-2PG21	PG21	PG21
TI650243229-000		H24B-SGRH-LB-2PG29	PG29	PG29
TI650243232-000		H24B-SGRH-LB-2M32	M32	M32
TI660243121-000	TYPE 5	H24B-SDRH-LB-PG21	PG21	-
TI660243129-000		H24B-SDRH-LB-PG29	PG29	-
TI660243132-000		H24B-SDRH-LB-M32	M32	-
TI660243221-000		H24B-SDRH-LB-2PG21	PG21	PG21
TI660243229-000		H24B-SDRH-LB-2PG29	PG29	PG29
TI660243232-000		H24B-SDRH-LB-2M32	M32	M32
TI660243121-100	TYPE 6	H24B-SDRHM-LB-PG21	PG21	-
TI660243129-100		H24B-SDRHM-LB-PG29	PG29	-
TI660243132-100		H24B-SDRHM-LB-M32	M32	-
TI660243221-100		H24B-SDRHM-LB-2PG21	PG21	PG21
TI660243229-100		H24B-SDRHM-LB-2PG29	PG29	PG29
TI660243232-100		H24B-SDRHM-LB-2M32	M32	M32

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL: TBD -

FINISH: - -

DWN DAVID LI 02JUL2015
CHK CHRIS WANG 02JUL2015
APVD XU XIANG 02JUL2015
PRODUCT SPEC 108-137013
APPLICATION SPEC 114-137013
WEIGHT -

TE Connectivity

NAME H24B-SGR/SDR/SDRM-LB-PG/M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	-	C-TI6X0243XXXX00	-

Customer Drawing | SCALE 1:2 | SHEET 2 OF 2 | REV A

1471-9 (3/13)

LifeElectronics
Живое партнерство

ООО «ЛайфЭлектроникс» **“LifeElectronics” LLC**

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru