







Copyright FCI.



VIEW A
SCALE 2:1

ITEM	FCI P/N	QTY	DESCRIPTION	NOTES
1	10041276-101LF	5	TERMINAL BLOCK ASS'Y "O"	
2	10041276-102LF	5	TERMINAL BLOCK ASS'Y "X"	
3	10041278-210LF	2	STACK FOR 10IMLA	
4	10081646-002	1	LABEL	
5	SEE SHEET 2/3	A/R	CABLE	

dr	Jason Gu	2013/06/27	projection 	MM 	size	A4	scale	1:2				
eng	Jason Gu	2013/08/22			ecn no	ELX-N-15590-1						
chr	-	-			rel level			Released				
appr	Roger Cheng	2013/08/22	product family		-							
		title			BOARD INTERCONNECT SYSTEM			dwg no		10121889	rev	
www.fci.com		cat. no.			-						D	
Product - Inspection Drw			sheet 1 of 3									



Copyright FCI.

Part Number	DIM L	DESCRIPTION	CABLE P/N	QTY
10121889-001LF	670mm±15mm	32AWG HOOKUP	10123759-001LF	81.6M
10121889-002LF	670mm±15mm	28AWG HOOKUP	10118722-003	80.4M
10121889-003LF	1020mm±15mm	32AWG HOOKUP	10123759-001LF	125.5M


PIN CALL OUT CHART (P1) LEFT

	L	K	J	I	H	G	F	E	D	C	B	A	
O	S	S	S	S	S	S	S	S	S	S	S	S	1
X	S	S	S	S	S	S	S	S	S	S	S	S	2
O	S	S	S	S	S	S	S	S	S	S	S	S	3
X	S	S	S	S	S	S	S	S	S	S	S	S	4
O	S	S	S	S	S	S	S	S	S	S	S	S	5
X	S	S	S	S	S	S	S	S	S	S	S	S	6
O	S	S	S	S	S	S	S	S	S	S	S	S	7
X	S	S	S	S	S	S	S	S	S	S	S	S	8
O	S	S	S	S	S	S	S	S	S	S	S	S	9
X	S	S	S	S	S	S	S	S	S	S	S	S	10

spec ref				dr Jason Gu 2013/06/27		projection		size A4		scale 1:2	
tolerance std TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Jason Gu 2013/08/22				MM		ecn no ELX-N-15590-1	
				chr -						rel level Released	
				appr Roger Cheng 2013/08/22						product family -	
surface		linear	0.X	±		title BOARD INTERCONNECT SYSTEM	dwg no	10121889		rev D	
			0.XX	±							
			0.XXX	±							
		angular	0°	±°							cat. no. -
				www.fci.com							

NOTES:

1. UNLESS OTHERWISE SPECIFIED ASSEMBLED LENGTH TOLERANCE =
= 1 METER: $\pm 15.0\text{mm}$
> 1 METER TO 10 METER: $\pm 2\%$ OF "DIM LI"
> 10 METER: +0 / -4% OF "DIM LI"
2. ALL CABLE ASSEMBLIES SHALL BE TESTED 100% FOR CONTINUITY AS DEFINED IN WIRING LIST.
3. UNLESS OTHERWISE SPECIFIED ALL CABLE ASSEMBLIES SHALL BE 100% HI-POT TESTED BY APPLYING 300V DC FOR MINIMUM OF 10ms, UNLESS ACTIVE COMPONENTS ARE USED IN THE ASSEMBLY.
4. OTHER TESTING PERFORMED AS REQUIRED BY PRODUCT SPECIFICATION: GS-12-344.
5. THIS DIMENSION IS A FINISHED PRODUCT LENGTH.
6. LEAD FREE PRODUCTS MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
7. CONNECTOR ASSEMBLIES SHOWN ARE FOR REFERENCE ONLY AND MAY NOT SHOW ALL PART DETAIL. REFERENCE CONNECTOR ASSEMBLY DRAWINGS FOR COMPLETE DETAILS.
8. GLOBAL STANDARDS PER CABLE PACKAGING: GS-14-1093.
9. LABEL:
MANUFACTURER CODE OR NAME
PART NUMBER
REVISION
DATE CODE WW/YY FORMAT
COUNTRY OF ORIGIN
FONT SHALL BE CLEARLY VISABLE AND BLACK IN COLOR
10. A" $\triangle$ " SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION. THE CURRENT REVISION WILL BE SHOWN IN THE SYMBOL.

spec ref				dr	Jason Gu	2013/06/27	projection 	MM 	size	A4	scale	1:2		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Jason Gu	2013/08/22			ecn no				ELX-N-15590-1	
				chr	-	-			rel level				Released	
				appr	Roger Cheng	2013/08/22			product family				-	
surface 	linear	0.X	±		title	BOARD INTERCONNECT SYSTEM AIRMAX VS CABLE ASSEMBLY (10 IMLA)				dwg no		10121889	rev	D
		0.XX	±											
		0.XXX	±											
	angular	0°	±°											

Prelim File - REV C - 2009-06-09

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru