




LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
			C	REVISED ECO-16-010873	15DEC15	JL	IY	
			C1	REVISED ECO-16-011243	15AUG16	JL	IY	
			C2	REVISED ECO-17-016624	06DEC17	DD	EJ	
			C3	REVISED ECO-18-016296	15DEC2018	DD	EJ	



SCALE 3:2

NOTES

1. FINAL TEST: VISUAL INSPECTION FOR COMPLETENESS

2. LAYER PACKING WITH CORRUGATED

3. MUST MEET TOUCH SAFE REQUIREMENT PER IEC 60529


4. RECOMMENDED TIGHTENING TORQUE OF THE SCREW: M8=10±1NM.

5. USABLE 2P MOS SOCKET HOUSING P/N:1-1718333-1


6. CODING AREA

7. MIN SEALING AREA AROUND, NO BURR, TOOLING PARTING, SHRINKAGE PERMITTED, SURFACE QUALITY: Ra<=0.8um

8. V0 MAIRKING ONLY FOR V0 PART,P/N:3-2137740-*



(0-)*-1
3-* -1 AS SHOWN.







THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	E. WANG		08NOV11			TE Connectivity		
				CHK	N. ZHOU		08NOV11					
				APVD	K. QDA		08NOV11					
DIMENSIONS:				TOLERANCES UNLESS OTHERWISE SPECIFIED:				NAME				
mm				±0.3				HVP1100 1POS HEADER ASSY				
				PRODUCT SPEC				-				
				108-101010								
				APPLICATION SPEC								
				114-101010								
				WEIGHT:								
0-PLC ±0.5				SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO		
1-PLC ±0.5				A1		00779		C=2137740				
2-PLC ±0.5												
3-PLC ±0.013												
4-PLC ±0.0001												
ANGLES ±1°				CUSTOMER DRAWING		SCALE		2:1		SHEET 1 OF 5		
MATERIAL				FINISH						REV C3		

D

C










B

A



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	E. WANG	08NOV11	 TE Connectivity	
		CHK	N. ZHOU	08NOV11		
DIMENSIONS:		APVD	K. QDA	08NOV11	NAME	HVP1100 1POS HEADER ASSY
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE	
		0-PLC ±0.3		APPLICATION SPEC		
		1-PLC ±0.5		108-101010	CAGE CODE	
		2-PLC ±0.3		114-101010		
		3-PLC ±0.013		114-101010	DRAWING NO	
		4-PLC ±0.0001		114-101010		
		ANGLES ±1°		114-101010	CUSTOMER DRAWING	
		FINISH		114-101010		
				114-101010	SCALE	
				114-101010		
				114-101010	SHEET	
				114-101010		
				114-101010	OF	
				114-101010		
				114-101010	REV	
				114-101010		
				114-101010	C3	
				114-101010		



LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-		SEE SHEET 1		-	-	-	



2-* -1 AS SHOWN.

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	E. WANG	08NOV11	TE Connectivity	
				CHK	N. ZHOU	08NOV11		
				APVD	K. ODA	08NOV11	NAME	
				PRODUCT SPEC			HVP1100 1POS HEADER ASSY	
				108-101010			SIZE	
				APPLICATION SPEC			CAGE CODE	
				114-101010			DRAWING NO	
				WEIGHT			A100779C=2137740	
				CUSTOMER DRAWING			RESTRICTED TO	
							SCALE	
							2:1	
							SHEET	
							3	
							OF	
							5	
							REV	
							C3	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. WANG	08NOV11		TE Connectivity	
DIMENSIONS: mm		CHK N. ZHOU	08NOV11			
		APVD K. ODA	08NOV11			
		NAME HVP1100 1POS HEADER ASSY				
	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.3	PRODUCT SPEC		SIZE A1	CAGE CODE 00779	DRAWING NO C=2137740
		108-101010				
		APPLICATION SPEC				
MATERIAL	FINISH	114-101010		WEIGHT	SCALE 2:1	SHEET 4
		CUSTOMER DRAWING				
					OF 5	REV C3

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru