









NOTES :

- 1) MATERIALS :
HOUSING : NYLON, GLASS-FILLED, UL94V-0, COLOR - SEE CHART
TERMINALS : PHOSPHOR BRONZE, .012/(0.30)
FITTING NAILS : BRASS ALLOY, .010/(0.25)
- 2) FINISH :
TERMINAL PLATING OPTIONS : (SEE TABLE)
(A) SELECT GOLD IN CONTACT AREA: .000050/(0.00127) MIN.,
*SELECT MATTE TIN IN PC TAIL AREA: .000100/(0.00254) MIN.,
WITH OVERALL NICKEL UNDERPLATE: .000050/(0.00127) MIN.
(B) SELECT GOLD IN CONTACT AREA: .000030/(0.00076) MIN.,
*SELECT MATTE TIN IN PC TAIL AREA: .000100/(0.00254) MIN.,
WITH OVERALL NICKEL UNDERPLATE: .000050/(0.00127) MIN.
(C) SELECT GOLD IN CONTACT AREA: .000015/(0.00038) MIN.,
*SELECT MATTE TIN IN PC TAIL AREA: .000100/(0.00254) MIN.,
WITH OVERALL NICKEL UNDERPLATE: .000050/(0.00127) MIN.
FITTING NAILS :
*100 MICROINCHES MATTE TIN OVER 50 MICROINCHES NICKEL UNDERPLATE
*THE PRIMARY SHIPPING CARTON WILL BE LABELED "ELV AND
RoHS COMPLIANT". CARTONS WITHOUT THIS LABEL MAY
CONTAIN PRODUCT WITH TIN-LEAD IN THE PC TAIL AREA.
- 3) PRODUCT SPECIFICATION : PS-43743-001
- 4) COPLANARITY SPECIFICATIONS:
WITH THE MODULAR JACK SITTING ON A LEVEL SURFACE, THE MAXIMUM GAP BETWEEN
THE LEVEL SURFACE AND ALL TERMINAL TAILS AND BOTH FITTING NAILS IS .006/(0.15).
- 5) FOR ASSEMBLIES HAVING VOIDED CIRCUITS, THE TAIL PORTION IS CUT
AND REMOVED. THE MATING PORTION OF THE TERMINAL REMAINS INTACT.
VOIDED CIRCUITS MUST BE THE SAME FOR BOTH PORTS.
- 6) CONVECTION SOLDERING TECHNOLOGY SHOULD BE USED WHEN GANGING MODULAR
JACKS WITH INBOARD NAILS SIDE-BY-SIDE.
- 7) THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC
SPECIFICATION PS-45499-002.


PC BOARD LAYOUT FOR
8 POSITION HOUSING
(COMPONENT SIDE OF BOARD)

PC BOARD LAYOUT FOR
6 POSITION HOUSING
(COMPONENT SIDE OF BOARD)


REVISED NOTES EC NO: UCP2009-1244 DRAWN: JKLUSTEME ER 2008/12/10 CHKD: JELL 2008/12/10 APPR: F3MITH 2008/12/10	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY MUELLER	DATE 98/06/11	TITLE 4, 6, & 8 CIRCUIT DUAL PORT SMT MODULAR JACK W/ FLUSH MOUNT NAILS			
			4 PLACES	± ---	± ---	CHECKED BY	DATE				
			3 PLACES	± ---	± .010	ROBERTS	98/06/16				
			2 PLACES	± .025	± .015	APPROVED BY	DATE				
			1 PLACE	± 0.38	± ---	EDGLEY	98/06/17				
			ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.			MOLEX INCORPORATED	
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHT 2		SD-44193-001			SHEET NO. 1 OF 2	
					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
					SIZE						

	13	12	11	10	9	8	7	6	5	4	3	2	1																					
	ASSEMBLY ITEM NO.	CONNECTOR SIZE	CIRCUIT SIZE	TERMINAL PLATING	TAPE & REEL PACKAGING NO.	VOIDED CIRCUITS		HOUSING COLOR																										
J	44193-0001	8	4	A	PK-70873-7004	NA		<table><tr><th>HOUSING SIZE</th><th>CIRCUIT SIZE</th><th>DIM. A</th></tr><tr><td>6</td><td>6</td><td>.250 (6.35)</td></tr><tr><td>6</td><td>4</td><td>.150 (3.81)</td></tr><tr><td>6</td><td>2</td><td>.050 (1.27)</td></tr><tr><td>8</td><td>8</td><td>.350 (8.89)</td></tr><tr><td>8</td><td>6</td><td>.250 (6.35)</td></tr><tr><td>8</td><td>4</td><td>.150 (3.81)</td></tr></table> 						HOUSING SIZE	CIRCUIT SIZE	DIM. A	6	6	.250 (6.35)	6	4	.150 (3.81)	6	2	.050 (1.27)	8	8	.350 (8.89)	8	6	.250 (6.35)	8	4	.150 (3.81)
HOUSING SIZE	CIRCUIT SIZE	DIM. A																																
6	6	.250 (6.35)																																
6	4	.150 (3.81)																																
6	2	.050 (1.27)																																
8	8	.350 (8.89)																																
8	6	.250 (6.35)																																
8	4	.150 (3.81)																																
	44193-0002	8	6	A	PK-70873-7004																													
I	44193-0003	8	8	A	PK-70873-7004																													
	44193-0004	6	4	A	PK-70873-7003																													
	44193-0005	6	6	A	PK-70873-7003																													
H	44193-0006	8	4	B	PK-70873-7004																													
	44193-0007	8	6	B	PK-70873-7004																													
	44193-0008	8	8	B	PK-70873-7004																													
	44193-0009	6	4	B	PK-70873-7003																													
G	44193-0010	6	6	B	PK-70873-7003																													
	44193-0011	8	4	C	PK-70873-7004																													
	44193-0012	8	6	C	PK-70873-7004																													
F	44193-0013	8	8	C	PK-70873-7004																													
	44193-0014	6	4	C	PK-70873-7003																													
	44193-0015	6	6	C	PK-70873-7003																													
	44193-0016	6	2	A	PK-70873-7003																													
	44193-0017	6	2	B	PK-70873-7003																													
	44193-0018	6	2	C	PK-70873-7003																													

HOUSING SIZE	CIRCUIT SIZE	DIM. A
6	6	.250 (6.35)
6	4	.150 (3.81)
6	2	.050 (1.27)
8	8	.350 (8.89)
8	6	.250 (6.35)
8	4	.150 (3.81)



TAPE AND REEL PACKAGING



TYPICAL VIEW SHOWING VOIDED CIRCUIT
(CIRCUITS 2,3,6,7 SHOWN VOIDED)

OBSOLETE 441930019 EC NO: UCP2008-1189 DRWN:JBELL CHKD:LSCHMDT APPR:FSH1TH	2007/11/30 2008/02/10 2008/02/10 2008/03/04	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED) mmINCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± .015 1 PLACE ± 0.38 ± --- ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH		THIRD ANGLE PROJECTION
					DRAWN BY MUELLER	DATE 98/06/11	TITLE 2 PORT SMT. JACK ASSY W/FLUSH MOUNT NAILS			
					CHECKED BY ROBERTS	DATE 98/06/16				
					APPROVED BY EDGLEY	DATE 98/06/17	molex MOLEX INCORPORATED			
					MATERIAL NO. SEE CHART	DOCUMENT NO. SD-44193-001				
SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru