



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20


(C) COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.





NOTES:  
 1. TECHNICAL CHARACTERISTICS:  
 BODY MATERIAL: DIE CAST ALUMINIUM ALLOY  
 SURFACE TREATMENT: POWDER COATED, GREY  
 DEGREE OF PROTECTION: IP65 (MATED)

注释：  
 1. 技术参数：  
 主体材料：铝合金  
 表面处理：灰色粉末喷涂  
 防护等级：IP65(配合)



开孔安装示意图  
PANNEL CUT OUT




SCALE 1:2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: TOLERANCES UNLESS OTHERWISE SPECIFIED:

mm



0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

MATERIAL

FINISH

WEIGHT

Customer Drawing

DWN DAVID.LI 02JUN2015

CHK CHRIS.WANG 02JUN2015

APVD XIANG.XU 02JUN2015

PRODUCT SPEC

108-137013

APPLICATION SPEC

114-137013

SCALE

1:1

SHEET

1 OF 2

REV A1



TE Connectivity

NAME H32B-AG

SIZE A3 CAGE CODE - DRAWING NO C-T1410322000X00 RESTRICTED TO -


THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

(C) COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.




FLANGE SEALING SHOULD NOT BE STICKED  
TOGETHER WITH HOUSING.  
PUT TOGETHER SEPARATELY.  
包边密封垫不需和下壳粘在一起，分开放在一起即可。

SCALE 1:2

TYPE I

类型 I



FLANGE SEALING SHOULD BE STICKED  
TOGETHER WITH HOUSING USING GLUE FULLY.  
包边密封垫需和下壳用胶水粘在一起

SCALE 1:2

TYPE 2: THIS TYPE IS SAME AS TYPE I,  
ONLY FLANGE SEALING SHOULD BE STICKED  
TOGETHER WITH HOUSING USING GLUE FULLY.

类型2：此类型同类型 I，只是包边密封圈需要用胶水和壳体粘在一起而已。

## REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET I	-	-	-

## NOTES:

SEE SHEET I

PART NUMBER	PART DESCRIPTION			TYPE
料号	描述			类型
T1410322000-100	H32B-AG	H32B HOUSING, BULKHEAD MOUNTED, METAL DOUBLE LOCKING, SEAL, POWDER COATED, GREY H32B下壳, 开孔安装, 彩锌双扣, 带密封垫, 灰色粉末喷涂		TYPE 2 类型 2
T1410322000-000	H32B-AG	H32B HOUSING, BULKHEAD MOUNTED, METAL DOUBLE LOCKING, POWDER COATED, GREY H32B下壳, 开孔安装, 彩锌双扣, 灰色粉末喷涂		TYPE I 类型 I
PART NUMBER	PART DESCRIPTION			TYPE
料号	描述			类型
THIS DRAWING IS A CONTROLLED DOCUMENT.	DWN DAVID.LI CHK CHRIS.WANG APVD XIANG.XU	02JUN2015 02JUN2015 02JUN2015 PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013	TE Connectivity	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		NAME H32B-AG	
MATERIAL -	FINISH -	WEIGHT -	SIZE A3	RESTRICTED TO -
		Customer Drawing	DRAWING NO C-T1410322000X00	SCALE 1:1
			SHEET 2 OF 2	REV A1

ООО "ЛайфЭлектроникс"

"LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибуторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибуторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помочь разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)  
Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)