RADIALL® COAXIAL department

TECHNICAL DATA

R 280 280 000

Issue : 8811

Page 01/02

SERIES: MCX

FEEDTHROUGH FOR P.C.B CRIMPING TYPE CABLE 2/50



MOUNTING HOLE



(---) DIMENSIONS IN MM

WEIGTH 0 oz (..... g)

Cable : RG 178/U , RG 196/U

CHARACTERISTICS

NOMINAL IMPEDANCE	50	Ω
FREQUENCY RANGE	0-3	GHz
TEMPERATURE RATING	-55 a +155	°C
VSWR	NA	Max
RF INSERTION LOSS	NA	dB Max
VOLTAGE RATING	750	Vrms
DIELECTRIC WITHSTANDING VOLTAGE	2000	Vrms
INSULATION RESISTANCE	NA	MΩ
HERMETIC SEAL	NA	cc/s cm3/s
LEAKAGE (pressurized only)	0 NA	psi kg/cm2
-	-	
-	-	

STANDARDISATION	-	
	-	
	-	
	-	
	-	
CABLE RETENTION	7.2 32	Lb Max N Max
CENTER CONTACT RETENTION		
Axial force - mating end	0 NA	Lb Max N Max
Axial force - opposite end	0 NA	Lb Max N Max
Torque (Max)	0 NA	inch.oz cm.N
MATING TORQUE RECOMMANDED	0 NA	inch.lb cm.N
-	-	
-	-	

CONSTRUCTION

CONNECTOR PARTS	MATERIALS	FINISH
Body	Brass	Gold over nickel
Outer contact	-	-
Center contact	-	-
Insulators	-	-
Ferrule	Brass	Gold over nickel
-	-	-
-	-	-
-	-	-
-	-	-

ISSUE	REVISION No	DESCRIPTION	BY	DATE
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.

Initiated on 03 11 88

Superseded on __-__-__

The information given here is subject to change without notice. Design changes may be in order to inprove the product.

RADIALL®

RADIALL® COAXIAL department	TECHNICAL DATA	R 280 280 000	
Panel cable receptacle, crimp-type - cable 2/50		Issue : 8808	Page 02/02
		SERIES: MCX	



1-1 To slide ferrule on the cable

1-2 Cable stripping



2-1 To open the braid

2-2 To slide body under braid

2-3 To slide the ferrule on braid according to F direction



3-3 To crimp the ferrule

crimping tool R 282 271

Hex : .127 (3.25)



ISSUE	REVISION No	DESCRIPTION	BY	DATE
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.
.	.	.	.	.

Initiated on	29 08 88	The information given here is subject to change without notice. Design changes may be in order to inprove the product.	RADIALL®
Superseded on	__-__-__		

ООО «ЛайфЭлектроникс» “LifeElectronics” LLC

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru