

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-14-003326	24MAR2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266158-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1855002
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1855002

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity	
DIMENSIONS:		CHK RAGHAVENDRA			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD RAGHAVENDRA	
		0 PLC ±		NAME SIDE FEED HDM APPLICATOR	
		1 PLC ±		PRODUCT SPEC	
MATERIAL		2 PLC ±		APPLICATION SPEC	
		3 PLC ±		SIZE A3	
FINISH		4 PLC ±		CAGE CODE	
		ANGLES ±		DRAWING NO C- 1855002	
				RESTRICTED TO	
		WEIGHT		SCALE	
		CUSTOMER DRAWING		SHEET 1 OF 3 REV B1	

-	REF	REF	REF	REF	REF	REF	REF	REF	-	B	22594-8	NUT, HEX (1/2-20)	70
-	REF	REF	REF	REF	REF	REF	REF	REF	-	B	240628-1	PLATE, ADJUSTMENT	69
-	REF	REF	REF	REF	REF	REF	REF	REF	-	B	240626-1	SHAFT, PIVOT	68
-	REF	REF	REF	REF	REF	REF	REF	REF	-	B	240633-1	BUSHING	67
-	REF	REF	REF	REF	REF	REF	REF	REF	-	A	455680-1	LEVER, INTERMEDIATE	66
-	REF	REF	REF	REF	REF	REF	REF	REF	-	B	240629-1	BLOCK, PIVOT	65
-	REF	REF	REF	REF	REF	REF	REF	REF	-	A	240632-2	SCREW, ADJ FEED ROD	64
-	REF	REF	REF	REF	REF	REF	REF	REF	-	B	240659-3	PIN, CAM ROLLER	63
-	REF	REF	REF	REF	REF	REF	REF	REF	-	B	240658-1	ROLLER, CAM	62
-	REF	REF	REF	REF	REF	REF	REF	REF	-	B	454398-2	ROD, FEED	61
-	REF	REF	REF	REF	REF	REF	REF	REF	-	A	454178-1	GUIDE, FEED ROD	60
-	REF	REF	REF	REF	REF	REF	REF	REF	-	C	454220-1	CAP, RAM	59
-	REF	REF	REF	REF	REF	REF	REF	REF	-	D	454485-1	HOUSING	58

-	1	1	1	1	1	1	1	1	1	-	B	458537-2	PAWL, FEED	57
-	REF	REF	REF	REF	REF	REF	REF	REF	REF	-	B	240624-1	PIN, FEED FINGER	55
-	REF	REF	REF	REF	REF	REF	REF	REF	REF	-	B	691499-1	SPRING, FEED FINGER	54
-	REF	REF	REF	REF	REF	REF	REF	REF	REF	-	B	690541-1	HOLDER, FEED FINGER	53
-	REF	REF	REF	REF	REF	REF	REF	REF	REF	-	A	455679-1	LEVER, TERMINAL FEED ARM	51
-	1	1	1	1	1	1	1	1	1	-	A	811242-2	BUMPER, HOLDDOWN	52
-	1	1	1	1	1	1	1	1	1	-	A	690753-1	SPACER, TONKER	50
-	-	1	-	-	-	1	-	-	-	-	B	690602-6	CAM, PRE-FEED 40mm ST	49
-	-	-	1	-	-	-	-	1	-	-	B	690602-5	CAM, PRE-FEED 30mm ST	48
-	1	-	-	1	1	-	-	-	1	-	B	690501-4	CAM, POST-FEED 40mm ST	47
-	1	1	1	1	1	1	1	1	1	-	B	459456-1	APPLICATOR, BASIC (SUBASSY)	46
-	1	1	1	1	1	1	1	1	1	-	A	690191-1	PLUG, NYLON	45
-	1	1	1	1	1	1	1	1	1	-	C	455673-1	RAM	44

[illegible]


* WARNING: ON INSTALLATION, SET WIRE DISC TO LARGEST WIRE SIZE SETTING. USE OF SETTINGS BELOW MIN REQUIRED CRIMP HEIGHT SETTING WILL CAUSE DAMAGE TO CRIMP TOOLING.

-	REF	REF	REF	REF	REF	REF	REF	REF	-	B	455689-1	BLOCK, STRIP GUIDE ADJ	30
-	1	1	1	1	1	1	1	1	-	C	458144-1	STRIP GUIDE PLATE	29
-	1	1	1	1	1	1	1	1	-	C	1-455888-0	SPACER, FRONT SHEAR DEP	28
-	2	2	2	2	2	2	2	2	-	D	1-22284-0	SPRING, DRAG	27
-	1	1	1	1	1	1	1	1	-	B	240793-1	LEVER, DRAG RELEASE	26
-	1	1	1	1	1	1	1	1	-	D	240792-1	DRAG, TERMINAL	25
-	1	1	1	1	1	1	1	1	-	D	1-90765-2	GUIDE, STRIP (REAR)	24
-	1	1	1	1	1	1	1	1	-	D	690438-1	GUIDE, STRIP (FRONT)	23
-	1	-	-	1	1	-	-	1	-	B	690472-2	STRIPPER	22
-	REF	REF	REF	REF	REF	REF	REF	REF	-	A	4-22284-9	SPRING, FEED RETURN	21
-	-	1	1	-	-	1	1	-	-	A	679218-1	STRIPPER WIRE STOP ASSY	20
-	-	1	1	-	-	1	1	-	-	B	458949-1	STRIPPER	19
													18
1	2	-	-	-	1	-	-	-	-	D	679625-1	HOLDER, SHEAR, FRONT (NO-CUT)	17
-	-	1	1	1	-	1	1	1	-	B	318563-1	GUARD, CHIP, FRONT	16

[illegible]

					DIMENSIONS IN mm.	MATL	-	HT TR	-	FIN	-
					DO NOT SCALE PRINT.	DR	18APR05	APP	18APR05		
					TOLERANCES UNLESS OTHERWISE SPECIFIED:	R.KNEPPER	G.BAILEY	REL	G.MAYO5	T.ELBIN	
					2 PLC DEC ±-	CHK: G.MAYOS G.BAILEY		AMP		Tyco Electronics Harrisburg, PA 17105-3608	
					3 PLC DEC ±-	NAME SIDE FEED HDM APPLICATOR MACHINE REF -					
					4 PLC DEC ±-						
	B	ECR 05-006436	TE	7-05	ANGLES ± -	SCALE - D DWG NO 1855002 SHEET 1 OF 2 REV B					
	A	RELEASED	RK	MAYOS	SURF TEXTURE, ✓						
P.F	LTR	REVISION RECORD	APP	DATE	REMOVE BURRS, BREAK SHARP EDGES R.015 MAX	CUSTOMER AND ASSEMBLY DRAWING RESTRICTED TO -					
3					CAGE CODE 00779						

THIS DRAWING IS A CONTROLLED DOCUMENT



POST FEED 40 mm STROKE		PRE FEED 30 mm STROKE	PRE FEED 40 mm STROKE
ROTATED 180°		ROTATED 180°	ROTATED 180°
LEADMAKER		BENCH MACHINE	

QTY REQD PER ASSY		PARTS LIST	
DIMENSIONS IN INCHES. DO NOT SCALE PRINT. TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME SIDE FEED HDM APPLICATOR	
REMOVE BURRS, BREAK SHARP EDGES R.015 MAX		SCALE -	

DWG SIZE	PART NO	DESCRIPTION	ITEM NO
REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)			
QTY REQD PER ASSY			
PARTS LIST			
MATL	HT TR	FIN	
DR R.KNEPPER	18APROS	APP 18APROS	T.ELBIN
CHK 06MAY05	REL 06MAY05	R.KNEPPER	
NAME SIDE FEED HDM APPLICATOR		MACHINE REF	
SCALE -	DWG NO 1855002	SHEET 2 OF 2	REV B
CUSTOMER AND ASSEMBLY DRAWING		RESTRICTED TO	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru