

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [11-03-0006](#)
Status: **Active**
Description: Extraction Tool

Documents:

[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Application Tooling
Series	T9999
Function	Extraction
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	800753609495

Material Info

Old Part Number HT2038

Reference - Drawing Numbers

Application Tooling Documents
 ATS-011030006, TM-638000029, TM-638000029CN,
 TM-638000029DE, TM-638000029FR,
 TM-638000029IT, TM-638000029JP,
 TM-638000029KR, TM-638000029MY,
 TM-638000029PL, TM-638000029RU,
 TM-638000029SK, TM-638000029SP,
 TM-638000029TH, TM-638000029TW,
 TM-638000029VN



EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of
 Compliance, [click here](#)

Please visit the [Contact Us](#) section for any
 non-product compliance questions.

Search Parts in this Series

[T9999Series](#)

Use With

Loose Piece Terminals

Application Tooling | FAQ

Description	Product #
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) over Copper Plated Brass Contact, 18-24 AWG, Bag	0039000302
Claspcn™ Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel	0002081101
Claspcn™ Crimp Terminal Socket, Tin (Sn) Plated Brass	0002081102

Contact, 16-24 AWG,
Bag
2.36mm Diameter, 0002091117
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Tin (Sn) Plated Brass
Contact, 18-22 AWG,
Reel
2.36mm Diameter 0002091118
Standard .093"
Crimp Terminal,
Dimpled Female,
18-22 AWG, Bag
2.36mm Diameter, 0002091119
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Tin (Sn) Plated Brass
Contact, 18-22 AWG,
Bag
2.36mm Diameter, 0002091123
Standard .093" Pin
and Socket Crimp
Terminal, Series
2273, Female, with
Tin (Sn) Plated
Contact, Low
Engagement Force,
18-22 AWG, Bag
2.36mm Diameter, 0002092101
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0002092103
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0002092116
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with Tin
(Sn) Plated Brass
Contact, 18-22 AWG,
Reel
2.36mm Diameter, 0002092118
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with Tin
(Sn) Plated Brass
Contact, 18-22 AWG,
Bag

2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	0002092611
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	0002098103
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	0002098104
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel	0002098108
2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag	0002098109
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over Copper Plated Brass Contact, 14-20 AWG, Reel	0039000281
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) over Copper Plated Brass Contact, 14-20 AWG, Reel, with Dimple	0039000282
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) over	0039000285

Copper Plated Brass
Contact, 18-24 AWG,
Reel, with Dimple
2.36mm Diameter, 0039000289
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0039000295
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) over
Nickel Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0039000296
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1190, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0039000297
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1190, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0039000307
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Bag, with Dimple
2.36mm Diameter, 0039000315
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Reel, with Dimple
2.36mm Diameter, 0039000316
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass

Contact, 24-28 AWG,
Bag, with Dimple
2.36mm Diameter, 0039000322
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female, with
Gold (Au) over
Nickel Plated Brass
Contact, 24-28 AWG,
Bag
2.36mm Diameter, 0039000317
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Reel
2.36mm Diameter, 0039000284
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Reel
2.36mm Diameter, 0039000308
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 18-24 AWG,
Bag
2.36mm Diameter, 0039000318
Standard .093" Pin
and Socket Crimp
Terminal, Series
1433, Female,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Bag
2.36mm Diameter, 0039000323
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1434, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Reel
2.36mm Diameter, 0039000324
Standard .093"
Pin and Socket
Crimp Terminal,
Series 1434, Male,
with Tin (Sn) over
Copper Plated Brass
Contact, 24-28 AWG,
Bag

2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Gold (Au) over Nickel Plated Brass Contact, 24-28 AWG, Reel	0039000325
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1434, Male, with Gold (Au) over Nickel Plated Brass Contact, 24-28 AWG, Bag	0039000326
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	0002096122
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	0002096125
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel	0002091122
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	0002091615
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	0002095143
2.36mm Diameter, Standard .093" Pin and Socket Crimp	0002095102

Terminal, Series
1189, Female, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0002095111
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, 0002091102
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Reel
2.36mm Diameter, 0002096123
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Gold (Au) Plated
Brass Contact, 18-22
AWG, Bag
2.36mm Diameter, 0002096126
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Selective Gold
(Au) Plated Brass
Contact, 18-22 AWG,
Bag
2.36mm Diameter, 0002096100
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Reel
2.36mm Diameter, 0002095100
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Reel
2.36mm Diameter, 0002096106
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Bag

2.36mm Diameter, 0002095106
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Bag

2.36mm Diameter, 0002095130
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Selective Gold
(Au) Plated Brass
Contact, 18-22 AWG,
Reel

This document was generated on 04/29/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru