


# DC9022 SmartMesh WirelessHART RF Certified Starter Kit



## Wireless Mesh Network, Wired Reliability

The DC9022 SmartMesh® WirelessHART RF Certified Starter Kit provides all the tools for evaluating SmartMesh network performance for your application needs, including high reliability, ultralow power, scalability and ease of installation. This accelerates device integration and application development.

The DC9022 Starter Kit includes five motes or nodes (DC9018A-C) to enable users to quickly deploy a multi-hop mesh network in the RF environment for your specific application. The software graphical user interface (GUI) allows you to quickly see the mesh network form, as well as key performance statistics, such as data reliability and latency.

The DC9018A-C Evaluation/Development Mote Modules feature easy-to-probe signal pins. In addition, the starter kit provides access to both manager and mote software application programming interfaces (APIs) to enable application software development.

The DC9022 Starter Kit operates in the 2.4000GHz to 2.4835GHz international license-free frequency band and includes RF intentional radiator certifications for Japan, as well as the United States, Canada and Europe. Starter kits and demo boards are for evaluation purposes only. It remains the user's responsibility to verify proper and reliable operation in the actual end application.

### About SmartMesh WirelessHART

SmartMesh WirelessHART products are designed for the harshest industrial environments, where low power, reliability, resilience and scalability are key. They are well suited for general industrial applications as well as WirelessHART-specific designs. SmartMesh WirelessHART complies with the WirelessHART (IEC 62591) standard, offers the lowest power consumption in its class, and is the most widely used WirelessHART product available.

Field proven and robust, even in the harshest environments, the SmartMesh WirelessHART product line is a full mesh networking solution for general industrial applications. For applications that are not HART-specific, no knowledge of the WirelessHART specification is needed to integrate with SmartMesh WirelessHART. Simply proceed without the optional HART application layer.



# SmartMesh WirelessHART Components


**LTP5903CEN-WHR SmartMesh  
WirelessHART Packaged Manager**



**SmartMesh WirelessHART Network Manager** anchors the SmartMesh WirelessHART product line. It provides the core networking functionality, enabling the network to achieve unsurpassed levels of resilience, reliability and scalability, with advanced network management and comprehensive security features.

**LTP™5903CEN-WHR Packaged Network Manager** incorporates the LTP5903IPC-WHR SmartMesh WirelessHART Embedded Manager and provides connections for power and manager API via RS232 serial or Ethernet.


**DC9018A-C SmartMesh WirelessHART  
Evaluation/Development Mote**



**SmartMesh WirelessHART networks** are populated by motes, the nodes on the network. Based on the Dust® break-through Eterna® technology, the motes are ultralow power, extending battery life to years and many times that of alternative products. In addition to extra long battery life, the motes feature an advanced array of features.

**DC9018A-C Evaluation/Development Mote** incorporates the RF-Certified LTP5901-WHM SmartMesh WirelessHART Mote PCB Module (including chip antenna) and a CR2032 coin cell.

**DC9006 Eterna Interface Card**



When connected to a DC9003A-C Evaluation/Development Mote, the **DC9006 Eterna interface card** provides a USB connection for both power and software access to the mote API UART port.

Part Number	Description
<b>Starter Kit</b>	
DC9022	SmartMesh WirelessHART RF Certified Starter Kit Includes: <ul style="list-style-type: none"> <li>One Packaged Manager (LTP5903CEN-WHR)</li> <li>Five Evaluation/Development Motes (DC9018A-C)</li> <li>One Eterna Interface Card (DC9006)</li> <li>Additional CR2032 Batteries</li> <li>Cables</li> </ul>
<b>Additional Managers, Motes and Interface Cards</b>	
LTP5903CEN-WHR	SmartMesh WirelessHART Packaged Manager
DC9018A-C	SmartMesh WirelessHART RF Certified Evaluation/Development Mote
DC9006	Eterna Interface Card
The DC9022 has RF intentional radiator certifications for Japan as well as the United States, Canada and Europe.	

To purchase the SmartMesh WirelessHART Starter Kit, please contact your local Linear Technology sales representative or visit [www.linear.com/demo/DC9022](http://www.linear.com/demo/DC9022).



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)