








4 REF. -50 OPTION

AUX. VIEW
SCALE 1:1

5 CIRCUIT SHOWN

RECOMMENDED PTH PATTERN
SCALE 1:1

NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. PRODUCT SPECIFICATION: NOT REQUIRED
4. PACKAGING: NOT REQUIRED
5. MATES WITH: NONE
6. "XX" REFERS TO QTY. OF CIRCUITS

4	XX	SCREW, #6-32, PHIL-SLOT, W/SO. WASHER	STEEL	ZN, CLEAR CHROMATE
3	XX	SCREW, #6-32, PHIL-SLOT	STEEL	ZN, CLEAR CHROMATE
2	XX	TERMINAL, PC STYLE	BRASS	TIN PLATED
1	1	INSULATOR	THERMOPLASTIC	BLACK
ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH

EC NO. A	RELEASED CLY	DESCRIPTION REV	QUALITY SYMBOLS MAJOR CRITICAL SPEC	GENERAL TOLERANCES: (UNLESS SPECIFIED)	SCALE 2:1	DESIGN UNITS ☐ mm ☒ INCH	THIRD ANGLE PROJECTION	PROJECT NO. -		
								DIMENSIONS:		
								☒ mm ☐ INCH	☐ mm ☐ INCH	☐ mm ☐ INCH
								SHT REV		
								REVISE ON CAD ONLY		
								DRAWN BY & DATE C. YORK 08-16-04		
								CHECKED BY & DATE		
								APPROVED BY & DATE		
								CAD FILENAME 63R5XX		
								MATERIAL NO. SEE SHT. 2		
								DRAWING NO. SD-38634-002		
								SHEET NO. 1 OF 2		
								SIZE B		

DRAFT WHERE APPLICABLE MUST
REMAIN WITHIN DIMENSIONSTHIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.SR BTS, CLOSED SIDE,
600V, ASSEMBLY

MOLEX INCORPORATED

1098765432SD-38634-002

F

E

D

C

B

A

10987654321

NO. OF CIRC.	"A"	"B"	"C"	"D"	MATERIAL NO. (STD.)	MATERIAL NO. (-50)
2	43.4 [1.71]	11.11 [.438]	25.9 [1.02]	33.3 [1.31]		386345002
3	54.5 [2.15]	22.23 [.875]	37.0 [1.46]	44.5 [1.75]		
4	65.7 [2.59]	33.34 [1.313]	48.1 [1.90]	55.6 [2.19]		386345004
5	76.8 [3.02]	44.45 [1.750]	59.2 [2.33]	66.7 [2.63]		
6	87.9 [3.46]	55.56 [2.188]	70.4 [2.77]	77.8 [3.06]	386344206	386345006
7	99.0 [3.90]	66.68 [2.625]	81.5 [3.21]	88.9 [3.50]	386344207	386345007
8	110.1 [4.34]	77.79 [3.063]	92.6 [3.65]	100.0 [3.94]		
9	121.2 [4.77]	88.90 [3.500]	103.7 [4.08]	111.1 [4.38]		
10	132.3 [5.21]	100.01 [3.938]	114.8 [4.52]	122.2 [4.81]		
11	143.4 [5.65]	111.13 [4.375]	125.9 [4.96]	133.4 [5.25]		
12	154.6 [6.09]	122.24 [4.813]	137.0 [5.40]	144.5 [5.69]		
13	165.7 [6.52]	133.35 [5.250]	148.1 [5.83]	155.6 [6.13]		
14	176.8 [6.96]	144.46 [5.688]	159.3 [6.27]	166.7 [6.56]		
15	187.9 [7.40]	155.58 [6.125]	170.4 [6.71]	177.8 [7.00]		386345015
16	199.0 [7.84]	166.69 [6.563]	181.5 [7.15]	188.9 [7.44]		

EC NO. SEE SHEET 1

DRWN: CH-K1

APPR:

REV

DESCRIPTION

QUALITY SYMBOLS

MAJOR

CRITICAL

SPC

GENERAL TOLERANCES: (UNLESS SPECIFIED)

mm

INCH

4 PLACES

3 PLACES

2 PLACES

1 PLACE

ANGULAR: ±2°

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE

DESIGN UNITS

mm

INCH

THIRD ANGLE PROJECTION

TITLE:

SR BTS, CLOSED SIDE, 600V, ASSEMBLY

MOLEX INCORPORATED

CAD FILENAME

63R5XX

MATERIAL NO.

SEE CHART

DRAWING NO.

SD-38634-002

SHEET NO.

2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.

SIZE

B

PROJECT NO.:

-

-

DIMENSIONS:

mm

INCH

mm

ONLY

SHT

REV

REVISE ON CAD ONLY

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru