





3. MINIMUM PCB THICKNESS OF 1.5.

4 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS
PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A,
(CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE,
TIN-LEAD ON NEEDLE EYE.

5 CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TYCO ELECTRONICS
PRODUCT SPECIFICATION 108-2331, BASED ON EIA/ECA-364-1000.01A,
(CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING INTERFACE,
TIN ON NEEDLE EYE.


△ 6 FOR HOLE SIZE AND PLATINGS, SEE APPLICATION SPEC 114-13219.

7 THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS AND SIGNAL TRACES, TOP SIDE ONLY. TOP SIDE TRACES ALLOWED WITHIN CONNECTOR HOLE PATTERN.


△8 LIGHT PIPE PAD LAYOUT IS FOR 0805 LOW PROFILE LED PACKAGE
WITH A HEIGHT OF 0.8mm.

9 ADDITIONAL COMPONENT LOCATED WITHIN LATCHPLATE FOR EMI SUPPRESSION.


	YES 		NO LIGHT PIPES	1-2007399-8
			OUTER 2 LIGHT PIPES	1-2007399-7
			INNER 2 LIGHT PIPES	1-2007399-6
			4 LIGHT PIPES	1-2007399-5
	NO		NO LIGHT PIPES	2007399-8
			OUTER 2 LIGHT PIPES	2007399-7
			INNER 2 LIGHT PIPES	2007399-6
			4 LIGHT PIPES	2007399-5
SUPERSEDED	NO		NO LIGHT PIPES	2007399-4
			OUTER 2 LIGHT PIPES	2007399-3
			INNER 2 LIGHT PIPES	2007399-2
			4 LIGHT PIPES	2007399-1
	ENHANCED EMI	FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 100C12007 CHK D. SZCZESNY 100C12007 D. SZCZESNY 100C12007		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.10 1 PLC ± 0.10 2 PLC ± 0.10 3 PLC ± 0.10 4 PLC ± 0.10 4 PL $\pm .$ ANGLES $\pm .$		NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
		PRODUCT SPEC 108-2331 APPLICATION SPEC 114-13219		SIZE CAGE CODE DRAWING NO	
MATERIAL 		FINISH 		WEIGHT -	
CUSTOMER DRAWING		A100779		SCALE 4:1 SHEET 1 of 4 REV D	


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




2007399-5 AND 1-2007399-5
SCALE 3:1



2007399-6 AND 1-2007399-6
SCALE 3:1






2007399-7 AND 1-2007399-7
SCALE 3:1



2007399-8 AND 1-2007399-8
SCALE 3:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. SHIRK	10OCT2007	 TE Connectivity	
		CHK	D. SZCZESNY	10OCT2007		
		APVD	D. SZCZESNY	10OCT2007	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
		PRODUCT SPEC				
		108-2331			SIZE CAGE CODE DRAWING NO	
		APPLICATION SPEC				
		114-13219			RESTRICTED TO	
		WEIGHT				
		CUSTOMER DRAWING			SCALE 4:1	
					SHEET 1 OF 4	
					REV D	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




RECOMMENDED PCB LAYOUT
COMPONENT SIDE OF BOARD
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 10OCT2007	TE Connectivity	
DIMENSIONS:		CHK D. SZCZESNY 10OCT2007		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. SZCZESNY 10OCT2007	NAME CAGE AND PT CONNECTOR ASSEMBLY, WITH EMI GASKET, PRESS FIT, 2X4, STACKED SFP+	
	0 PLC ±0.10	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO	
	1 PLC ±0.10	108-2331	A100779C=2007399	
	2 PLC ±0.10	APPLICATION SPEC	RESTRICTED TO	
	3 PLC ±0.10	114-13219	-	
MATERIAL	ANGLES ±°	WEIGHT	CUSTOMER DRAWING	
FINISH		SCALE 4:1	SHEET 1 OF 4	REV D



SECTION U - U



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru