





SECTION S-S

1 MATERIAL:
SHELL: ALUMINUM ALLOY
GROUND BANDS: COPPER ALLOY

2 FINISH:
SHELL: TRIVALENT CHROMATE, 96 HOUR SALT SPRAY CAPABLE.
GROUND BANDS: 0.25 μ m MIN GOLD OVER NICKEL

3 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.






PCB INSERT LOCATIONS

65.5	4	8	2226783-5
58.8	3	8	2226783-4
66.1	4	9	2226783-3
38.3	2	4	2226783-2
33.9	2	3	2226783-1
APPROX. WEIGHT g	SHELL TO PCB MOUNTING POINTS	# OF BAYS	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 25NOV2013		 TE Connectivity	
		CEN BELACK			
		CHP 11-25-13		NAME Fortis Zd LRM, DAUGHTER CARD, RIGHT ANGLE, SHELL ASSEMBLY	
		K. THACKSTON			
		APVD M. McALONIS		PRODUCT SPEC 108-2474 APPLICATION SPEC 408-10464	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		SIZE CASE CODE DRAWING NO. RESTRICTED TO	
		FINISH		WEIGHT - Customer Drawing	
MATERIAL		 		SCALE 2:1 SHEET 1 OF 5 REV A	

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




SECTION S-S


2226783-2 SHOWN




PCB INSERT LOCATIONS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. BELACK 25NOV2013	TE Connectivity	
DIMENSIONS:		CHK K. THACKSTON 11-25-13		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD W. McALONIS 11-25-13	NAME	Fortis Zd LRM, DAUGHTER CARD, RIGHT ANGLE, SHELL ASSEMBLY
	0 PLC ±.13	PRODUCT SPEC	SIZE	A 1
	1 PLC ±0.05	APPLICATION SPEC	CAGE CODE	-
MATERIAL	2 PLC ±0.025	408-10464	DRAWING NO	2226783
	ANGLES ±2°	WEIGHT	Customer Drawing	REV A
	FINISH	SCALE	1:1	SHEET 2 OF 5






REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



2226783-4 SHOWN



PCB INSERT LOCATIONS

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

D. BELACK

25NOV2013

CHK

K. THACKSTON

11-25-13

APVD

M. McALONIS

11-25-13

DIMENSIONS:

mm

0 PLC

±.13

1 PLC

±0.13

2 PLC

±0.05

3 PLC

±0.025

4 PLC

±.2

ANGLES

±2°

FINISH

-Z2

MATERIAL

Customer Drawing

NAME

Fortis Zd LRM, DAUGHTER CARD, RIGHT ANGLE, SHELL ASSEMBLY

PRODUCT SPEC

108-2474

APPLICATION SPEC

408-10464

WEIGHT

-

SIZE

A1

CAGE CODE

-

DRAWING NO

©=2226783

RESTRICTED TO

-

SCALE

1:1

SHEET

4




OF

5


REV

A

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



2226783-5 SHOWN



PCB INSERT LOCATIONS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. BELACK 25NOV2013	TE Connectivity	
DIMENSIONS:		CHK K. THACKSTON 11-25-13		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD W. McALONIS 11-25-13	NAME Fortis Zd LRM, DAUGHTER CARD, RIGHT ANGLE, SHELL ASSEMBLY	
	0 PLC ±.13	PRODUCT SPEC	SIZE A1	
	1 PLC ±0.05	APPLICATION SPEC	CAGE CODE DRAWING NO	
	2 PLC ±0.025	408-10464	Customer Drawing	
	3 PLC ±.025	WEIGHT	SCALE 2:1	
MATERIAL	FINISH	408-10464	SHEET 5 OF 5	
		Customer Drawing	REV A	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru