

LOC		DIST		REVISIONS					
HJ		-		P	LTR	DESCRIPTION	DATE	DWN	APVD
				B13		ECR-12-014500 (IMD obsolete)	18DEC2012	UKo	AK
				B14		ECR-12-021486 (Marking C to Q)	20DEC2012	UKo	JB
				C		ECR-13-014508	13JUN2013	UKo	Ak
				C1		ECR-14-007162 (Packaging information)	13OCT2015	AP	AK

Order Number - ABCCCC

Portugal made:

- A - Packing day
- B - Shift (1=day, 2=night)
- C - Lot number (sequential)

Other country made:

- A - Year (first digit)
- B - Year (second digit)
- C - Lot number (sequential)

H swiss made (until 2013)

PT Portugal made

Q China made

C China made (until 2012)

date code (YYWW)

Packaging data code (Box, bag, reels):
P(YWWDSL)000

Shipping data code:
YYWW

P - Product code (4 to IM relay)
Y(Y) - Year (last digit for packaging)
WW - calendar week (from date code)
D - Day of the week (1=Sat,.....and 7=Fri)
S - Shift (1=day shift, 2 night shift)
L - Production Line (line A, B, C)
000 - For internal use

Relay-Typ	Mark 1)	Mark 2)	PN (GR)	PN (JR)	PN (TS)	PN (KS/NS)
IM00..	00	1.5	3-1462037-7		3-1462037-5	
IM00NS	00N	1.5				
IM01..	01	3	1462037-1	4-1462037-0	1462037-4	
IM01B..	01B	3	4-1462039-5			
IM01C..	01C	3	1462038-4			
IM01NS	01N	3				1-1462038-1
IM01N..L	01N	3				4-1462039-3
IM02..	02	4.5	1462037-9	1-1462037-1	1-1462037-3	6-1462039-4
IM02..	02	4.5	8-1462039-1			
IM02..L	02	4.5	2-1462039-3			
IM02C..	02C	4.5	1462038-1			
IM02D..	02D	4.5	9-1462038-8			
IM02H..	02H	4.5	1-1462039-1			
IM02NS	02N	4.5				1-1462038-2

***obsolete**

DRAWING ALIAS: IM0C-DOK17

DIMENSIONS:		DWN	21FEB2003	MATERIAL	FINISH
mm		HD 9121	21FEB2003	-	-
TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m		CHK HD 9121	21FEB2003	TE Connectivity	
		APVD HD 9121	21FEB2003		
		PRODUCT SPEC			
		APPLICATION SPEC			
0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		WEIGHT -		NAME IM-Relay Marking SIZE A4 CAGE CODE 00779 DRAWING NO C- 1462037-1 RESTRICTED TO -	
		CUSTOMER DRAWING		SCALE 10:1	SHEET 1 OF 6 REV C1

2000


RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

THIS DRAWING IS UNPUBLISHED.

COPYRIGHT 2000



LOC HJ	DIST -	REVISIONS																																																																																																																																																																																										
		P	LTR	DESCRIPTION	DATE	DWN	APVD																																																																																																																																																																																					
			-	SEE SHEET 1	-	-	-																																																																																																																																																																																					
<table border="1"> <thead> <tr> <th>Relay-Typ</th> <th>Mark 1)</th> <th>Mark 2)</th> <th>PN (GR)</th> <th>PN (JR)</th> <th>PN (TS)</th> <th>PN (KS/NS)</th> </tr> </thead> <tbody> <tr> <td>IM02NS..L</td> <td>02N</td> <td>4.5</td> <td></td> <td></td> <td></td> <td>2-1462039-4</td> </tr> <tr> <td>IM02PNS</td> <td>02P</td> <td>4.5</td> <td></td> <td></td> <td></td> <td>5-1462039-8</td> </tr> <tr> <td>IM03..</td> <td>03</td> <td>5</td> <td>1-1462037-4</td> <td>1-1462037-6</td> <td>1-1462037-8</td> <td></td> </tr> <tr> <td>IM03..L</td> <td>03</td> <td>5</td> <td>2-1462039-5</td> <td></td> <td></td> <td></td> </tr> <tr> <td>IM03..X</td> <td>03</td> <td>5</td> <td>8-1462039-6</td> <td></td> <td></td> <td></td> </tr> <tr> <td>IM03C..</td> <td>03C</td> <td>5</td> <td>1462038-2</td> <td></td> <td>4-1462039-7</td> <td></td> </tr> <tr> <td>IM03D..</td> <td>03D</td> <td>5</td> <td>9-1462038-9</td> <td>3-1462039-3</td> <td>8-1462039-3</td> <td></td> </tr> <tr> <td>IM03NS</td> <td>03N</td> <td>5</td> <td></td> <td></td> <td></td> <td>1-1462038-3</td> </tr> <tr> <td>IM03P..</td> <td>03P</td> <td>5</td> <td>5-1462039-5</td> <td></td> <td></td> <td></td> </tr> <tr> <td>IM03PNS</td> <td>03P</td> <td>5</td> <td></td> <td></td> <td></td> <td>5-1462039-9</td> </tr> <tr> <td>IM04..</td> <td>04</td> <td>6</td> <td>4-1462037-2</td> <td>4-1462037-4</td> <td>4-1462037-1</td> <td></td> </tr> <tr> <td>IM04B..</td> <td>04B</td> <td>6</td> <td>6-1462039-5</td> <td></td> <td></td> <td></td> </tr> <tr> <td>IM04NS</td> <td>04N</td> <td>6</td> <td></td> <td></td> <td></td> <td>1-1462038-4</td> </tr> <tr> <td>IM05..</td> <td>05</td> <td>9</td> <td>3-1462037-4</td> <td>4-1462037-5</td> <td>2-1462037-2</td> <td></td> </tr> <tr> <td>IM05B..</td> <td>05B</td> <td>9</td> <td>5-1462039-3</td> <td></td> <td></td> <td></td> </tr> <tr> <td>IM05C..</td> <td>05C</td> <td>9</td> <td>1462038-3</td> <td></td> <td></td> <td></td> </tr> <tr> <td>IM05D..</td> <td>05D</td> <td>9</td> <td>1-1462039-7</td> <td></td> <td></td> <td></td> </tr> <tr> <td>IM05NS</td> <td>05N</td> <td>9</td> <td></td> <td></td> <td></td> <td>1-1462038-5</td> </tr> <tr> <td>IM06..</td> <td>06</td> <td>12</td> <td>2-1462037-3</td> <td>4-1462037-6</td> <td>2-1462037-7</td> <td></td> </tr> <tr> <td>IM06C..</td> <td>06C</td> <td>12</td> <td>9-1462037-9</td> <td>3-1462039-4</td> <td>4-1462037-9</td> <td></td> </tr> <tr> <td>IM06D..</td> <td>06D</td> <td>12</td> <td>1-1462039-8</td> <td>7-1462039-0</td> <td>3-1462039-8</td> <td></td> </tr> <tr> <td>IM06NS</td> <td>06N</td> <td>12</td> <td></td> <td></td> <td></td> <td>1-1462038-6</td> </tr> <tr> <td>IM06P..</td> <td>06P</td> <td>12</td> <td>5-1462039-6</td> <td></td> <td></td> <td></td> </tr> <tr> <td>IM06PNS</td> <td>06P</td> <td>12</td> <td></td> <td></td> <td></td> <td>6-1462039-0</td> </tr> <tr> <td>IM07..</td> <td>07</td> <td>24</td> <td>4-1462037-7</td> <td>4-1462037-8</td> <td>3-1462037-0</td> <td></td> </tr> </tbody> </table>							Relay-Typ	Mark 1)	Mark 2)	PN (GR)	PN (JR)	PN (TS)	PN (KS/NS)	IM02NS..L	02N	4.5				2-1462039-4	IM02PNS	02P	4.5				5-1462039-8	IM03..	03	5	1-1462037-4	1-1462037-6	1-1462037-8		IM03..L	03	5	2-1462039-5				IM03..X	03	5	8-1462039-6				IM03C..	03C	5	1462038-2		4-1462039-7		IM03D..	03D	5	9-1462038-9	3-1462039-3	8-1462039-3		IM03NS	03N	5				1-1462038-3	IM03P..	03P	5	5-1462039-5				IM03PNS	03P	5				5-1462039-9	IM04..	04	6	4-1462037-2	4-1462037-4	4-1462037-1		IM04B..	04B	6	6-1462039-5				IM04NS	04N	6				1-1462038-4	IM05..	05	9	3-1462037-4	4-1462037-5	2-1462037-2		IM05B..	05B	9	5-1462039-3				IM05C..	05C	9	1462038-3				IM05D..	05D	9	1-1462039-7				IM05NS	05N	9				1-1462038-5	IM06..	06	12	2-1462037-3	4-1462037-6	2-1462037-7		IM06C..	06C	12	9-1462037-9	3-1462039-4	4-1462037-9		IM06D..	06D	12	1-1462039-8	7-1462039-0	3-1462039-8		IM06NS	06N	12				1-1462038-6	IM06P..	06P	12	5-1462039-6				IM06PNS	06P	12				6-1462039-0	IM07..	07	24	4-1462037-7	4-1462037-8	3-1462037-0	
Relay-Typ	Mark 1)	Mark 2)	PN (GR)	PN (JR)	PN (TS)	PN (KS/NS)																																																																																																																																																																																						
IM02NS..L	02N	4.5				2-1462039-4																																																																																																																																																																																						
IM02PNS	02P	4.5				5-1462039-8																																																																																																																																																																																						
IM03..	03	5	1-1462037-4	1-1462037-6	1-1462037-8																																																																																																																																																																																							
IM03..L	03	5	2-1462039-5																																																																																																																																																																																									
IM03..X	03	5	8-1462039-6																																																																																																																																																																																									
IM03C..	03C	5	1462038-2		4-1462039-7																																																																																																																																																																																							
IM03D..	03D	5	9-1462038-9	3-1462039-3	8-1462039-3																																																																																																																																																																																							
IM03NS	03N	5				1-1462038-3																																																																																																																																																																																						
IM03P..	03P	5	5-1462039-5																																																																																																																																																																																									
IM03PNS	03P	5				5-1462039-9																																																																																																																																																																																						
IM04..	04	6	4-1462037-2	4-1462037-4	4-1462037-1																																																																																																																																																																																							
IM04B..	04B	6	6-1462039-5																																																																																																																																																																																									
IM04NS	04N	6				1-1462038-4																																																																																																																																																																																						
IM05..	05	9	3-1462037-4	4-1462037-5	2-1462037-2																																																																																																																																																																																							
IM05B..	05B	9	5-1462039-3																																																																																																																																																																																									
IM05C..	05C	9	1462038-3																																																																																																																																																																																									
IM05D..	05D	9	1-1462039-7																																																																																																																																																																																									
IM05NS	05N	9				1-1462038-5																																																																																																																																																																																						
IM06..	06	12	2-1462037-3	4-1462037-6	2-1462037-7																																																																																																																																																																																							
IM06C..	06C	12	9-1462037-9	3-1462039-4	4-1462037-9																																																																																																																																																																																							
IM06D..	06D	12	1-1462039-8	7-1462039-0	3-1462039-8																																																																																																																																																																																							
IM06NS	06N	12				1-1462038-6																																																																																																																																																																																						
IM06P..	06P	12	5-1462039-6																																																																																																																																																																																									
IM06PNS	06P	12				6-1462039-0																																																																																																																																																																																						
IM07..	07	24	4-1462037-7	4-1462037-8	3-1462037-0																																																																																																																																																																																							
*obsolete DRAWING ALIAS: IM0C-DOK17																																																																																																																																																																																												
DIMENSIONS: mm		DWN HD 9121 21FEB2003	MATERIAL -		FINISH -																																																																																																																																																																																							
TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		CHK HD 9121 21FEB2003	 TE Connectivity																																																																																																																																																																																									
		APVD HD 9121 21FEB2003																																																																																																																																																																																										
		PRODUCT SPEC -					NAME IM-Relay Marking																																																																																																																																																																																					
		APPLICATION SPEC -	SIZE A4	CAGE CODE 00779	DRAWING NO C- 1462037-1	RESTRICTED TO -																																																																																																																																																																																						
		WEIGHT -	CUSTOMER DRAWING																																																																																																																																																																																									
		SCALE 10:1	SHEET 2	OF 6	REV C1																																																																																																																																																																																							


2000


RELEASED FOR PUBLICATION

THIS DRAWING IS UNPUBLISHED.

ALL RIGHTS RESERVED.

COPYRIGHT2000

2000	RELEASED FOR PUBLICATION	ALL RIGHTS RESERVED.	COPYRIGHT2000	THIS DRAWING IS UNPUBLISHED.	LOC	DIST	REVISIONS					
					HJ	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
							-	SEE SHEET 1	-	-	-	
Relay-Typ	Mark 1)	Mark 2)	PN (GR)	PN (JR)	PN (TS)	PN (KS/NS)						
IM07C..	07C	24	1462039-2		1462039-1							
IM07D..	07D	24		7-1462039-4	7-1462039-2							
IM07NS	07N	24				1-1462038-7						
IM08I..	08I	2.4			1462047-3							
IM11..	11	3	9-1462038-5									
IM12..	12	4.5	1462039-3									
IM13..	13	5	1462039-4									
IM15..	15	9	8-1462039-5									
IM16..	16	12	1462039-5									
IM17..	17	24	1462039-6		4-1462039-6							
IM21..	21	3	2-1462039-6		1-1462039-5							
IM22..	22	4.5	2-1462039-7		2-1462039-8							
IM23..	23	5	2-1462039-9		3-1462039-0	6-1462039-7						
IM25..	25	9	3-1462039-5									
IM26..	26	12	3-1462039-1		3-1462039-2							
IM40..	40	1.5	5-1462037-1									
IM40D..	40D	1.5	8-1462039-4									
IM40NS	40N	1.5				1-1462038-8						
IM41..	41	3	5-1462037-4	5-1462037-5	5-1462037-3							
IM41C..	41C	3	4-1462039-2									
IM41D..	41D	3	6-1462039-8									
IM41NS	41N	3				1-1462038-9						
IM42..	42	4.5	3-1462037-1	5-1462037-7	5-1462037-6							
IM42C..	42C	4.5	4-1462039-1									
IM42D..	42D	4.5	1-1462039-9									
*obsolete												
DRAWING ALIAS: IM0C-DOK17												
DIMENSIONS:		DWN	21FEB2003	MATERIAL		FINISH						
mm		HD 9121		-		-						
TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m		CHK	21FEB2003	 TE Connectivity								
		HD 9121										
		APVD	21FEB2003									
		HD 9121										
0 PLC ±-		PRODUCT SPEC		NAME								
1 PLC ±-		-		IM-Relay								
2 PLC ±-		APPLICATION SPEC		Marking								
3 PLC ±-		-		SIZE								
4 PLC ±-				CAGE CODE								
ANGLES ±-		WEIGHT		DRAWING NO								
		-		RESTRICTED TO								
CUSTOMER DRAWING				-								
SCALE				10:1								
SHEET				3								
OF				6								
REV				C1								

2000	RELEASED FOR PUBLICATION	ALL RIGHTS RESERVED.	COPYRIGHT2000	THIS DRAWING IS UNPUBLISHED.	LOC	DIST	REVISIONS					
					HJ	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
							-	SEE SHEET 1	-	-	-	
Relay-Type	Mark 1)	Mark 2)	PN (GR)	PN (JR)	PN (TS)	PN (KS/NS)						
IM61..	61	3	7-1462039-7									
IM68..	68	2.4	8-1462039-2									
IMB01C..	B01C	3	1462041-1		1462041-4							
IMB02C..	B02C	4.5	1462041-2									
IMB03C..	B03C	5	1462041-7									
IMB03C..E	B03C	5	1-1462041-8									
IMB04C..	B04C	6	1462041-9		1-1462041-1							
IMB05C..	B05C	9	1-1462041-0		1-1462041-2							
IMB06C..	B06C	12	1462041-3		1462041-6							
IMB07C..	B07C	24	1-1462041-3		1-1462041-4							
IMB32B..	B32B	4.5	2-1462041-0									
IMB33B..	B33B	5	1-1462041-9									
IMB41C..	B41C	3	1-1462041-7									
IMB42C..	B42C	4.5	1-1462041-6		1-1462041-5							
*obsolete												
DIMENSIONS:		DWN	21FEB2003	MATERIAL	DRAWING ALIAS:							
mm		HD 9121		-	IM0C-DOK17							
TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m		CHK	21FEB2003	 TE Connectivity								
		HD 9121										
		APVD	21FEB2003									
		HD 9121										
0 PLC ±-		PRODUCT SPEC		NAME IM-Relay Marking								
1 PLC ±-		-										
2 PLC ±-		APPLICATION SPEC										
3 PLC ±-		-		SIZE A4								
4 PLC ±-		-										
ANGLES ±-		-										
		WEIGHT		CAGE CODE								
		-		DRAWING NO								
CUSTOMER DRAWING				RESTRICTED TO								
				-								
				SCALE								
				10:1								
				SHEET								
				5								
				OF								
				6								
				REV								
				C1								

2000 RELEASED FOR PUBLICATION	ALL RIGHTS RESERVED.	COPYRIGHT2000	THIS DRAWING IS UNPUBLISHED.	©	*obsolete	LOC		DIST		REVISIONS					
						HJ	-	P	LTR	DESCRIPTION		DATE	DWN	APVD	
									-	SEE SHEET 1		-	-	-	
						Relay-Type	Mark 1)	Mark 2)	PN (GR)	PN (JR)	PN (TS)	PN (KS/NS)			
						IMC01..	C01	3	1462042-1		1462042-4				
						IMC02..	C02	4.5	1462042-2		1462042-5				
						IMC03..	C03	5	1462042-8		1462042-7				
IMC06..	C06	12	1462042-3		1462042-6										
IMC07..	C07	24	1-1462042-1		1-1462042-2										
IMC02C..	C02C	4.5	1-1462042-0												
IMC03C..	C03C	5	1-1462042-5												
IMC06C..	C06C	12	1462042-9		1-1462042-4										
IMC41C..	C41C	3			1-1462042-3										
IME01..	E01	3	1462043-1		1462043-5										
IME02..	E02	4.5	1462043-2		1462043-6										
IME03..	E03	5	1462043-3		1462043-7										
IME06..	E06	12	1462043-4		1462043-8										
IMF61..	F61	3	1462048-3												
IMF68..	F68	2.4	1-1462048-0												
DRAWING ALIAS: IM0C-DOK17															
DIMENSIONS:		DWN	21FEB2003	MATERIAL		FINISH									
mm		HD 9121		-		-									
TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN 7168-m		CHK	21FEB2003	TE TE Connectivity											
		HD 9121													
		APVD	21FEB2003												
		HD 9121													
PRODUCT SPEC		NAME													
								IM-Relay Marking							
APPLICATION SPEC		SIZE													
-		CAGE CODE													
		DRAWING NO													
		RESTRICTED TO													
0 PLC ±-		A4 00779 C- 1462037-1													
1 PLC ±-															
2 PLC ±-															
3 PLC ±-															
4 PLC ±-															
ANGLES ±-															
		WEIGHT													
		-													
CUSTOMER DRAWING						SCALE	10:1	SHEET	6	OF	6	REV	C1		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru