

## PANDUIT® Hand-Held Thermal Transfer Printing Solutions



PanTher™ LS8E



Cougar™ LS9


|                               |            |            |
|-------------------------------|------------|------------|
| Self-Laminating Labels        | Page E1.3  |            |
| Die-Cut Vinyl Cloth Labels    | Page E1.6  |            |
| Turn-Tell™ Labels             | Page E1.6  |            |
| Marker Plates                 | Page E1.7  |            |
| Flag Labels                   | Page E1.7  |            |
| Die-Cut Heat Shrink Tubing    | Page E1.9  |            |
| Die-Cut Component Labels      | Page E1.10 |            |
| Vinyl Cloth Continuous Tapes  | Page E1.5  | Page E1.5  |
| Nylon Cloth Continuous Tapes  | Page E1.5  | Page E1.5  |
| Continuous Heat Shrink Tubing | Page E1.8  | Page E1.8  |
| Continuous Tapes              | Page E1.11 | Page E1.11 |
| Continuous Reflective Tapes   | Page E1.12 | Page E1.12 |

### P1™ Self-Laminating Label Cassettes for PanTher™ LS8E Hand-Held Thermal Transfer Printer

- P1™ Label Cassette contains an integrated memory device for automatic formatting, recall of last legend used, and number of labels remaining in the cassette
- Fast loading label cassette includes both label material and ribbon to make changing labels easy
- Self-laminating adhesive labels for wire/cable identification include a colored print-on area and clear overlamine
- Labels are available in a large range of wire/cable sizes



### Part Number System for Wire/Cable Labeling



### Material/Print Method Selection Chart

| Material                                   | Print Method | Temperature Range                  | Features   |
|--|--------------|------------------------------------|--|
| Self-Laminating Vinyl, White Print-On (V*) | P1™ Cassette | -50°F to 225°F<br>(-45°C to 107°C) | Indoor/outdoor rated; thin and conformable; preferred material for most general wire/cable labeling. |

Table continues on page E1.4

A.  
System  
Overview

B1.  
Cable Ties

B2.  
Cable  
Accessories

B3.  
Stainless  
Steel Ties

C1.  
Wiring  
Duct

C2.  
Surface  
Raceway

C3.  
Abrasion  
Protection

C4.  
Cable  
Management

D1.  
Terminals

D2.  
Power  
Connectors

D3.  
Grounding  
Connectors

E1.  
Labeling  
Systems

E2.  
Labels

E3.  
Pre-Printed  
& Write-On  
Markers

E4.  
Permanent  
Identification

E5.  
Lockout/  
Tagout  
& Safety  
Solutions

F.  
Index

A.  
System  
Overview

## P1™ Self-Laminating Label Cassettes for PanTher™ LS8E Hand-Held Thermal Transfer Printer (continued)

B1.  
Cable Ties

B2.  
Cable  
Accessories

B3.  
Stainless  
Steel Ties

C1.  
Wiring  
Duct

C2.  
Surface  
Raceway

C3.  
Abrasion  
Protection

C4.  
Cable  
Management

D1.  
Terminals

D2.  
Power  
Connectors

D3.  
Grounding  
Connectors

E1.  
Labeling  
Systems

E2.  
Labels

E3.  
Pre-Printed  
& Write-On  
Markers

E4.  
Permanent  
Identification

E5.  
Lockout/  
Tagout  
& Safety  
Solutions

F.  
Index

| Part Number        | Part Description   | Width |       | Length |        | Print-On Height |       | Min. Cable O.D. |       | Max. Cable O.D. |       | Std. Pkg. Qty. | Std. Ctn. Qty. |
|--------------------|--|-------|-------|--------|--------|-----------------|-------|-----------------|-------|-----------------|-------|----------------|----------------|
|                    |  | In.   | mm    | In.    | mm     | In.             | mm    | In.             | mm    | In.             | mm    |                |                |
| <b>S050X075VAC</b> | White print-on area, vinyl label for 18 – 14 AWG wires, 450/cassette.      | .50   | 12.70 | 0.75   | 19.05  | 0.25            | 6.35  | 0.08            | 2.02  | 0.16            | 4.04  | 1              | 10             |
| <b>S050X125VAC</b> | White print-on area, vinyl label for 12 – 10 AWG wires, 225/cassette.      | .50   | 12.70 | 1.25   | 31.75  | 0.38            | 9.65  | 0.12            | 3.07  | 0.28            | 7.03  | 1              | 10             |
| <b>S050X150VAC</b> | White print-on area, vinyl label for Cat. 5e/Cat. 6 cables, 200/cassette.  | .50   | 12.70 | 1.50   | 38.10  | 0.50            | 12.70 | 0.16            | 4.04  | 0.32            | 8.09  | 1              | 10             |
| <b>S075X075VAC</b> | White print-on area, vinyl label for 18 – 14 AWG wires, 350/cassette.      | .75   | 19.05 | 0.75   | 19.05  | 0.25            | 6.35  | 0.08            | 2.02  | 0.16            | 4.04  | 1              | 10             |
| <b>S075X100VAC</b> | White print-on area, vinyl label for 12 – 10 AWG wires, 275/cassette.      | .75   | 19.05 | 1.00   | 25.40  | 0.38            | 9.65  | 0.12            | 3.05  | 0.20            | 5.08  | 1              | 10             |
| <b>S075X125VAC</b> | White print-on area, vinyl label for 12 – 10 AWG wires, 225/cassette.      | .75   | 19.05 | 1.25   | 31.75  | 0.38            | 9.65  | 0.12            | 3.07  | 0.28            | 7.03  | 1              | 10             |
| <b>S075X150VAC</b> | White print-on area, vinyl label for Cat. 5e/Cat. 6 cables, 200/cassette.  | .75   | 19.05 | 1.50   | 38.10  | 0.50            | 12.70 | 0.16            | 4.04  | 0.32            | 8.09  | 1              | 10             |
| <b>S100X075VAC</b> | White print-on area, vinyl label for 18 – 14 AWG wires, 350/cassette.      | 1.00  | 25.40 | 0.75   | 19.05  | 0.25            | 6.35  | 0.08            | 2.02  | 0.16            | 4.04  | 1              | 10             |
| <b>S100X125VAC</b> | White print-on area, vinyl label for 12 – 10 AWG wires, 225/cassette.      | 1.00  | 25.40 | 1.25   | 31.75  | 0.38            | 9.65  | 0.12            | 3.07  | 0.28            | 7.03  | 1              | 10             |
| <b>S100X150VAC</b> | White print-on area, vinyl label for Cat. 5e/Cat. 6 cables, 200/cassette.  | 1.00  | 25.40 | 1.50   | 38.10  | 0.50            | 12.70 | 0.16            | 4.04  | 0.32            | 8.09  | 1              | 10             |
| <b>S100X150VBC</b> | Blue print-on area, vinyl label for Cat. 5e/Cat. 6 cables, 200/cassette.   | 1.00  | 25.40 | 1.50   | 38.10  | 0.50            | 12.70 | 0.16            | 4.04  | 0.32            | 8.09  | 1              | 10             |
| <b>S100X150VDC</b> | Green print-on area, vinyl label for Cat. 5e/Cat. 6 cables, 200/cassette.  | 1.00  | 25.40 | 1.50   | 38.10  | 0.50            | 12.70 | 0.16            | 4.04  | 0.32            | 8.09  | 1              | 10             |
| <b>S100X150VHC</b> | Red print-on area, vinyl label for Cat. 5e/Cat. 6 cables, 200/cassette.    | 1.00  | 25.40 | 1.50   | 38.10  | 0.50            | 12.70 | 0.16            | 4.04  | 0.32            | 8.09  | 1              | 10             |
| <b>S100X150VIC</b> | Yellow print-on area, vinyl label for Cat. 5e/Cat. 6 cables, 200/cassette. | 1.00  | 25.40 | 1.50   | 38.10  | 0.50            | 12.70 | 0.16            | 4.04  | 0.32            | 8.09  | 1              | 10             |
| <b>S100X225VAC</b> | White print-on area, vinyl label for 8 – 4 AWG wires, 125/cassette.        | 1.00  | 25.40 | 2.25   | 57.15  | 0.75            | 19.05 | 0.24            | 6.06  | 0.48            | 12.19 | 1              | 10             |
| <b>S100X225VBC</b> | Blue print-on area, vinyl label for 8 – 4 AWG wires, 125/cassette.         | 1.00  | 25.40 | 2.25   | 57.15  | 0.75            | 19.05 | 0.24            | 6.06  | 0.48            | 12.19 | 1              | 10             |
| <b>S100X225VDC</b> | Green print-on area, vinyl label for 8 – 4 AWG wires, 125/cassette.        | 1.00  | 25.40 | 2.25   | 57.15  | 0.75            | 19.05 | 0.24            | 6.06  | 0.48            | 12.19 | 1              | 10             |
| <b>S100X225VHC</b> | Red print-on area, vinyl label for 8 – 4 AWG wires, 125/cassette.          | 1.00  | 25.40 | 2.25   | 57.15  | 0.75            | 19.05 | 0.24            | 6.06  | 0.48            | 12.19 | 1              | 10             |
| <b>S100X225VIC</b> | Yellow print-on area, vinyl label for 8 – 4 AWG wires, 125/cassette.       | 1.00  | 25.40 | 2.25   | 57.15  | 0.75            | 19.05 | 0.24            | 6.06  | 0.48            | 12.19 | 1              | 10             |
| <b>S100X400VAC</b> | White print-on area, vinyl label for 2 – 1 AWG wires, 75/cassette.         | 1.00  | 25.40 | 4.00   | 101.60 | 1.00            | 25.40 | 0.32            | 8.09  | 0.95            | 24.26 | 1              | 10             |
| <b>S100X650VAC</b> | White print-on area, vinyl label for 1/0 – 250 MCM wires, 50/cassette.     | 1.00  | 25.40 | 6.50   | 165.10 | 1.50            | 38.10 | 0.48            | 12.19 | 1.59            | 40.39 | 1              | 10             |

Order number of cassettes required.

Other colors available, replace A with B (Blue), D (Green), H (Red) and I (Yellow).

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)  
Email: org@lifeelectronics.ru