

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	24OCT2016	DW	CW

D

D

NOTES:
1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: SEE TABLE
DEGREE OF PROTECTION: IP68 (MATED)

注释
1. 技术参数:
壳体材料: 铝合金
表面处理: 见表格
防护等级: IP68 (配合)

C






C

B

B

A

A



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 24OCT2016 DAVID WANG	TE Connectivity			
		CHK 24OCT2016 CHRIS WANG				
DIMENSIONS:		APVD 24OCT2016 XIANG XU	NAME H24BPR-H130-TG/SHC-PG/M-EMC-C			
mm		PRODUCT SPEC				
		APPLICATION SPEC				
		WEIGHT				
MATERIAL		Customer Drawing	SIZE A2	CAGE CODE -	DRAWING NO. C-T108224XXXX009	RESTRICTED TO -
			SCALE 1:1	SHEET 1 OF 2	REV A	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

©

COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:
SEE SHEET 1

T1082244032-009	H24BPR-H130-TG/SHC-M40/M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP ENTRY M40, SIDE ENTRY M32, POWDER COATED, GREY H24BPR中部锁定高结构顶出M40,侧出M32上壳 灰色	M40	M32
T1082243240-009	H24BPR-H130-TG/SHC-M32/M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP ENTRY M32, SIDE ENTRY M40, POWDER COATED, GREY H24BPR中部锁定高结构顶出M32,侧出M40上壳 灰色	M32	M40
T1082242240-009	H24BPR-H130-TG/SHC-2M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M40, POWDER COATED, GREY H24BPR中部锁定高结构顶出/侧出M40上壳 灰色	M40	M40
T1082242232-009	H24BPR-H130-TG/SHC-2M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M32, POWDER COATED, GREY H24BPR中部锁定高结构顶出/侧出M32上壳 灰色	M32	M32
T1082241240-009	H24BPR-H130-TG/SHC-2M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M40, POWDER COATED, SILVER WHITE H24BPR中部锁定高结构顶出/侧出M40上壳 银白色	M40	M40
T1082241232-009	H24BPR-H130-TG/SHC-2M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M32, POWDER COATED, SILVER WHITE H24BPR中部锁定高结构顶出/侧出M32上壳 银白色	M32	M32
T1082244032-109	H24BPR-H130-TG/SHC-M40/M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP ENTRY M40, SIDE ENTRY M32, POWDER COATED, BLACK H24BPR中部锁定高结构顶出M40,侧出M32上壳 黑色	M40	M32
T1082243240-109	H24BPR-H130-TG/SHC-M32/M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP ENTRY M32, SIDE ENTRY M40, POWDER COATED, BLACK H24BPR中部锁定高结构顶出M32,侧出M40上壳 黑色	M32	M40
T1082240240-009	H24BPR-H130-TG/SHC-2M40-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M40, POWDER COATED, BLACK H24BPR中部锁定高结构顶出/侧出M40上壳 黑色	M40	M40
T1082240232-009	H24BPR-H130-TG/SHC-2M32-EMC-C	H24BPR HIGH CONSTRUCTURE HOOD,CENTER LOCKING, TOP/SIDE ENTRY M32, POWDER COATED, BLACK H24BPR中部锁定高结构顶出/侧出M32上壳 黑色	M32	M32
PART NUMBER 料 号	DESCRIPTION 描 述		PG/M THREAD-2 PG/M 螺纹-2	PG/M THREAD-1 PG/M 螺纹-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL
-
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-
FINISH -
-

DWN 24OCT2016
DAVID WANG
CHK 24OCT2016
CHRIS WANG
APVD 24OCT2016
XIANG XU
PRODUCT SPEC
108-137191
APPLICATION SPEC
114-137191
WEIGHT -
Customer Drawing

TE Connectivity

NAME
H24BPR-H130-TG/SHC-PG/M-EMC-C

SIZE
A2

CAGE CODE
-

DRAWING NO
T108224XXXX009

RESTRICTED TO
-

SCALE 1:1
SHEET 2 OF 2
REV A

1471-9 (3/13)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru