

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECR-17-014561	10OCT2017	RK	JL
	A1	REVISED PER ECR-17-015644	25OCT2017	RK	JL

D

D

NOTES:

1. PARTS COMPLY TO TE SOLDERABILITY SPEC 109-11-3.

2. MATERIALS:

- HOUSING:GF-LCP
COLOR:SEE TABLE
- CONTACT:PHOSPHOR BRONZE
PLATING:TIN

C

C

FOR POLARIZATION FEATURE

Ø2.05±0.05 NON-PLATED THRU HOLE

Ø2.00^{+0.08}_{-0.03} PLATED THRU HOLE

RECOMMENDED MOUNTING HOLE PATTERN FOR 1.57 THICK PC BOARD
SCALE 4:1

2213756-1, 1-2213756-1
SHOWN

BLACK	15 POS UMNL HEADER HOUSING POLARIZED	1-2213756-4
BLACK	12 POS UMNL HEADER HOUSING POLARIZED	1-2213756-3
BLACK	9 POS UMNL HEADER HOUSING POLARIZED	1-2213756-2
BLACK	6 POS UMNL HEADER HOUSING POLARIZED	1-2213756-1
NATURAL	15 POS UMNL HEADER HOUSING POLARIZED	2213756-4
NATURAL	12 POS UMNL HEADER HOUSING POLARIZED	2213756-3
NATURAL	9 POS UMNL HEADER HOUSING POLARIZED	2213756-2
NATURAL	6 POS UMNL HEADER HOUSING POLARIZED	2213756-1
COLOR	POSITION	PART NO.

B

B

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±0.5
2 PLC	±0.13
3 PLC	±
4 PLC	±
ANGLES	±
FINISH	±

MATERIAL

-

-

DWN
J. SHAFFER
02NOV2015

CHK
M. MOSTOLLER
02NOV2015

APVD
M. MOSTOLLER
02NOV2015

PRODUCT SPEC
108-1053

APPLICATION SPEC
114-133083

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
3 ROW SOCKET HEADER ASSEMBLY,UMNL,HIGH TEMPERATURE

SIZE A2	CAGE CODE -	DRAWING NO C-2213756	RESTRICTED TO -
------------	----------------	-------------------------	--------------------

SCALE
2:1

SHEET
1 OF 4

REV
A1

A

A

D

D

C




C

B


B

A

A





2213756-2, 1-2213756-2
SHOWN




RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity		
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015			
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE		
		PRODUCT SPEC	SIZE A2		
		APPLICATION SPEC	CAGE CODE -		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		114-133083	DRAWING NO C-2213756		
0 PLC ±		WEIGHT	RESTRICTED TO		
1 PLC ±0.5		CUSTOMER DRAWING	-		
2 PLC ±0.13		SCALE 2:1	SHEET 2 OF 4		
3 PLC ±		REV A1			
4 PLC ±					
ANGLES ±					
FINISH					
-					
-					

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			



2213756-3, 1-2213756-3
SHOWN



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity		
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015			
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE		
		PRODUCT SPEC	SIZE A2		
		APPLICATION SPEC	CAGE CODE -		
MATERIAL		114-133083	DRAWING NO C-2213756		
		WEIGHT	RESTRICTED TO -		
		CUSTOMER DRAWING	SCALE 2:1 SHEET 3 OF 4 REV A1		

D

C

B






A

D

C

B

A



2213756-4, 1-2213756-4
SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW SOCKET HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	108-1053		SIZE	RESTRICTED TO
		APPLICATION SPEC	114-133083		CAGE CODE	
MATERIAL		WEIGHT	-		DRAWING NO	
		CUSTOMER DRAWING			SCALE	
					SHEET	
					OF	
					4	
					4	
					REV	
					A1	

RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru