

TECHNICAL DATA SHEET

Description:

779-787MHz RA Stick Monopole - SMA-M

PART NUMBER: W1079



Features:

- Frequency 779 787 MHz
- · Gain 0 dBi
- Length 128 mm
- Connector SMA-Male
- IP42
- RoHS Compliant

Applications:

- China ISM radios operating on 779 – 787 MHz license free band
- Indoor use
- · Remote controls
- · Surveillance, Monitoring
- Industry automation
- IoT

All dimensions are in mm / inches

Issue: 1850

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



TECHNICAL DATA SHEET

Description:

779-787MHz RA Stick Monopole – SMA-M

PART NUMBER: W1079

ELECTRICAL SPECIFICATIONS

Antenna Type Monopole

Frequency 779 - 787 MHz

Nominal Impedance 50 Ω

VSWR 2 (MAX)

Radiation Pattern Omni

Gain 0 dBi (Typical)

Efficiency 55 % (Min)

Polarization Vertical

Power Withstanding 5 W

MECHANICAL SPECIFICATIONS

Overall Length 128 mm

Weight 14.6 g

Antenna Color Black

Connector type SMA Male R/A

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -40~+85 °C
Storage Temperature -40~+85 °C

Ingress Protection IP42
RoHS Compliant Yes





TECHNICAL DATA SHEET


Description:

779-787MHz RA Stick Monopole – SMA-M

PART NUMBER: W1079

Series: Stick Antenna

MECHANICAL DRAWING






TECHNICAL DATA SHEET

Description:

779-787MHz RA Stick Monopole – SMA-M

PART NUMBER: W1079

TEST SETUP



Test with a 45mm*67mm ground plane in free space.



TECHNICAL DATA SHEET


Description:

779-787MHz RA Stick Monopole – SMA-M

PART NUMBER: W1079

CHARTS

VSWR vs Frequency







TECHNICAL DATA SHEET


Description:

779-787MHz RA Stick Monopole - SMA-M


PART NUMBER: W1079

CHARTS

Peak Gain



Radiation Efficiency





TECHNICAL DATA SHEET


Description:


779-787MHz RA Stick Monopole - SMA-M


PART NUMBER: W1079

CHARTS

Radiation Pattern 2D









TECHNICAL DATA SHEET

Description:

779-787MHz RA Stick Monopole – SMA-M

PART NUMBER: W1079

PACKAGING

20PCS / PE Bag, 800PCS / Box





OOO «ЛайфЭлектроникс" "LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 3010181090000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный) Email: org@lifeelectronics.ru