




MATERIAL AND FINISHES:

BASE: LCP

CONTACT: BRASS

C2680 (t=0.15)

PLATED: GOLD (0.03 MICROMETER MINIMUM) OVER
NICKEL (1~4 MICROMETER)

OUTER CONTACT: PHOSPHOR BRONZE (JIS 5191-SH)

C5210 (t=0.12)





PLATED: GOLD (0.03 MICROMETER MINIMUM) OVER
NICKEL (1~4 MICROMETER)

WILL WITHSTAND REFLOW
TEMPERATURE OF
265 DEG C ±5 DEG




VSWR

DC-3GHz: 1.18 MAX

DC-6GHz: 1.30 MAX



MATED HEIGHT





PS-73598-0210	PROD SPEC
SPECIFICATION	DESCRIPTION

CMJ (MOLEX
P/N: 73412-0110)
(NOT INCLUDED WITH
73118-0350 ASSEMBLY)


CMJ (MOLEX
P/N: 73412-0110)
(NOT INCLUDED WITH
73118-0360 ASSEMBLY)

73412-0114	TAPE AND REEL (1K/REEL)
73412-0112	73412-0110, 10 PIECES PER BAG IN TAPE
73412-0110	TAPE AND REEL (5K/REEL)
PART NO.	PACKAGING

CHG: REMOVE OPTIONAL NOTE FROM NOTCH AND PCB LAYOUT EC NO: URF2014-0056 2013/07/24 DRWN: JWIENER 2013/07/24 CHKD: JSS 2013/07/29 APPR: JWIENER	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM/IN		SCALE	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY	DATE	TITLE			
			4 PLACES	± ---	± ---	DARRY	2003/1/27	MICRO COAXIAL CONNECTOR RECEPTACLE VERTICAL EWR-4537			
			3 PLACES	± ---	± ---	CHECKED BY	DATE	MOLEX INCORPORATED			
			2 PLACES	± 0.25	± ---	JOHNSON	2003/1/27				
			1 PLACE	± 0.13	± ---	APPROVED BY	DATE	SD-73412-011			
			ANGULAR ± 2 °			MHUANG	2010/11/28				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
						SEE TABLE				1 OF 2	
						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					



SECTION Z-Z



SECTION Y-Y

NOTES:

1. 10 SPROCKET HOLE PITCH CUMULATIVE TOLERANCE $\pm 0.20\text{mm}$
2. CARRIER CAMBER IS WITH 1mm IN 250mm
3. MATERIAL : TRANSPARENT POLYSTYRENE
4. ALL DIMENSIONS MEET EIA-481-1 REQUIREMENT
5. COMPONENT LOAD PER 13" REEL (5,000 PCS),
COMPONENT LOAD PER 7" REEL (1,000 PCS),

CHG: SEE SHEET 1
EC NO: URF2014-0056
DRWN: JWIENER 2013/07/24
CHKD: SSS 2013/07/24
APPR: JWIENER 2013/07/29

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	$\pm .005$	$\pm .0004$
3 PLACES	$\pm .003$	$\pm .0002$
2 PLACES	± 0.25	$\pm .010$
1 PLACE	± 0.13	$\pm .005$

ANGULAR $\pm 2^\circ$

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM/IN

DRAWN BY	DATE
DARRY	2003/1/27

CHECKED BY	DATE
JOHNSON	2003/1/27

APPROVED BY	DATE
MHUANG	2010/11/28

MATERIAL NO.
SEE SHEET 1

SCALE
DESIGN UNITS
METRIC

THIRD ANGLE PROJECTION

TITLE
MICRO COAXIAL CONNECTOR
RECEPTACLE VERTICAL
EWR-4537

MOLEX INCORPORATED

DOCUMENT NO.
SD-73412-011

SHEET NO.
2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru